





Ergebnis: **370** (386.3)
 Serien: 95 93 93 89
 Zähler: 15 20 5 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1851 (25), 1801 (35), 1734 (12)
 beste Teiler 208.2 (6.) 230.5 (13.) 405.0 (2.)
 Trefferlage 0.89 mm rechts, 0.90 mm hoch
 Streuwert 8.00, horizontal: 7.39, vertikal: 8.57




Serie 1:
 9.2 ↑ 10.4 * 9.7 ↘ 9.2 ↓ 9.3 ↓
 10.7 * 10.3 → 10.2 ↖ 9.0 ← 10.1 ↖
 beste Teiler 208.2 (6.) 405.0 (2.) 553.7 (7.)
 Trefferlage 0.96 mm links, 1.23 mm tief
 Streuwert 7.53, horizontal: 6.25, vertikal: 8.61



Serie 2:
 9.7 ↖ 8.8 ↙ 10.7 * 9.5 ↘ 10.4 *
 8.9 ↗ 9.6 → 10.0 ↓ 10.0 ↑ 10.2 →
 beste Teiler 230.5 (13.) 469.6 (15.) 562.6 (20.)
 Trefferlage 0.37 mm links, 0.91 mm hoch
 Streuwert 7.72, horizontal: 7.48, vertikal: 7.96



Serie 3:
 9.2 → 10.2 ↖ 9.5 ↓ 10.1 ↖ 8.6 ↘
 10.3 → 9.0 ↖ 9.4 ↘ 10.0 ↑ 9.7 ↑
 beste Teiler 493.9 (26.) 576.7 (22.) 716.4 (24.)
 Trefferlage 2.72 mm rechts, 1.41 mm hoch
 Streuwert 8.21, horizontal: 7.74, vertikal: 8.66





Serie 4:
 10.3 ↓ 9.2 ↙ 9.6 ↖ 9.8 → 8.7 ↑
 9.7 ↗ 9.0 → 8.8 ↖ 9.4 ↙ 9.9 →
 beste Teiler 539.6 (31.) 817.5 (40.) 936.1 (34.)
 Trefferlage 2.18 mm rechts, 2.54 mm hoch
 Streuwert 9.17, horizontal: 8.41, vertikal: 9.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (384.6)
 Serien: 90 94 91 88
 Zähler: 13 20 4 3 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3003 (8), 2547 (32), 2428 (39)
 beste Teiler 86.8 (36.) 122.5 (23.) 209.0 (34.)
 Trefferlage 0.87 mm rechts, 3.80 mm hoch
 Streuwert 8.51, horizontal: 8.64, vertikal: 8.38




Serie 1:
 10.3 ↖ 9.7 ← 8.9 ↑ 10.6 * 9.5 ↗
 9.6 ↘ 10.4 * 7.2 → 9.7 ↙ 9.6 ↓
 beste Teiler 250.7 (4.) 417.6 (7.) 487.9 (1.)
 Trefferlage 0.90 mm rechts, 3.58 mm hoch
 Streuwert 9.63, horizontal: 11.11, vertikal: 7.87



Serie 2:
 10.5 * 9.5 → 9.8 ↗ 9.9 → 10.4 *
 9.2 ↘ 10.0 ↑ 10.2 ↑ 9.8 ↓ 9.8 →
 beste Teiler 335.8 (11.) 430.0 (15.) 637.8 (18.)
 Trefferlage 2.84 mm rechts, 2.23 mm hoch
 Streuwert 6.13, horizontal: 6.46, vertikal: 5.78



Serie 3:
 8.7 → 9.5 ↖ 10.8 * 9.2 ↓ 9.5 ↖
 9.8 → 9.3 ↑ 10.2 ↑ 10.3 ↙ 8.2 ↑
 beste Teiler 122.5 (23.) 526.8 (29.) 640.6 (28.)
 Trefferlage 2.18 mm rechts, 3.64 mm hoch
 Streuwert 8.73, horizontal: 8.01, vertikal: 9.39





Serie 4:
 9.0 → 7.8 ↖ 9.8 ↑ 10.7 * 9.7 ↑
 10.8 * 8.8 ← 9.7 ↙ 7.9 ↑ 10.3 ←
 beste Teiler 86.8 (36.) 209.0 (34.) 521.1 (40.)
 Trefferlage 2.44 mm links, 5.73 mm hoch
 Streuwert 9.73, horizontal: 8.71, vertikal: 10.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.4)
 Serien: 92 89 94 93
 Zähler: 13 22 5 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2195 (13), 1811 (4), 1798 (12)
 beste Teiler 216.6 (24.) 371.6 (28.) 401.3 (23.)
 Trefferlage 2.00 mm rechts, 1.37 mm hoch
 Streuwert 7.86, horizontal: 8.25, vertikal: 7.46




Serie 1:
 9.7 ↘ 10.4 * 9.9 → 8.7 ← 10.1 ↘
 9.5 → 9.8 ↑ 9.9 → 9.6 ↘ 10.0 ↑
 beste Teiler 475.7 (2.) 648.9 (5.) 747.9 (10.)
 Trefferlage 0.04 mm links, 2.25 mm hoch
 Streuwert 7.41, horizontal: 8.90, vertikal: 5.54



Serie 2:
 8.9 ↗ 8.7 ↓ 8.2 ↘ 9.9 → 10.2 ←
 9.6 → 10.1 ← 9.2 ↓ 9.1 ↗ 9.8 ↘
 beste Teiler 591.0 (15.) 683.0 (17.) 851.1 (14.)
 Trefferlage 4.17 mm rechts, 1.05 mm tief
 Streuwert 9.60, horizontal: 9.46, vertikal: 9.74



Serie 3:
 9.6 ↓ 10.3 ↓ 10.4 * 10.7 * 9.4 →
 9.4 ← 9.8 ↑ 10.5 * 8.8 ← 10.1 ↗
 beste Teiler 216.6 (24.) 371.6 (28.) 401.3 (23.)
 Trefferlage 0.52 mm links, 0.71 mm tief
 Streuwert 7.05, horizontal: 8.08, vertikal: 5.84





Serie 4:
 9.0 ↑ 9.5 ↑ 10.2 → 9.7 ← 9.2 →
 10.0 ↑ 9.6 → 10.3 → 9.6 ↘ 9.0 ↑
 beste Teiler 558.7 (38.) 569.8 (33.) 788.8 (36.)
 Trefferlage 4.42 mm rechts, 5.01 mm hoch
 Streuwert 6.76, horizontal: 6.09, vertikal: 7.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (387.7)
 Serien: 93 91 94 90
 Zähler: 12 24 4 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1709 (18), 1702 (13), 1653 (8)
 beste Teiler 135.3 (11.) 192.6 (23.) 342.0 (4.)
 Trefferlage 0.55 mm rechts, 1.52 mm hoch
 Streuwert 7.78, horizontal: 7.20, vertikal: 8.32




Serie 1:
 9.7 ↙ 10.4 * 9.2 ↓ 10.5 * 9.7 ↘
 9.5 ↗ 10.1 ↑ 8.9 ↑ 10.0 ✓ 9.4 →
 beste Teiler 342.0 (4.) 423.4 (2.) 663.8 (7.)
 Trefferlage 2.10 mm rechts, 1.00 mm tief
 Streuwert 7.62, horizontal: 6.10, vertikal: 8.89



Serie 2:
 10.8 * 9.3 ↘ 8.8 ← 9.8 → 9.8 ↑
 10.0 ↗ 10.2 → 8.8 ↘ 8.9 ✓ 10.4 *
 beste Teiler 135.3 (11.) 462.1 (20.) 596.7 (17.)
 Trefferlage 1.33 mm rechts, 1.09 mm tief
 Streuwert 8.47, horizontal: 9.13, vertikal: 7.77



Serie 3:
 9.3 ← 10.4 * 10.7 * 10.4 * 9.8 ↑
 10.4 * 9.4 ↗ 9.7 ↑ 9.7 ← 9.3 ↘
 beste Teiler 192.6 (23.) 451.0 (24.) 459.3 (26.)
 Trefferlage 0.55 mm rechts, 2.51 mm hoch
 Streuwert 6.62, horizontal: 7.40, vertikal: 5.74





Serie 4:
 9.9 ↘ 9.4 ↖ 9.4 ↑ 9.6 ✓ 9.1 ↖
 9.8 ↗ 9.3 ↖ 9.1 ← 9.1 ↑ 9.7 ↑
 beste Teiler 845.4 (31.) 937.3 (36.) 973.4 (40.)
 Trefferlage 1.77 mm links, 5.67 mm hoch
 Streuwert 8.14, horizontal: 6.32, vertikal: 9.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (394.0)
 Serien: 93 94 95 93
 Zähler: 16 23 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1969 (33), 1512 (3), 1456 (30)
 beste Teiler 236.2 (21.) 256.7 (31.) 268.5 (28.)
 Trefferlage 0.69 mm links, 0.29 mm tief
 Streuwert 6.90, horizontal: 7.56, vertikal: 6.17




Serie 1:
 10.0 → 9.3 ↓ 9.1 ↘ 9.7 ← 9.7 →
 10.0 → 9.6 ↖ 10.1 ↓ 9.6 ← 9.3 ←
 beste Teiler 683.7 (8.) 747.6 (1.) 757.3 (6.)
 Trefferlage 0.15 mm links, 3.67 mm tief
 Streuwert 7.66, horizontal: 9.29, vertikal: 5.57



Serie 2:
 9.5 ↗ 9.3 ↓ 10.2 → 10.1 ↓ 10.6 *
 9.5 → 9.9 → 10.3 → 9.7 ↑ 9.7 ←
 beste Teiler 280.6 (15.) 498.0 (18.) 587.3 (13.)
 Trefferlage 2.23 mm rechts, 0.60 mm tief
 Streuwert 6.47, horizontal: 6.47, vertikal: 6.47



Serie 3:
 10.7 * 9.8 ↑ 10.4 ↑ 9.8 ↗ 10.5 *
 9.4 ↙ 9.9 ↓ 10.6 * 10.2 ← 9.1 ↗
 beste Teiler 236.2 (21.) 268.5 (28.) 374.4 (25.)
 Trefferlage 0.08 mm rechts, 1.31 mm hoch
 Streuwert 6.09, horizontal: 5.45, vertikal: 6.67





Serie 4:
 10.6 * 9.7 ← 8.5 ↖ 10.1 ↗ 9.9 ↓
 9.7 ↑ 10.6 * 9.5 ↖ 10.6 * 9.2 ←
 beste Teiler 256.7 (31.) 278.5 (39.) 300.0 (37.)
 Trefferlage 4.96 mm links, 1.76 mm hoch
 Streuwert 6.56, horizontal: 7.69, vertikal: 5.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (388.1)
 Serien: 92 94 94 93
 Zähler: 19 16 4 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2792 (14), 2238 (37), 2046 (28)
 beste Teiler 250.1 (13.) 269.4 (29.) 280.7 (1.)
 Trefferlage 1.57 mm rechts, 0.54 mm hoch
 Streuwert 8.18, horizontal: 9.23, vertikal: 6.98




Serie 1:
 10.6 * 10.0 ↘ 10.0 ↓ 9.6 ↗ 9.4 ↖
 9.0 ↗ 8.6 ↓ 9.7 ↘ 10.4 * 8.9 →
 beste Teiler 280.7 (1.) 424.2 (9.) 733.5 (2.)
 Trefferlage 3.83 mm rechts, 1.13 mm tief
 Streuwert 8.29, horizontal: 8.02, vertikal: 8.56



Serie 2:
 9.4 → 10.0 ↖ 10.6 * 7.5 → 10.0 ↗
 9.7 ↓ 9.7 ↑ 10.4 * 10.1 ↖ 10.2 ↖
 beste Teiler 250.1 (13.) 433.9 (18.) 586.9 (20.)
 Trefferlage 3.14 mm rechts, 2.19 mm hoch
 Streuwert 8.17, horizontal: 10.31, vertikal: 5.22



Serie 3:
 9.9 ↖ 9.2 ← 10.5 * 9.1 → 10.2 ↓
 10.3 ↗ 10.4 * 8.4 ↖ 10.6 * 9.6 ↓
 beste Teiler 269.4 (29.) 373.5 (23.) 459.9 (27.)
 Trefferlage 0.10 mm links, 1.21 mm hoch
 Streuwert 7.78, horizontal: 7.60, vertikal: 7.96





Serie 4:
 10.5 * 9.8 ↖ 10.2 ↑ 9.4 ↗ 10.1 ↗
 9.1 → 8.2 ← 9.5 ↘ 10.3 ↘ 9.0 ↖
 beste Teiler 366.5 (31.) 553.8 (39.) 637.8 (33.)
 Trefferlage 0.59 mm links, 0.08 mm tief
 Streuwert 9.06, horizontal: 11.13, vertikal: 6.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (383.2)
 Serien: 94 90 91 92
 Zähler: 13 23 3 0 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3479 (40), 1858 (3), 1851 (18)
 beste Teiler 361.1 (38.) 369.8 (6.) 421.3 (31.)
 Trefferlage 0.53 mm rechts, 0.40 mm hoch
 Streuwert 8.82, horizontal: 9.17, vertikal: 8.46




Serie 1:
 9.2 ↙ 10.2 → 8.6 ↙ 9.5 ← 9.0 ←
 10.5 * 9.8 ↑ 10.1 ↗ 10.0 ↓ 10.3 ↙
 beste Teiler 369.8 (6.) 540.5 (10.) 584.0 (2.)
 Trefferlage 3.95 mm links, 3.11 mm tief
 Streuwert 7.26, horizontal: 7.41, vertikal: 7.10



Serie 2:
 9.4 ↑ 9.9 ↓ 10.1 ← 9.9 ↙ 9.5 ↘
 9.8 ↗ 9.2 → 8.6 ↑ 9.9 → 9.5 ↑
 beste Teiler 679.0 (13.) 833.3 (14.) 837.7 (19.)
 Trefferlage 2.29 mm rechts, 4.25 mm hoch
 Streuwert 7.77, horizontal: 6.77, vertikal: 8.65



Serie 3:
 9.1 ↙ 9.4 ↗ 8.8 ↗ 9.0 ↑ 9.5 ↙
 10.2 ↓ 9.3 ← 9.8 ↙ 9.2 ↗ 10.1 ↘
 beste Teiler 611.9 (26.) 713.4 (30.) 915.6 (28.)
 Trefferlage 0.95 mm links, 2.70 mm hoch
 Streuwert 9.18, horizontal: 8.41, vertikal: 9.90





Serie 4:
 10.4 * 9.5 ↓ 9.1 → 10.1 ↓ 10.4 *
 9.9 ↘ 10.2 ↑ 10.5 * 9.1 ↓ 6.6 →
 beste Teiler 361.1 (38.) 421.3 (31.) 441.2 (35.)
 Trefferlage 4.73 mm rechts, 2.22 mm tief
 Streuwert 9.70, horizontal: 12.04, vertikal: 6.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (382.7)
 Serien: 89 95 93 92
 Zähler: 16 18 5 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2459 (9), 2349 (4), 2344 (25)
 beste Teiler 342.4 (18.) 367.2 (36.) 509.5 (6.)
 Trefferlage 0.64 mm rechts, 0.49 mm hoch
 Streuwert 8.86, horizontal: 9.95, vertikal: 7.61




Serie 1:
 8.4 → 10.1 ↖ 9.4 → 8.0 ↓ 9.3 ↓
 10.3 ↗ 10.1 → 9.2 ↗ 7.9 ← 9.6 ←
 beste Teiler 509.5 (6.) 690.9 (2.) 701.2 (7.)
 Trefferlage 0.94 mm rechts, 0.86 mm tief
 Streuwert 11.43, horizontal: 12.91, vertikal: 9.73



Serie 2:
 9.8 ↖ 9.1 ↓ 10.0 ↓ 10.1 → 9.6 ↑
 9.7 ← 9.9 ↗ 10.5 * 10.1 → 10.3 ↑
 beste Teiler 342.4 (18.) 547.3 (20.) 656.5 (19.)
 Trefferlage 0.18 mm links, 0.37 mm tief
 Streuwert 6.52, horizontal: 5.84, vertikal: 7.14



Serie 3:
 9.4 ↖ 10.2 ← 9.4 ↖ 9.2 ↓ 8.0 →
 10.0 ↗ 9.9 ↑ 10.1 ↑ 9.1 → 10.1 ↑
 beste Teiler 614.1 (22.) 685.0 (30.) 715.3 (28.)
 Trefferlage 2.63 mm rechts, 3.49 mm hoch
 Streuwert 8.66, horizontal: 10.31, vertikal: 6.62



Serie 4:
 10.3 ↓ 8.7 ↙ 10.2 ↑ 9.0 ← 9.9 ↗
 10.5 * 9.3 → 9.1 ← 8.7 → 10.2 ↑
 beste Teiler 367.2 (36.) 536.4 (31.) 584.5 (40.)
 Trefferlage 0.79 mm links, 0.27 mm tief
 Streuwert 9.00, horizontal: 10.67, vertikal: 6.94

Unterschrift des Schützen

Meyton Elektronik