





Ergebnis:	363	(379.0)
Serien:	90 91 89 93	
Zähler:	14 16 9 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2631 (30), 2312 (27), 2179 (32)	
beste Teiler	276.8 (4.) 339.0 (20.) 348.3 (36.)	
Trefferlage	0.03 mm links, 1.70 mm hoch	
Streuwert	9.32, horizontal: 9.17, vertikal: 9.46	




Serie 1:	9.0 ↙	9.1 ↖	9.4 →	10.6 *	8.6 ↘
	9.1 ←	8.8 →	9.1 ↑	10.4 *	9.9 ↓
beste Teiler	276.8 (4.) 442.0 (9.) 805.9 (10.)				
Trefferlage	1.86 mm links, 3.44 mm tief				
Streuwert	9.45, horizontal: 10.79, vertikal: 7.88				



Serie 2:	8.8 ↑	10.1 ↖	10.0 ↓	8.9 →	9.6 →
	9.2 →	10.5 *	8.9 ↓	9.3 ↑	10.5 *
beste Teiler	339.0 (20.) 378.0 (17.) 720.9 (12.)				
Trefferlage	3.51 mm rechts, 1.91 mm hoch				
Streuwert	8.53, horizontal: 7.71, vertikal: 9.27				





Serie 3:	10.4 *	9.5 ↓	9.7 ↖	8.9 →	9.6 ↘
	9.1 ←	8.1 ↑	10.4 *	10.0 ↘	7.7 ↗
beste Teiler	418.1 (21.) 451.2 (28.) 758.7 (29.)				
Trefferlage	0.32 mm links, 5.81 mm hoch				
Streuwert	10.10, horizontal: 10.51, vertikal: 9.67				



Serie 4:	9.4 ↘	8.2 ↗	8.8 ↖	10.3 ↓	9.1 ↓
	10.5 *	9.5 ↗	10.0 ↘	10.0 ↓	10.0 ↘
beste Teiler	348.3 (36.) 494.0 (34.) 727.4 (38.)				
Trefferlage	1.47 mm links, 2.51 mm hoch				
Streuwert	8.80, horizontal: 7.62, vertikal: 9.84				


Unterschrift des Schützen

Ergebnis:	369	(386.9)
Serien:	90 92 95 92	
Zähler:	15 19 6 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2249 (1), 2009 (16), 1792 (3)	
beste Teiler	243.5 (19.) 250.2 (28.) 265.7 (8.)	
Trefferlage	0.40 mm links, 3.69 mm tief	
Streuwert	7.70, horizontal: 6.99, vertikal: 8.35	




Serie 1:

8.1 ↗	9.2 ↓	8.7 ↓	9.2 ↓	9.7 ↗
9.2 ↑	9.8 →	10.6 *	10.1 ←	9.2 ↓
beste Teiler	265.7 (8.)	645.5 (9.)	958.1 (7.)	
Trefferlage	1.98 mm rechts, 1.74 mm tief			
Streuwert	9.99, horizontal: 5.76, vertikal: 12.89			




Serie 2:

9.8 →	9.2 ↓	9.2 →	9.8 →	10.2 ↗
8.4 ←	9.5 ↘	10.5 *	10.6 *	9.4 ↙
beste Teiler	243.5 (19.)	352.1 (18.)	588.7 (15.)	
Trefferlage	1.48 mm rechts, 3.16 mm tief			
Streuwert	8.04, horizontal: 9.46, vertikal: 6.30			



Serie 3:

10.5 *	10.3 ←	10.1 ↙	9.3 ←	9.9 ←
9.9 ↙	10.1 ↘	10.6 *	10.1 →	8.8 ↓
beste Teiler	250.2 (28.)	385.2 (21.)	497.1 (22.)	
Trefferlage	2.16 mm links, 3.35 mm tief			
Streuwert	5.82, horizontal: 5.75, vertikal: 5.89			





Serie 4:

10.4 *	10.2 ↓	8.9 ↓	9.7 ↓	9.5 ↙
10.3 →	10.5 *	9.0 ↘	9.5 ↙	8.9 ↓
beste Teiler	352.4 (37.)	472.8 (31.)	496.5 (36.)	
Trefferlage	2.91 mm links, 6.52 mm tief			
Streuwert	6.43, horizontal: 5.91, vertikal: 6.91			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (374.6)
 Serien: 90 86 90 91
 Zähler: 11 16 12 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2500 (13), 2337 (16), 2264 (12)
 beste Teiler 220.6 (33.) 262.9 (22.) 339.9 (20.)
 Trefferlage 1.52 mm rechts, 0.32 mm hoch
 Streuwert 9.98, horizontal: 10.03, vertikal: 9.92




Serie 1:
 9.8 ↘ 8.8 ↗ 9.9 ↖ 10.4 * 8.3 ↙
 9.2 ← 10.0 ↓ 9.8 ↑ 10.0 ← 8.8 →
 beste Teiler 448.3 (4.) 785.6 (9.) 798.6 (7.)
 Trefferlage 0.73 mm links, 1.80 mm tief
 Streuwert 9.40, horizontal: 9.78, vertikal: 9.00



Serie 2:
 9.8 ↓ 8.1 → 7.8 ↘ 8.4 ↑ 8.4 →
 8.0 ← 9.3 → 10.0 ↖ 9.3 ↖ 10.5 *
 beste Teiler 339.9 (20.) 746.4 (18.) 954.4 (11.)
 Trefferlage 3.59 mm rechts, 1.35 mm hoch
 Streuwert 12.61, horizontal: 15.01, vertikal: 9.64



Serie 3:
 8.5 ↑ 10.6 * 10.0 ↓ 9.8 ↖ 8.9 ↓
 9.8 ↙ 9.5 ↘ 9.2 ↗ 8.9 ↓ 10.3 ↙
 beste Teiler 262.9 (22.) 528.2 (30.) 748.1 (23.)
 Trefferlage 0.36 mm links, 2.82 mm tief
 Streuwert 8.88, horizontal: 5.69, vertikal: 11.20





Serie 4:
 8.6 ↑ 9.0 ↗ 10.7 * 10.1 ↘ 9.0 ↗
 8.7 ↘ 10.1 ← 9.7 ↖ 9.4 ↑ 9.2 ↗
 beste Teiler 220.6 (33.) 658.3 (37.) 717.3 (34.)
 Trefferlage 3.61 mm rechts, 4.55 mm hoch
 Streuwert 8.77, horizontal: 7.96, vertikal: 9.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (382.3)
 Serien: 90 94 92 88
 Zähler: 14 17 8 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2870 (39), 2169 (14), 2051 (22)
 beste Teiler 103.7 (13.) 211.1 (21.) 232.7 (34.)
 Trefferlage 0.24 mm links, 0.03 mm hoch
 Streuwert 9.12, horizontal: 8.53, vertikal: 9.68




Serie 1:
 9.2 ↘ 9.0 ↘ 9.4 ↓ 8.9 → 10.4 *
 9.4 ↓ 9.6 ↖ 8.9 ↗ 10.1 → 9.1 ←
 beste Teiler 423.1 (5.) 651.2 (9.) 1094.8 (7.)
 Trefferlage 3.51 mm rechts, 3.17 mm tief
 Streuwert 8.99, horizontal: 8.84, vertikal: 9.14



Serie 2:
 9.0 ↓ 10.3 ↖ 10.8 * 8.2 ↖ 10.1 ↗
 10.0 ← 9.0 ↖ 10.5 * 9.8 ↖ 9.8 ↓
 beste Teiler 103.7 (13.) 341.8 (18.) 502.0 (12.)
 Trefferlage 3.65 mm links, 1.40 mm hoch
 Streuwert 7.90, horizontal: 5.84, vertikal: 9.52



Serie 3:
 10.7 * 8.4 ↑ 10.6 * 9.9 ← 10.2 ↑
 10.3 ← 8.7 ↖ 8.9 ↑ 9.3 ← 10.0 →
 beste Teiler 211.1 (21.) 310.7 (23.) 502.6 (26.)
 Trefferlage 1.90 mm links, 2.62 mm hoch
 Streuwert 8.47, horizontal: 7.41, vertikal: 9.41





Serie 4:
 9.8 ↖ 9.7 ↙ 8.8 ↑ 10.7 * 9.2 ↘
 9.9 ↑ 9.4 ↘ 10.4 * 7.4 ↗ 8.5 ↖
 beste Teiler 232.7 (34.) 456.1 (38.) 864.6 (36.)
 Trefferlage 1.07 mm rechts, 0.71 mm tief
 Streuwert 10.87, horizontal: 10.71, vertikal: 11.03

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	365	(382.4)
Serien:	88 92 91 94	
Zähler:	17 16 4 1 2 0 0 0 0 0	
Innenzehner:	7	
weiteste:	3252 (7), 3247 (1), 2423 (30)	
beste Teiler	157.1 (40.) 217.4 (25.) 276.0 (5.)	
Trefferlage	0.81 mm rechts, 0.12 mm tief	
Streuwert	9.66, horizontal: 8.60, vertikal: 10.62	




Serie 1:

6.9 ↙	9.8 ↘	10.3 →	10.2 ↑	10.6 *
10.4 *	6.9 ↙	9.8 ↑	10.2 ↙	8.0 ↗
beste Teiler	276.0 (5.)	444.4 (6.)	559.0 (3.)	
Trefferlage	1.79 mm links, 2.27 mm tief			
Streuwert	12.68, horizontal: 11.30, vertikal: 13.93			




Serie 2:

9.0 ←	9.3 ↓	9.9 →	10.0 ↓	10.0 ↓
9.7 ↑	9.7 ↙	10.3 ↙	9.5 →	8.6 ↓
beste Teiler	535.1 (18.)	778.4 (14.)	782.9 (15.)	
Trefferlage	0.38 mm links, 4.81 mm tief			
Streuwert	7.85, horizontal: 7.95, vertikal: 7.76			



Serie 3:

9.1 ↑	8.2 ↑	10.0 ↖	10.5 *	10.7 *
9.9 ↑	10.1 ↖	9.0 →	9.3 ↘	7.9 ↑
beste Teiler	217.4 (25.)	340.3 (24.)	658.7 (27.)	
Trefferlage	2.04 mm rechts, 6.61 mm hoch			
Streuwert	8.84, horizontal: 7.10, vertikal: 10.28			





Serie 4:

10.6 *	9.9 ↓	9.6 →	10.0 ↖	10.2 ←
8.2 ↗	9.3 ↘	9.5 →	10.5 *	10.8 *
beste Teiler	157.1 (40.)	288.3 (31.)	362.6 (39.)	
Trefferlage	3.41 mm rechts, 0.02 mm tief			
Streuwert	7.41, horizontal: 7.81, vertikal: 6.97			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (379.1)
 Serien: 91 90 89 88
 Zähler: 10 20 8 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2947 (23), 2458 (39), 2064 (33)
 beste Teiler 351.7 (19.) 434.5 (6.) 443.6 (10.)
 Trefferlage 1.95 mm links, 1.46 mm hoch
 Streuwert 9.23, horizontal: 9.77, vertikal: 8.66




Serie 1:
 9.4 ↙ 9.6 ↖ 9.3 → 8.7 ↑ 9.8 ↑
 10.4 * 10.3 ↓ 8.9 ↗ 9.6 ↗ 10.4 *
 beste Teiler 434.5 (6.) 443.6 (10.) 539.8 (7.)
 Trefferlage 0.13 mm rechts, 4.15 mm hoch
 Streuwert 7.99, horizontal: 8.17, vertikal: 7.81



Serie 2:
 10.1 ↑ 9.1 ↙ 9.7 → 9.9 ↗ 9.5 ←
 8.9 ↘ 8.8 ↘ 9.7 ↑ 10.5 * 9.2 ←
 beste Teiler 351.7 (19.) 681.8 (11.) 877.8 (14.)
 Trefferlage 3.26 mm links, 2.51 mm hoch
 Streuwert 8.49, horizontal: 8.19, vertikal: 8.79



Serie 3:
 9.7 ↙ 10.3 ↘ 7.3 → 9.2 ↘ 9.5 ↗
 9.1 ← 8.9 ↙ 9.6 ↑ 10.3 ↑ 9.9 ↘
 beste Teiler 495.4 (29.) 516.3 (22.) 853.7 (30.)
 Trefferlage 0.05 mm links, 0.20 mm tief
 Streuwert 10.55, horizontal: 12.37, vertikal: 8.35





Serie 4:
 9.7 ↘ 10.2 ↗ 8.4 ← 8.9 ↘ 10.4 *
 9.6 ← 10.1 ↖ 8.5 → 7.9 ↓ 9.8 ↘
 beste Teiler 458.2 (35.) 591.5 (32.) 667.4 (37.)
 Trefferlage 4.63 mm links, 0.58 mm tief
 Streuwert 10.20, horizontal: 10.38, vertikal: 10.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (379.8)
 Serien: 84 91 94 93
 Zähler: 15 15 7 3 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2527 (9), 2494 (6), 2436 (12)
 beste Teiler 219.0 (32.) 296.9 (25.) 349.1 (4.)
 Trefferlage 1.15 mm links, 2.23 mm hoch
 Streuwert 9.46, horizontal: 8.47, vertikal: 10.37




Serie 1:
 9.1 ↑ 8.1 ↖ 10.2 ↗ 10.5 * 8.7 ↙
 7.8 ↙ 9.7 ↓ 8.2 ↘ 7.8 ↘ 8.8 →
 beste Teiler 349.1 (4.) 638.3 (3.) 974.0 (7.)
 Trefferlage 5.65 mm links, 4.70 mm tief
 Streuwert 12.24, horizontal: 12.51, vertikal: 11.96



Serie 2:
 9.6 ↘ 7.9 ↑ 9.6 ↖ 10.3 → 9.0 ↖
 9.3 ↗ 9.9 ↗ 10.1 ↗ 9.8 ↗ 10.5 *
 beste Teiler 376.8 (20.) 548.1 (14.) 651.2 (18.)
 Trefferlage 1.64 mm rechts, 5.73 mm hoch
 Streuwert 7.94, horizontal: 7.52, vertikal: 8.35



Serie 3:
 10.5 * 9.0 ↑ 10.1 ↖ 10.5 * 10.6 *
 9.0 ↑ 8.5 ↑ 10.5 * 10.0 ↓ 8.9 ↗
 beste Teiler 296.9 (25.) 353.1 (24.) 356.4 (21.)
 Trefferlage 0.14 mm rechts, 5.48 mm hoch
 Streuwert 7.39, horizontal: 4.55, vertikal: 9.41





Serie 4:
 8.1 ↑ 10.7 * 9.5 ↖ 10.0 → 10.4 *
 9.7 ↙ 10.3 ↘ 9.6 ↘ 9.3 ↑ 9.7 ↙
 beste Teiler 219.0 (32.) 464.7 (35.) 489.4 (37.)
 Trefferlage 0.73 mm links, 2.43 mm hoch
 Streuwert 8.04, horizontal: 6.62, vertikal: 9.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.3)
 Serien: 88 92 90 89
 Zähler: 13 15 10 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2573 (37), 2558 (11), 2202 (31)
 beste Teiler 267.0 (13.) 281.8 (29.) 359.0 (40.)
 Trefferlage 0.54 mm rechts, 0.06 mm hoch
 Streuwert 9.84, horizontal: 10.80, vertikal: 8.77




Serie 1:
 9.6 → 8.9 ↘ 8.9 ↙ 9.5 ↓ 9.5 ↘
 10.1 → 8.7 ↗ 10.1 ← 8.4 → 9.9 ↑
 beste Teiler 687.7 (8.) 711.9 (6.) 841.6 (10.)
 Trefferlage 3.67 mm rechts, 2.19 mm tief
 Streuwert 9.53, horizontal: 10.63, vertikal: 8.29



Serie 2:
 7.8 ↗ 9.3 ← 10.6 * 10.4 * 8.4 ↖
 10.4 * 10.3 ↗ 9.8 ↓ 10.4 * 9.7 →
 beste Teiler 267.0 (13.) 406.2 (19.) 411.4 (14.)
 Trefferlage 1.31 mm rechts, 3.42 mm hoch
 Streuwert 8.73, horizontal: 9.55, vertikal: 7.82



Serie 3:
 10.0 ↑ 8.5 ↑ 9.4 ↙ 10.3 ↓ 8.4 ↘
 9.2 ↑ 9.6 ↖ 8.4 ← 10.6 * 9.8 →
 beste Teiler 281.8 (29.) 542.3 (24.) 769.8 (21.)
 Trefferlage 3.24 mm links, 1.91 mm hoch
 Streuwert 9.76, horizontal: 9.30, vertikal: 10.21



Serie 4:
 8.2 ↘ 9.7 ↙ 10.2 ↓ 9.4 ← 8.2 ↘
 9.2 ↖ 7.7 → 9.2 ↖ 10.1 ↙ 10.5 *
 beste Teiler 359.0 (40.) 607.7 (33.) 696.3 (39.)
 Trefferlage 0.45 mm rechts, 2.88 mm tief
 Streuwert 11.28, horizontal: 13.69, vertikal: 8.20

Unterschrift des Schützen

Meyton Elektronik