





Ergebnis: **346** (363.8)
 Serien: 83 92 89 82
 Zähler: 10 12 13 4 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3491 (10), 2953 (32), 2821 (6)
 beste Teiler 320.6 (5.) 427.9 (20.) 437.8 (23.)
 Trefferlage 0.76 mm links, 2.49 mm tief
 Streuwert 11.85, horizontal: 8.78, vertikal: 14.28




Serie 1:
 8.8 ↘ 7.9 ↓ 8.8 ↗ 10.1 → 10.6 *
 7.4 ↘ 10.1 ← 9.0 ↗ 8.1 ↓ 6.6 ↓
 beste Teiler 320.6 (5.) 695.4 (4.) 705.6 (7.)
 Trefferlage 0.90 mm links, 3.35 mm tief
 Streuwert 14.78, horizontal: 10.65, vertikal: 17.99



Serie 2:
 9.6 → 8.1 ↗ 10.2 ↘ 8.5 ↓ 9.9 →
 9.4 ↗ 10.0 ↘ 10.4 * 9.1 ↘ 10.4 *
 beste Teiler 427.9 (20.) 472.8 (18.) 614.7 (13.)
 Trefferlage 1.55 mm rechts, 0.03 mm hoch
 Streuwert 9.38, horizontal: 8.17, vertikal: 10.46



Serie 3:
 8.0 ↓ 9.4 ↘ 10.4 * 9.0 ↙ 9.9 ↗
 9.5 ↑ 10.3 ↗ 8.9 ↘ 8.8 ↓ 9.9 ↘
 beste Teiler 437.8 (23.) 516.0 (27.) 821.4 (25.)
 Trefferlage 1.28 mm links, 3.41 mm tief
 Streuwert 9.80, horizontal: 7.44, vertikal: 11.69





Serie 4:
 8.0 ↑ 7.3 ↘ 7.9 ↓ 8.5 ↓ 9.4 ↗
 9.4 ↗ 8.9 ← 8.4 ↓ 10.0 → 8.9 ↘
 beste Teiler 747.8 (39.) 1209.4 (36.) 1233.0 (35.)
 Trefferlage 2.42 mm links, 3.24 mm tief
 Streuwert 14.02, horizontal: 9.44, vertikal: 17.44

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **354** (373.6)
 Serien: 85 96 88 85
 Zähler: 12 15 9 3 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3207 (35), 3101 (1), 2517 (36)
 beste Teiler 384.1 (14.) 384.2 (24.) 397.1 (11.)
 Trefferlage 3.24 mm links, 3.54 mm hoch
 Streuwert 9.96, horizontal: 10.31, vertikal: 9.60




Serie 1:
 7.1 ↘ 9.6 → 10.2 ↑ 8.5 ← 8.6 ↖
 7.9 ↙ 9.8 ↓ 9.7 ↑ 8.8 ↗ 10.1 ↑

beste Teiler 612.4 (3.) 704.9 (10.) 885.7 (7.)
 Trefferlage 7.19 mm links, 3.67 mm hoch
 Streuwert 11.35, horizontal: 11.10, vertikal: 11.59




Serie 2:
 10.5 * 9.3 ↑ 10.3 ← 10.5 * 10.1 →
 10.2 ↓ 9.9 ← 10.2 → 10.0 ← 8.5 ↗

beste Teiler 384.1 (14.) 397.1 (11.) 528.3 (13.)
 Trefferlage 1.91 mm links, 0.08 mm hoch
 Streuwert 6.67, horizontal: 7.45, vertikal: 5.79



Serie 3:
 8.7 ↖ 9.1 ↙ 10.3 ← 10.5 * 8.6 ↑
 9.6 ↘ 9.4 ← 9.6 ↘ 8.7 ↑ 8.6 ↗

beste Teiler 384.2 (24.) 486.5 (23.) 1091.1 (26.)
 Trefferlage 5.40 mm links, 5.98 mm hoch
 Streuwert 8.67, horizontal: 8.82, vertikal: 8.51





Serie 4:
 9.7 ← 9.2 ↗ 10.4 * 9.7 → 6.9 ↑
 7.8 ↘ 9.1 ← 9.7 ↘ 8.6 ↓ 9.6 ↗

beste Teiler 465.3 (33.) 968.6 (38.) 969.9 (31.)
 Trefferlage 1.51 mm rechts, 4.42 mm hoch
 Streuwert 12.09, horizontal: 12.43, vertikal: 11.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (374.9)
 Serien: 92 90 90 88
 Zähler: 9 24 5 2 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2947 (17), 2802 (29), 2096 (11)
 beste Teiler 375.8 (8.) 484.6 (15.) 528.1 (14.)
 Trefferlage 0.66 mm links, 2.69 mm hoch
 Streuwert 9.65, horizontal: 10.74, vertikal: 8.42




Serie 1:
 9.6 ↘ 9.4 → 9.5 ↗ 9.1 → 10.1 →
 8.7 ↘ 9.2 ↘ 10.5 * 10.3 ↘ 9.4 ↑
 beste Teiler 375.8 (8.) 547.5 (9.) 671.1 (5.)
 Trefferlage 1.13 mm rechts, 5.00 mm hoch
 Streuwert 7.78, horizontal: 9.86, vertikal: 4.90



Serie 2:
 8.3 ↑ 9.5 ↙ 9.7 ↖ 10.3 → 10.3 ↓
 9.8 ↓ 7.3 ← 9.2 ↗ 9.2 ↓ 10.2 ↓
 beste Teiler 484.6 (15.) 528.1 (14.) 576.5 (20.)
 Trefferlage 3.24 mm links, 0.43 mm tief
 Streuwert 10.52, horizontal: 11.05, vertikal: 9.97



Serie 3:
 9.2 ↙ 9.3 ↙ 9.7 ↖ 10.0 ↙ 9.3 →
 9.0 ↑ 9.7 ↘ 10.3 ↓ 7.4 ↗ 9.2 ↑
 beste Teiler 558.1 (28.) 763.2 (24.) 968.0 (27.)
 Trefferlage 0.63 mm rechts, 1.49 mm hoch
 Streuwert 10.66, horizontal: 10.63, vertikal: 10.69





Serie 4:
 8.6 ↖ 9.1 ↑ 8.6 → 9.3 ↑ 8.6 ←
 9.7 ↘ 9.4 ← 10.2 ↑ 9.2 → 9.5 ↑
 beste Teiler 568.1 (38.) 963.8 (36.) 1170.3 (40.)
 Trefferlage 1.17 mm links, 4.73 mm hoch
 Streuwert 10.04, horizontal: 12.44, vertikal: 6.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.3)
 Serien: 93 93 86 87
 Zähler: 13 14 12 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2559 (30), 2288 (24), 2120 (29)
 beste Teiler 138.1 (21.) 162.2 (5.) 293.0 (38.)
 Trefferlage 1.72 mm links, 2.02 mm hoch
 Streuwert 9.79, horizontal: 9.68, vertikal: 9.91




Serie 1:
 10.0 ↑ 10.0 ↑ 10.1 ↗ 9.4 ↘ 10.7 *
 8.4 ↙ 10.0 ↗ 9.8 ↑ 9.6 ← 8.5 ↑
 beste Teiler 162.2 (5.) 686.2 (3.) 735.8 (7.)
 Trefferlage 3.19 mm links, 5.51 mm hoch
 Streuwert 7.49, horizontal: 6.24, vertikal: 8.56



Serie 2:
 10.0 → 9.3 ↗ 9.2 ↑ 9.8 ↓ 9.7 ←
 10.1 ↗ 9.6 ↑ 9.7 ↓ 10.3 ↑ 9.8 →
 beste Teiler 511.2 (19.) 651.4 (16.) 785.8 (11.)
 Trefferlage 1.33 mm rechts, 2.88 mm hoch
 Streuwert 7.09, horizontal: 5.75, vertikal: 8.21



Serie 3:
 10.8 * 10.1 ↗ 9.8 ↙ 8.1 ↙ 8.5 ↘
 8.4 ↘ 8.8 ↙ 10.0 → 8.3 ↙ 7.8 ↘
 beste Teiler 138.1 (21.) 714.2 (22.) 776.4 (28.)
 Trefferlage 6.93 mm links, 2.89 mm tief
 Streuwert 11.49, horizontal: 12.00, vertikal: 10.97





Serie 4:
 8.4 ↗ 8.5 ↗ 9.2 ↗ 10.0 → 8.6 ↘
 9.6 ↑ 8.4 → 10.6 * 8.7 ↓ 9.7 ↓
 beste Teiler 293.0 (38.) 782.7 (34.) 1034.9 (40.)
 Trefferlage 1.89 mm rechts, 2.59 mm hoch
 Streuwert 11.30, horizontal: 11.51, vertikal: 11.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (370.0)
 Serien: 95 87 84 87
 Zähler: 11 17 8 3 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4306 (29), 3148 (17), 2831 (12)
 beste Teiler 196.7 (22.) 250.1 (8.) 270.9 (9.)
 Trefferlage 2.71 mm links, 3.63 mm hoch
 Streuwert 11.05, horizontal: 9.64, vertikal: 12.30




Serie 1:
 10.0 ↙ 9.4 ← 9.1 ↘ 9.9 ↑ 10.2 ↓
 9.4 ↙ 9.2 ↘ 10.6 * 10.6 * 10.5 *
 beste Teiler 250.1 (8.) 270.9 (9.) 341.2 (10.)
 Trefferlage 0.28 mm links, 2.66 mm tief
 Streuwert 6.86, horizontal: 7.74, vertikal: 5.85



Serie 2:
 9.3 ← 7.4 ↖ 9.1 ↘ 8.0 ↖ 9.1 ↗
 10.1 ← 7.0 ↖ 10.0 ↗ 10.6 * 8.4 ↑
 beste Teiler 296.0 (19.) 713.0 (16.) 721.2 (18.)
 Trefferlage 6.23 mm links, 6.08 mm hoch
 Streuwert 12.36, horizontal: 10.03, vertikal: 14.32



Serie 3:
 9.7 ↙ 10.7 * 8.8 ↖ 8.9 ↗ 9.4 ↘
 9.8 ↓ 9.8 ↑ 9.8 ↓ 5.6 ↑ 8.8 →
 beste Teiler 196.7 (22.) 893.9 (27.) 908.4 (26.)
 Trefferlage 3.06 mm rechts, 5.05 mm hoch
 Streuwert 12.66, horizontal: 8.59, vertikal: 15.71





Serie 4:
 10.2 ↗ 10.5 * 9.3 ↖ 8.4 ↖ 8.2 ↙
 9.0 ↖ 9.7 ↘ 9.4 ↑ 7.7 ↖ 8.4 ↑
 beste Teiler 346.4 (32.) 634.3 (31.) 1036.4 (37.)
 Trefferlage 7.40 mm links, 6.05 mm hoch
 Streuwert 9.91, horizontal: 9.32, vertikal: 10.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (372.4)
 Serien: 89 86 88 90
 Zähler: 6 25 5 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2771 (30), 2587 (15), 2466 (11)
 beste Teiler 368.9 (16.) 401.7 (10.) 547.8 (6.)
 Trefferlage 1.69 mm rechts, 3.88 mm hoch
 Streuwert 9.79, horizontal: 9.44, vertikal: 10.13




Serie 1:
 9.0 ← 10.1 ↖ 8.6 ↗ 9.4 ↗ 7.9 →
 10.3 → 9.7 ↑ 9.9 ↗ 8.9 ↘ 10.4 *
 beste Teiler 401.7 (10.) 547.8 (6.) 663.2 (2.)
 Trefferlage 5.11 mm rechts, 1.92 mm hoch
 Streuwert 9.43, horizontal: 11.01, vertikal: 7.53



Serie 2:
 7.9 ↑ 9.5 ↙ 9.7 → 9.6 ↗ 7.7 ↑
 10.5 * 9.1 ↑ 9.7 ↘ 8.4 ↘ 9.9 ↗
 beste Teiler 368.9 (16.) 807.6 (20.) 965.6 (13.)
 Trefferlage 0.67 mm rechts, 7.74 mm hoch
 Streuwert 10.06, horizontal: 7.07, vertikal: 12.35



Serie 3:
 9.5 → 9.4 ↑ 9.2 ↑ 9.8 ↗ 9.3 ↑
 8.5 ← 9.5 ↘ 10.0 ← 9.3 → 7.5 ↘
 beste Teiler 765.6 (28.) 944.7 (24.) 1141.6 (27.)
 Trefferlage 0.20 mm rechts, 5.79 mm hoch
 Streuwert 10.37, horizontal: 10.61, vertikal: 10.13





Serie 4:
 9.5 ↑ 8.8 → 9.6 ↖ 9.8 ↑ 10.0 ↙
 9.4 ← 9.3 ↘ 9.2 ↘ 9.1 ↘ 9.5 ↓
 beste Teiler 753.3 (35.) 955.6 (34.) 1094.8 (33.)
 Trefferlage 0.79 mm rechts, 0.08 mm hoch
 Streuwert 9.40, horizontal: 9.22, vertikal: 9.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (359.2)
 Serien: 81 86 88 86
 Zähler: 6 17 9 8 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3021 (35), 2958 (7), 2744 (8)
 beste Teiler 189.0 (9.) 592.4 (31.) 669.9 (29.)
 Trefferlage 0.21 mm links, 3.01 mm tief
 Streuwert 12.24, horizontal: 12.30, vertikal: 12.17




Serie 1:
 9.7 ↓ 8.9 ← 7.7 ↓ 9.7 ↘ 8.6 ←
 8.0 ↘ 7.3 → 7.5 ↖ 10.7 * 8.7 ↙
 beste Teiler 189.0 (9.) 1012.9 (1.) 1039.2 (4.)
 Trefferlage 4.66 mm links, 4.12 mm tief
 Streuwert 14.22, horizontal: 15.18, vertikal: 13.20



Serie 2:
 9.3 ← 9.7 ↖ 9.4 ↖ 8.7 ↙ 10.0 ↘
 9.6 ↖ 8.2 ↘ 7.6 ↘ 9.1 ↗ 8.8 ↘
 beste Teiler 751.1 (15.) 1000.4 (12.) 1103.2 (16.)
 Trefferlage 0.59 mm rechts, 2.30 mm tief
 Streuwert 11.94, horizontal: 12.78, vertikal: 11.04



Serie 3:
 9.0 → 7.6 ↘ 9.0 ↓ 10.0 ↗ 10.0 ↘
 9.6 ↗ 7.7 ↖ 9.4 ↖ 10.1 ↗ 8.6 ↓
 beste Teiler 669.9 (29.) 724.1 (24.) 750.8 (25.)
 Trefferlage 1.91 mm rechts, 0.60 mm tief
 Streuwert 12.06, horizontal: 11.21, vertikal: 12.86





Serie 4:
 10.2 ↘ 9.9 ↓ 9.0 ↖ 9.4 ↑ 7.2 ↘
 8.3 ↙ 9.8 ↗ 9.7 ← 9.6 ↘ 7.9 ↓
 beste Teiler 592.4 (31.) 870.9 (32.) 899.8 (37.)
 Trefferlage 1.29 mm rechts, 5.02 mm tief
 Streuwert 11.69, horizontal: 10.30, vertikal: 12.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (367.6)
 Serien: 88 84 93 84
 Zähler: 10 16 9 3 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3312 (20), 3292 (40), 2874 (34)
 beste Teiler 257.2 (12.) 356.1 (28.) 380.8 (8.)
 Trefferlage 0.99 mm links, 2.75 mm hoch
 Streuwert 11.40, horizontal: 10.89, vertikal: 11.89




Serie 1:
 9.3 ↗ 9.9 ← 8.2 ↑ 9.6 ↓ 9.5 ↘
 8.8 → 10.1 ↗ 10.5 * 9.9 ↑ 7.8 ↓
 beste Teiler 380.8 (8.) 651.8 (7.) 852.0 (9.)
 Trefferlage 2.06 mm rechts, 0.40 mm tief
 Streuwert 10.55, horizontal: 8.12, vertikal: 12.51



Serie 2:
 8.5 ↑ 10.6 * 9.2 ↑ 8.2 ↗ 7.4 ←
 10.3 ↓ 9.8 ↑ 9.8 ↘ 8.1 ↑ 6.8 ↑
 beste Teiler 257.2 (12.) 510.3 (16.) 889.3 (17.)
 Trefferlage 0.91 mm links, 10.08 mm hoch
 Streuwert 12.18, horizontal: 11.82, vertikal: 12.53



Serie 3:
 10.0 ↘ 9.6 ↘ 8.3 ← 9.3 ↓ 9.5 ↓
 10.2 → 9.0 ↓ 10.5 * 10.4 ↑ 9.3 ↓
 beste Teiler 356.1 (28.) 479.4 (29.) 607.9 (26.)
 Trefferlage 1.91 mm links, 2.85 mm tief
 Streuwert 8.47, horizontal: 8.16, vertikal: 8.77



Serie 4:
 8.6 ↑ 9.3 ↑ 9.6 ↘ 7.4 → 9.5 ↓
 8.8 ← 8.9 ← 10.3 ← 10.0 ↑ 6.8 ↘
 beste Teiler 513.0 (38.) 785.6 (39.) 1060.6 (33.)
 Trefferlage 3.23 mm links, 4.20 mm hoch
 Streuwert 13.02, horizontal: 15.00, vertikal: 10.69

Unterschrift des Schützen

Meyton Elektronik