





Ergebnis: **362** (381.2)  
 Serien: 92 90 93 87  
 Zähler: 10 23 6 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2469 (34), 2319 (33), 2002 (24)  
 beste Teiler 172.2 (21.) 220.2 (27.) 287.5 (25.)  
 Trefferlage 3.00 mm rechts, 1.66 mm tief  
 Streuwert 8.71, horizontal: 7.98, vertikal: 9.38




Serie 1:  
 9.3 ↗ 9.1 ↘ 9.3 ↘ 10.0 → 9.9 ↓  
 10.3 ↘ 10.0 ↙ 9.5 → 8.9 ↖ 9.7 ↓  
 beste Teiler 482.7 (6.) 757.4 (7.) 763.1 (4.)  
 Trefferlage 1.80 mm rechts, 4.57 mm tief  
 Streuwert 7.72, horizontal: 7.77, vertikal: 7.66



Serie 2:  
 10.2 ↓ 9.9 ↘ 9.3 ↘ 9.5 ↓ 9.9 ↓  
 10.6 \* 9.9 → 9.4 → 8.6 ↑ 8.7 ↘  
 beste Teiler 309.2 (16.) 604.0 (11.) 818.1 (15.)  
 Trefferlage 2.45 mm rechts, 2.53 mm tief  
 Streuwert 8.28, horizontal: 7.58, vertikal: 8.92



Serie 3:  
 10.7 \* 10.5 \* 9.7 ↘ 8.4 ↘ 10.6 \*  
 9.6 → 10.7 \* 9.0 → 9.0 ↓ 9.3 →  
 beste Teiler 172.2 (21.) 220.2 (27.) 287.5 (25.)  
 Trefferlage 3.26 mm rechts, 4.68 mm tief  
 Streuwert 7.40, horizontal: 7.81, vertikal: 6.98





Serie 4:  
 9.2 ↓ 9.9 → 8.1 ↗ 7.9 ↗ 9.0 ↖  
 9.4 ↑ 10.5 \* 8.7 ↑ 9.7 ↘ 9.3 →  
 beste Teiler 341.5 (37.) 830.7 (32.) 971.8 (39.)  
 Trefferlage 4.49 mm rechts, 5.13 mm hoch  
 Streuwert 10.38, horizontal: 9.64, vertikal: 11.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (395.5)  
 Serien: 93 95 95 93  
 Zähler: 19 18 3 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2043 (2), 1847 (33), 1641 (8)  
 beste Teiler 95.0 (6.) 170.0 (39.) 220.7 (28.)  
 Trefferlage 1.21 mm rechts, 0.25 mm hoch  
 Streuwert 6.77, horizontal: 7.09, vertikal: 6.43




Serie 1:  
 9.7 ↖ 8.4 ↖ 9.8 ↗ 10.5 \* 10.3 ↓  
 10.8 \* 10.4 \* 8.9 → 9.7 ← 10.3 →  
 beste Teiler 95.0 (6.) 389.6 (4.) 424.3 (7.)  
 Trefferlage 0.67 mm links, 2.18 mm hoch  
 Streuwert 7.49, horizontal: 7.94, vertikal: 7.02



Serie 2:  
 9.7 → 9.6 ↓ 10.1 ↖ 10.1 ↓ 10.3 ↑  
 9.0 ↗ 10.1 ↓ 9.4 ↖ 10.4 \* 9.5 ↗  
 beste Teiler 420.0 (19.) 527.1 (15.) 669.7 (14.)  
 Trefferlage 2.67 mm rechts, 0.33 mm hoch  
 Streuwert 6.88, horizontal: 6.40, vertikal: 7.33



Serie 3:  
 9.5 → 10.7 \* 9.7 ↗ 10.1 ↖ 10.1 ↖  
 10.1 ↗ 9.9 ↓ 10.7 \* 9.9 → 9.7 ↓  
 beste Teiler 220.7 (28.) 235.8 (22.) 646.3 (26.)  
 Trefferlage 1.97 mm rechts, 0.53 mm tief  
 Streuwert 5.70, horizontal: 6.25, vertikal: 5.09





Serie 4:  
 10.2 ↓ 10.3 ↓ 8.6 → 9.8 → 9.6 ↗  
 9.5 ↑ 10.0 ↖ 9.8 ↓ 10.7 \* 9.6 ←  
 beste Teiler 170.0 (39.) 498.3 (32.) 636.0 (31.)  
 Trefferlage 0.90 mm rechts, 0.94 mm tief  
 Streuwert 7.48, horizontal: 8.23, vertikal: 6.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (393.2)  
 Serien: 97 92 92 93  
 Zähler: 17 20 3 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1943 (11), 1919 (40), 1610 (30)  
 beste Teiler 101.7 (33.) 136.4 (14.) 315.7 (6.)  
 Trefferlage 0.96 mm links, 0.68 mm hoch  
 Streuwert 7.13, horizontal: 6.60, vertikal: 7.61




Serie 1:  
 10.3 ↘                      10.0 ↘                      10.0 ↓                      9.4 ↑                      9.4 ↙  
 10.6 \*                      10.2 ↗                      10.3 ↗                      9.7 ↖                      10.5 \*  
 beste Teiler 315.7 (6.) 323.0 (10.) 518.6 (8.)  
 Trefferlage 0.39 mm rechts, 0.59 mm tief  
 Streuwert 6.01, horizontal: 4.55, vertikal: 7.18



Serie 2:  
 8.5 ↓                      10.1 ↘                      9.4 →                      10.8 \*                      9.9 ↑  
 10.1 ↗                      9.8 ↖                      9.1 ←                      9.2 ←                      9.9 →  
 beste Teiler 136.4 (14.) 658.3 (16.) 718.8 (12.)  
 Trefferlage 0.74 mm links, 0.05 mm tief  
 Streuwert 8.43, horizontal: 8.75, vertikal: 8.09



Serie 3:  
 9.7 ↖                      9.5 ↖                      10.2 ↖                      10.5 \*                      9.0 ↗  
 9.8 ↙                      9.5 ←                      9.7 ↑                      10.3 ↘                      8.9 ↖  
 beste Teiler 369.2 (24.) 514.6 (29.) 576.8 (23.)  
 Trefferlage 1.22 mm links, 4.61 mm hoch  
 Streuwert 7.10, horizontal: 7.55, vertikal: 6.62





Serie 4:  
 9.9 ↑                      9.9 →                      10.8 \*                      10.5 \*                      9.7 ←  
 10.2 ↑                      9.5 ↙                      9.7 ↓                      10.1 ↖                      8.6 ↓  
 beste Teiler 101.7 (33.) 368.0 (34.) 609.8 (36.)  
 Trefferlage 2.30 mm links, 1.22 mm tief  
 Streuwert 6.97, horizontal: 5.51, vertikal: 8.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.9)  
 Serien: 91 92 96 94  
 Zähler: 15 23 2 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1645 (6), 1611 (19), 1519 (22)  
 beste Teiler 240.5 (10.) 334.5 (38.) 342.6 (31.)  
 Trefferlage 2.58 mm rechts, 2.36 mm tief  
 Streuwert 6.79, horizontal: 6.68, vertikal: 6.90




Serie 1:  
 9.7 ↓                      9.4 ←                      9.1 ↓                      10.3 ↘                      9.7 ↖  
 8.9 →                      9.4 ↙                      9.7 ↗                      9.2 ↘                      10.7 \*  
 beste Teiler 240.5 (10.) 529.2 (4.) 980.5 (5.)  
 Trefferlage 0.29 mm rechts, 3.58 mm tief  
 Streuwert 8.20, horizontal: 9.11, vertikal: 7.19



Serie 2:  
 9.3 ↗                      9.3 ↓                      10.1 ↗                      9.8 ↘                      9.3 ↘  
 9.3 ↓                      10.4 \*                      10.5 \*                      8.9 ↑                      9.5 →  
 beste Teiler 397.9 (18.) 439.6 (17.) 695.5 (13.)  
 Trefferlage 4.84 mm rechts, 2.39 mm tief  
 Streuwert 7.39, horizontal: 5.71, vertikal: 8.75



Serie 3:  
 9.8 ↑                      9.1 →                      10.5 \*                      10.5 \*                      9.9 ↑  
 10.0 ↙                      10.3 ↙                      10.1 ↓                      10.0 ↘                      9.2 ↓  
 beste Teiler 342.8 (24.) 399.9 (23.) 509.7 (27.)  
 Trefferlage 2.07 mm rechts, 2.22 mm tief  
 Streuwert 6.27, horizontal: 5.66, vertikal: 6.83





Serie 4:  
 10.5 \*                      9.8 ↗                      10.4 \*                      9.9 ↘                      9.6 →  
 9.6 ↓                      9.6 →                      10.5 \*                      9.9 ←                      10.2 →  
 beste Teiler 334.5 (38.) 342.6 (31.) 456.6 (33.)  
 Trefferlage 3.12 mm rechts, 1.26 mm tief  
 Streuwert 5.57, horizontal: 5.77, vertikal: 5.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.3)  
 Serien: 92 93 95 92  
 Zähler: 16 20 4 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2261 (19), 2079 (1), 1872 (22)  
 beste Teiler 116.1 (39.) 132.1 (33.) 228.0 (30.)  
 Trefferlage 2.28 mm rechts, 0.17 mm tief  
 Streuwert 7.58, horizontal: 8.08, vertikal: 7.04




Serie 1:  
 8.4 ↙ 10.5 \* 9.1 → 9.3 ↗ 10.0 →  
 10.6 \* 9.9 → 9.5 ↘ 9.5 ↗ 9.8 →  
 beste Teiler 318.1 (6.) 399.5 (2.) 728.8 (5.)  
 Trefferlage 4.71 mm rechts, 0.32 mm tief  
 Streuwert 7.94, horizontal: 9.24, vertikal: 6.37



Serie 2:  
 10.6 \* 10.2 ↓ 9.1 ↙ 9.9 ↙ 10.1 →  
 9.0 ↘ 9.5 → 10.4 \* 8.1 → 9.1 ↑  
 beste Teiler 293.3 (11.) 456.3 (18.) 631.3 (12.)  
 Trefferlage 3.40 mm rechts, 1.34 mm tief  
 Streuwert 8.78, horizontal: 9.23, vertikal: 8.31



Serie 3:  
 9.9 ↗ 8.6 → 10.4 \* 10.5 \* 9.9 ↓  
 10.1 ↘ 10.2 ← 9.2 ↗ 10.1 ↓ 10.7 \*  
 beste Teiler 228.0 (30.) 358.5 (24.) 433.7 (23.)  
 Trefferlage 2.86 mm rechts, 0.48 mm hoch  
 Streuwert 6.55, horizontal: 7.45, vertikal: 5.51





Serie 4:  
 9.8 ↖ 9.5 ↖ 10.8 \* 10.6 \* 9.9 ↖  
 9.3 ↑ 8.8 ↓ 9.9 ↑ 10.8 \* 9.7 ↓  
 beste Teiler 116.1 (39.) 132.1 (33.) 259.2 (34.)  
 Trefferlage 1.86 mm links, 0.48 mm hoch  
 Streuwert 7.13, horizontal: 5.40, vertikal: 8.51

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>367</b>	(384.1)
Serien:	93 88 91 95	
Zähler:	14 20 5 1 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2952 (38), 2123 (2), 1871 (15)	
beste Teiler	257.1 (37.) 421.1 (7.) 436.9 (33.)	
Trefferlage	3.24 mm rechts, 2.33 mm hoch	
Streuwert	8.13, horizontal: 8.57, vertikal: 7.67	




Serie 1:

10.1 →	8.3 ↗	9.8 ↘	9.9 ↑	10.1 ←
9.8 ←	10.4 *	9.8 ↗	10.0 ↗	9.7 ↗
beste Teiler	421.1 (7.)	693.5 (1.)	718.2 (5.)	
Trefferlage	3.03 mm rechts, 3.69 mm hoch			
Streuwert	6.77, horizontal: 6.80, vertikal: 6.75			




Serie 2:

9.4 →	9.9 →	9.1 →	8.6 ↖	8.6 ↖
9.8 ↗	9.6 ↘	9.1 ↘	10.1 ↗	8.8 →
beste Teiler	693.3 (19.)	842.0 (12.)	898.4 (16.)	
Trefferlage	6.49 mm rechts, 4.21 mm hoch			
Streuwert	8.60, horizontal: 9.37, vertikal: 7.76			



Serie 3:

8.8 ←	9.8 →	10.0 →	9.2 →	9.6 ↑
9.4 ↘	9.0 ↖	10.2 ←	9.7 ←	9.1 ↘
beste Teiler	622.7 (28.)	749.7 (23.)	895.9 (22.)	
Trefferlage	0.92 mm rechts, 1.32 mm tief			
Streuwert	9.07, horizontal: 10.93, vertikal: 6.72			





Serie 4:


10.1 ↖	10.1 ←	10.4 *	9.7 ↖	10.0 ↗
9.7 →	10.6 *	7.3 ↗	10.2 ↘	10.3 →
beste Teiler	257.1 (37.)	436.9 (33.)	488.4 (40.)	
Trefferlage	2.53 mm rechts, 2.76 mm hoch			
Streuwert	8.04, horizontal: 6.82, vertikal: 9.11			

Unterschrift des Schützen


Ergebnis: **369** (388.3)  
 Serien: 92 90 94 93  
 Zähler: 12 25 3 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2091 (20), 1952 (17), 1651 (11)  
 beste Teiler 158.7 (38.) 192.3 (15.) 195.3 (30.)  
 Trefferlage 1.09 mm rechts, 0.09 mm tief  
 Streuwert 7.90, horizontal: 6.59, vertikal: 9.03




Serie 1:  
 9.1 ↗ 10.4 \* 10.0 ↓ 9.6 → 9.9 ↖  
 9.2 ↑ 9.7 ↗ 9.2 ↑ 9.3 ↖ 9.7 ↖  
 beste Teiler 441.1 (2.) 778.0 (3.) 873.5 (5.)  
 Trefferlage 0.80 mm rechts, 7.06 mm hoch  
 Streuwert 6.48, horizontal: 5.61, vertikal: 7.25



Serie 2:  
 8.9 ↗ 9.1 ↑ 9.7 ↖ 10.7 \* 10.7 \*  
 9.5 ↙ 8.5 ↘ 9.9 ↓ 10.2 ↘ 8.3 ↘  
 beste Teiler 192.3 (15.) 200.5 (14.) 633.1 (19.)  
 Trefferlage 3.55 mm rechts, 2.24 mm tief  
 Streuwert 9.15, horizontal: 7.02, vertikal: 10.86



Serie 3:  
 9.5 → 9.2 ↓ 10.2 → 9.5 ↗ 9.4 ←  
 9.8 ↓ 10.6 \* 9.6 ↓ 10.4 \* 10.7 \*  
 beste Teiler 195.3 (30.) 311.0 (27.) 401.5 (29.)  
 Trefferlage 1.32 mm rechts, 2.58 mm tief  
 Streuwert 6.70, horizontal: 7.09, vertikal: 6.29





Serie 4:  
 10.2 ← 9.3 ↓ 9.9 ↘ 9.2 ↓ 9.8 ↙  
 9.5 ↑ 9.7 ↘ 10.8 \* 9.1 ↖ 10.3 ←  
 beste Teiler 158.7 (38.) 512.5 (40.) 618.5 (31.)  
 Trefferlage 1.30 mm links, 2.62 mm tief  
 Streuwert 7.44, horizontal: 6.61, vertikal: 8.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.4)  
 Serien: 93 93 92 92  
 Zähler: 15 20 5 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2316 (25), 1798 (21), 1795 (1)  
 beste Teiler 10.2 (7.) 154.4 (24.) 270.1 (17.)  
 Trefferlage 2.33 mm rechts, 0.36 mm tief  
 Streuwert 8.02, horizontal: 7.15, vertikal: 8.81




Serie 1:  
 8.7 ↗ 10.4 \* 9.1 ↗ 9.7 ↓ 10.6 \*  
 10.1 ↗ 10.9 \* 9.7 ↑ 9.5 → 9.2 →  
 beste Teiler 10.2 (7.) 312.0 (5.) 442.8 (2.)  
 Trefferlage 4.12 mm rechts, 3.44 mm hoch  
 Streuwert 6.88, horizontal: 5.58, vertikal: 7.98



Serie 2:  
 9.4 ← 9.8 ↗ 8.8 ↗ 9.2 ↘ 9.0 ↗  
 9.7 → 10.6 \* 10.1 ↘ 10.2 ↙ 10.0 ←  
 beste Teiler 270.1 (17.) 595.7 (19.) 703.6 (18.)  
 Trefferlage 2.21 mm rechts, 0.92 mm hoch  
 Streuwert 8.07, horizontal: 7.64, vertikal: 8.47



Serie 3:  
 8.7 → 9.0 ↗ 9.4 ← 10.8 \* 8.1 ↙  
 10.0 ↗ 10.3 ↘ 9.3 ↓ 10.0 ← 9.7 ↑  
 beste Teiler 154.4 (24.) 489.1 (27.) 755.7 (26.)  
 Trefferlage 0.40 mm links, 2.36 mm tief  
 Streuwert 9.49, horizontal: 9.00, vertikal: 9.95



Serie 4:  
 9.3 ↓ 10.1 → 9.7 ↘ 8.9 ↓ 9.4 ↘  
 10.0 ↘ 9.4 ↘ 9.9 ↑ 10.0 → 9.7 ↘  
 beste Teiler 696.0 (32.) 748.6 (39.) 796.1 (36.)  
 Trefferlage 3.38 mm rechts, 3.46 mm tief  
 Streuwert 7.30, horizontal: 6.16, vertikal: 8.29

Unterschrift des Schützen

Meyton Elektronik