





Ergebnis: **384** (400.7)  
 Serien: 95 97 97 95  
 Zähler: 24 16 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 499 (29), 442 (40), 412 (19)  
 beste Teiler 51.8 (14.) 67.1 (4.) 90.0 (2.)  
 Trefferlage 0.32 mm rechts, 0.33 mm hoch  
 Streuwert 1.83, horizontal: 2.17, vertikal: 1.41




Serie 1:  
 9.4 ↘ 10.6 \* 9.4 → 10.7 \* 10.2 \*  
 9.3 ↗ 9.9 ↖ 10.5 \* 9.9 → 10.2 \*  
 beste Teiler 67.1 (4.) 90.0 (2.) 112.3 (8.)  
 Trefferlage 0.36 mm rechts, 0.74 mm hoch  
 Streuwert 1.86, horizontal: 2.31, vertikal: 1.26



Serie 2:  
 10.4 \* 10.6 \* 10.2 \* 10.7 \* 10.0 ↘  
 9.9 ↘ 9.3 ↘ 10.1 ↗ 9.3 ← 10.5 \*  
 beste Teiler 51.8 (14.) 93.7 (12.) 108.3 (20.)  
 Trefferlage 0.55 mm links, 0.43 mm hoch  
 Streuwert 1.74, horizontal: 1.71, vertikal: 1.77





Serie 3:  
 10.3 \* 9.8 → 10.4 \* 10.2 \* 10.4 \*  
 9.9 ↘ 10.2 \* 10.1 ← 9.0 → 10.2 \*  
 beste Teiler 139.6 (23.) 147.2 (25.) 165.2 (21.)  
 Trefferlage 0.89 mm rechts, 0.22 mm tief  
 Streuwert 1.72, horizontal: 2.03, vertikal: 1.35




Serie 4:  
 9.3 → 10.1 ← 10.1 ↘ 9.6 → 10.2 \*  
 10.3 \* 9.9 ↗ 10.5 \* 9.9 ← 9.2 →  
 beste Teiler 105.0 (38.) 169.1 (36.) 185.9 (35.)  
 Trefferlage 0.58 mm rechts, 0.38 mm hoch  
 Streuwert 2.03, horizontal: 2.59, vertikal: 1.23

Unterschrift des Schützen


Ergebnis: **373** (392.3)  
 Serien: 95 95 93 90  
 Zähler: 20 14 5 1 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 796 (30), 600 (38), 577 (34)  
 beste Teiler 29.0 (6.) 61.3 (4.) 72.5 (29.)  
 Trefferlage 1.00 mm rechts, 0.43 mm tief  
 Streuwert 2.25, horizontal: 2.42, vertikal: 2.07




Serie 1:  
 9.8 ← 10.4 \* 10.5 \* 10.7 \* 9.3 ↗  
 10.8 \* 9.9 ↘ 10.2 \* 9.6 ↗ 9.9 ↗  
 beste Teiler 29.0 (6.) 61.3 (4.) 119.5 (3.)  
 Trefferlage 0.17 mm rechts, 0.68 mm hoch  
 Streuwert 1.69, horizontal: 2.02, vertikal: 1.28



Serie 2:  
 9.4 ↘ 10.2 \* 9.3 ↗ 8.9 ↓ 9.4 →  
 10.1 ↗ 10.3 \* 10.1 ↗ 10.0 ↓ 10.1 →  
 beste Teiler 159.0 (17.) 189.8 (12.) 210.6 (20.)  
 Trefferlage 1.10 mm rechts, 0.06 mm tief  
 Streuwert 2.21, horizontal: 2.22, vertikal: 2.21





Serie 3:  
 8.7 → 10.1 ↑ 10.6 \* 9.5 ↘ 10.1 →  
 9.9 ↘ 10.2 \* 10.2 \* 10.7 \* 7.8 ↘  
 beste Teiler 72.5 (29.) 95.0 (23.) 176.7 (28.)  
 Trefferlage 1.85 mm rechts, 0.50 mm tief  
 Streuwert 2.31, horizontal: 2.34, vertikal: 2.28




Serie 4:  
 10.5 \* 10.1 ↘ 10.5 \* 8.6 ↘ 9.9 ↘  
 9.6 ↘ 8.9 ↘ 8.6 ↓ 9.9 ↘ 9.0 ←  
 beste Teiler 113.8 (33.) 121.5 (31.) 225.6 (32.)  
 Trefferlage 0.87 mm rechts, 1.84 mm tief  
 Streuwert 2.50, horizontal: 3.05, vertikal: 1.77

Unterschrift des Schützen


Ergebnis: **382** (401.5)  
 Serien: 93 97 96 96  
 Zähler: 26 10 4 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 581 (26), 534 (9), 503 (34)  
 beste Teiler 48.2 (39.) 48.7 (19.) 56.4 (37.)  
 Trefferlage 0.49 mm links, 0.31 mm hoch  
 Streuwert 1.84, horizontal: 2.17, vertikal: 1.42




Serie 1:  
 9.9 ↗ 10.6 \* 10.2 \* 9.8 ↑ 9.5 ←  
 10.4 \* 10.0 ← 9.9 ↗ 8.8 ← 9.6 ←  
 beste Teiler 95.6 (2.) 138.3 (6.) 186.1 (3.)  
 Trefferlage 0.98 mm links, 0.78 mm hoch  
 Streuwert 1.98, horizontal: 2.48, vertikal: 1.30



Serie 2:  
 9.9 → 10.1 ← 10.4 \* 9.8 ↙ 10.6 \*  
 10.1 ↗ 9.9 ↖ 10.5 \* 10.8 \* 10.5 \*  
 beste Teiler 48.7 (19.) 99.8 (15.) 103.4 (18.)  
 Trefferlage 0.44 mm links, 0.25 mm hoch  
 Streuwert 1.39, horizontal: 1.72, vertikal: 0.97



Serie 3:  
 10.3 \* 10.5 \* 10.0 ↘ 10.1 ↙ 10.2 \*  
 8.6 ↘ 8.9 ↘ 10.0 ↘ 10.6 \* 10.0 ↙  
 beste Teiler 92.3 (29.) 115.7 (22.) 159.4 (21.)  
 Trefferlage 0.15 mm links, 0.23 mm tief  
 Streuwert 2.21, horizontal: 2.34, vertikal: 2.07





Serie 4:  
 10.1 ↗ 10.3 \* 9.9 ← 8.9 ↖ 10.5 \*  
 9.4 → 10.7 \* 10.4 \* 10.8 \* 10.0 ↘  
 beste Teiler 48.2 (39.) 56.4 (37.) 122.4 (35.)  
 Trefferlage 0.40 mm links, 0.45 mm hoch  
 Streuwert 1.84, horizontal: 2.35, vertikal: 1.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (399.0)  
 Serien: 94 95 95 94  
 Zähler: 18 22 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 437 (33), 363 (32), 356 (30)  
 beste Teiler 26.6 (10.) 32.2 (40.) 45.1 (14.)  
 Trefferlage 0.49 mm links, 0.08 mm hoch  
 Streuwert 1.84, horizontal: 1.79, vertikal: 1.89




Serie 1:  
 10.0 ↓                      9.7 ↖                      9.9 ↙                      10.1 ↑                      9.9 →  
 10.4 \*                      9.7 ↘                      9.8 ↗                      9.7 ←                      10.8 \*  
 beste Teiler 26.6 (10.) 142.3 (6.) 203.7 (4.)  
 Trefferlage 0.60 mm links, 0.20 mm tief  
 Streuwert 1.81, horizontal: 1.83, vertikal: 1.79



Serie 2:  
 10.1 ↖                      9.7 ↓                      9.6 ↘                      10.8 \*                      10.2 \*  
 10.3 \*                      9.5 ↖                      9.7 →                      9.7 ↘                      10.5 \*  
 beste Teiler 45.1 (14.) 116.7 (20.) 151.3 (16.)  
 Trefferlage 0.31 mm rechts, 0.54 mm tief  
 Streuwert 1.86, horizontal: 1.83, vertikal: 1.88



Serie 3:  
 10.0 ↙                      9.6 ↙                      10.3 \*                      10.2 \*                      9.8 ↗  
 9.9 ↙                      10.2 \*                      9.8 →                      10.2 \*                      9.5 ↘  
 beste Teiler 155.0 (23.) 186.6 (27.) 193.8 (24.)  
 Trefferlage 0.59 mm links, 0.19 mm tief  
 Streuwert 1.86, horizontal: 1.99, vertikal: 1.72





Serie 4:  
 10.5 \*                      9.5 ←                      9.2 ↖                      9.6 ↖                      9.7 ↑  
 10.2 \*                      9.8 ↑                      9.7 ↖                      10.4 \*                      10.8 \*  
 beste Teiler 32.2 (40.) 107.2 (31.) 134.7 (39.)  
 Trefferlage 1.10 mm links, 1.28 mm hoch  
 Streuwert 1.68, horizontal: 1.42, vertikal: 1.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (399.9)  
 Serien: 92 97 93 98  
 Zähler: 24 12 4 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 591 (3), 530 (1), 519 (21)  
 beste Teiler 37.3 (18.) 39.0 (16.) 53.3 (28.)  
 Trefferlage 0.14 mm links, 0.48 mm tief  
 Streuwert 1.96, horizontal: 2.28, vertikal: 1.58




Serie 1:  
 8.8 ↘                    9.0 ←                    8.6 ↘                    9.6 ↓                    9.1 ←  
 9.9 ↘                    10.5 \*                    10.4 \*                    10.4 \*                    10.6 \*  
 beste Teiler 78.1 (10.) 102.7 (7.) 128.4 (8.)  
 Trefferlage 0.38 mm links, 1.19 mm tief  
 Streuwert 2.54, horizontal: 3.26, vertikal: 1.51



Serie 2:  
 9.8 ←                    10.4 \*                    9.9 ↗                    10.4 \*                    10.5 \*  
 10.8 \*                    10.2 \*                    10.8 \*                    10.7 \*                    9.8 ↘  
 beste Teiler 37.3 (18.) 39.0 (16.) 56.7 (19.)  
 Trefferlage 0.00 mm , 0.00 mm  
 Streuwert 1.37, horizontal: 1.47, vertikal: 1.27



Serie 3:  
 8.9 ↘                    9.9 ←                    10.6 \*                    10.0 ↗                    9.7 ←  
 9.9 ↑                    10.0 ↑                    10.7 \*                    10.4 \*                    8.9 ←  
 beste Teiler 53.3 (28.) 96.0 (23.) 133.0 (29.)  
 Trefferlage 0.35 mm links, 0.23 mm hoch  
 Streuwert 2.23, horizontal: 2.66, vertikal: 1.71





Serie 4:  
 10.0 ↓                    10.0 →                    10.2 \*                    9.8 ←                    10.3 \*  
 9.6 ↓                    10.0 →                    10.1 ↑                    10.5 \*                    10.2 \*  
 beste Teiler 114.4 (39.) 161.2 (35.) 183.0 (40.)  
 Trefferlage 0.16 mm rechts, 0.98 mm tief  
 Streuwert 1.56, horizontal: 1.59, vertikal: 1.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.9)  
 Serien: 94 91 95 93  
 Zähler: 17 22 0 0 0 1 0 0 0 0  
 Innenzehner: 15  
 weiteste: 1355 (16), 493 (8), 430 (36)  
 beste Teiler 71.8 (21.) 76.7 (37.) 98.3 (25.)  
 Trefferlage 0.09 mm links, 0.50 mm hoch  
 Streuwert 2.46, horizontal: 2.58, vertikal: 2.34




Serie 1:  
 9.7 ← 10.3 \* 9.7 ↘ 10.2 \* 9.6 ↘  
 9.4 ↘ 10.0 ← 9.0 ↘ 9.4 ← 10.5 \*  
 beste Teiler 114.8 (10.) 167.2 (2.) 197.7 (4.)  
 Trefferlage 0.31 mm links, 0.75 mm tief  
 Streuwert 2.27, horizontal: 2.89, vertikal: 1.40



Serie 2:  
 10.4 \* 10.2 \* 10.4 \* 10.4 \* 9.9 ↗  
 5.5 ↘ 9.9 ↘ 9.5 ↘ 10.5 \* 9.9 →  
 beste Teiler 117.4 (19.) 126.2 (11.) 139.6 (14.)  
 Trefferlage 0.83 mm links, 1.55 mm hoch  
 Streuwert 3.30, horizontal: 2.69, vertikal: 3.82



Serie 3:  
 10.7 \* 9.4 → 10.5 \* 9.9 ↓ 10.6 \*  
 10.4 \* 9.5 → 9.9 ↘ 9.9 ↗ 10.1 →  
 beste Teiler 71.8 (21.) 98.3 (25.) 104.6 (23.)  
 Trefferlage 0.81 mm rechts, 0.34 mm hoch  
 Streuwert 1.67, horizontal: 1.88, vertikal: 1.43





Serie 4:  
 9.4 → 9.7 ← 9.5 ↑ 10.2 \* 10.4 \*  
 9.2 → 10.6 \* 9.4 ↗ 9.7 ↘ 9.5 ←  
 beste Teiler 76.7 (37.) 126.9 (35.) 182.4 (34.)  
 Trefferlage 0.05 mm links, 0.87 mm hoch  
 Streuwert 2.25, horizontal: 2.86, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (392.7)  
 Serien: 93 91 92 96  
 Zähler: 19 14 7 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 636 (27), 627 (23), 618 (39)  
 beste Teiler 41.0 (9.) 58.2 (28.) 61.8 (10.)  
 Trefferlage 0.02 mm rechts, 0.02 mm hoch  
 Streuwert 2.36, horizontal: 2.78, vertikal: 1.84




Serie 1:  
 10.2 \*                      10.5 \*                      9.3 ←                      9.9 ←                      10.5 \*  
 8.8 ←                      9.9 ←                      8.8 ←                      10.8 \*                      10.7 \*  
 beste Teiler 41.0 (9.) 61.8 (10.) 106.0 (5.)  
 Trefferlage 2.20 mm links, 0.20 mm tief  
 Streuwert 1.61, horizontal: 2.08, vertikal: 0.94



Serie 2:  
 9.3 ↗                      8.9 ←                      10.0 ↘                      9.9 ↗                      10.5 \*  
 8.5 →                      9.8 ↗                      10.7 \*                      9.8 ↗                      9.7 ↓  
 beste Teiler 69.3 (18.) 102.4 (15.) 240.8 (13.)  
 Trefferlage 0.64 mm rechts, 0.87 mm hoch  
 Streuwert 2.45, horizontal: 2.90, vertikal: 1.89



Serie 3:  
 10.2 \*                      10.4 \*                      8.4 ↘                      9.5 ↗                      9.4 ↘  
 9.8 →                      8.4 ←                      10.7 \*                      10.1 ↗                      9.7 ↓  
 beste Teiler 58.2 (28.) 134.6 (22.) 196.5 (21.)  
 Trefferlage 1.06 mm rechts, 0.66 mm tief  
 Streuwert 2.59, horizontal: 3.18, vertikal: 1.82





Serie 4:  
 9.9 ↘                      10.5 \*                      10.1 ↗                      10.0 →                      10.5 \*  
 10.1 ↓                      9.5 ←                      10.2 \*                      8.5 ↑                      10.3 \*  
 beste Teiler 117.7 (35.) 123.9 (32.) 151.1 (40.)  
 Trefferlage 0.60 mm rechts, 0.11 mm hoch  
 Streuwert 2.08, horizontal: 1.77, vertikal: 2.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.4)  
 Serien: 93 93 96 96  
 Zähler: 22 14 4 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 624 (12), 536 (14), 523 (30)  
 beste Teiler 27.8 (36.) 55.3 (23.) 58.7 (33.)  
 Trefferlage 0.09 mm links, 0.30 mm hoch  
 Streuwert 2.13, horizontal: 2.61, vertikal: 1.51




Serie 1:  
 9.7 ← 10.4 \* 10.2 \* 9.9 ↖ 9.7 ←  
 9.2 ↘ 9.6 ↘ 10.3 \* 9.5 → 9.9 ←  
 beste Teiler 135.2 (2.) 170.2 (8.) 177.1 (3.)  
 Trefferlage 1.00 mm links, 0.84 mm hoch  
 Streuwert 1.98, horizontal: 2.27, vertikal: 1.64



Serie 2:  
 10.2 \* 8.5 ← 10.3 \* 8.8 → 9.2 →  
 10.3 \* 10.1 ↓ 10.2 \* 9.9 ↘ 9.8 →  
 beste Teiler 157.2 (16.) 166.2 (13.) 180.3 (11.)  
 Trefferlage 0.48 mm rechts, 0.25 mm hoch  
 Streuwert 2.54, horizontal: 3.28, vertikal: 1.45



Serie 3:  
 10.1 → 9.0 → 10.7 \* 10.0 ✓ 10.3 \*  
 10.2 \* 9.8 ↘ 10.7 \* 10.5 \* 8.9 ←  
 beste Teiler 55.3 (23.) 74.3 (28.) 125.6 (29.)  
 Trefferlage 0.48 mm rechts, 0.41 mm tief  
 Streuwert 2.03, horizontal: 2.43, vertikal: 1.54



Serie 4:  
 10.1 ↑ 10.4 \* 10.7 \* 9.1 → 10.3 \*  
 10.8 \* 8.9 ← 10.3 \* 9.7 ↘ 10.2 \*  
 beste Teiler 27.8 (36.) 58.7 (33.) 147.7 (32.)  
 Trefferlage 0.33 mm links, 0.53 mm hoch  
 Streuwert 1.97, horizontal: 2.44, vertikal: 1.33

Unterschrift des Schützen