





Ergebnis: **388** (402.8)
 Serien: 100 93 96 99
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 460 (25), 445 (16), 432 (26)
 beste Teiler 30.4 (23.) 57.1 (11.) 101.2 (31.)
 Trefferlage 0.30 mm rechts, 0.23 mm hoch
 Streuwert 1.71, horizontal: 1.91, vertikal: 1.49




Serie 1:
 10.0 → 10.2 * 10.5 * 10.1 ↗ 10.5 *
 10.1 ↖ 10.0 ← 10.0 ↘ 10.4 * 10.2 *
 beste Teiler 105.0 (3.) 107.2 (5.) 149.9 (9.)
 Trefferlage 0.15 mm links, 0.67 mm hoch
 Streuwert 1.36, horizontal: 1.73, vertikal: 0.84



Serie 2:
 10.7 * 10.3 * 9.3 → 9.8 ↖ 10.2 *
 9.2 ↗ 9.9 → 9.8 → 9.7 ↓ 9.8 ↘
 beste Teiler 57.1 (11.) 165.4 (12.) 199.2 (15.)
 Trefferlage 1.40 mm rechts, 0.37 mm hoch
 Streuwert 1.90, horizontal: 1.72, vertikal: 2.06



Serie 3:
 9.7 ↘ 9.8 ↘ 10.8 * 10.0 ↘ 9.1 ←
 9.2 ↘ 10.3 * 10.1 ↖ 10.4 * 10.5 *
 beste Teiler 30.4 (23.) 115.6 (30.) 148.0 (29.)
 Trefferlage 0.00 mm , 0.55 mm tief
 Streuwert 1.98, horizontal: 2.31, vertikal: 1.57





Serie 4:
 10.5 * 10.3 * 10.0 → 10.4 * 9.8 →
 10.2 * 10.3 * 10.2 * 10.2 * 10.3 *
 beste Teiler 101.2 (31.) 150.9 (34.) 152.0 (37.)
 Trefferlage 0.00 mm , 0.43 mm hoch
 Streuwert 1.39, horizontal: 1.62, vertikal: 1.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (404.8)
 Serien: 97 96 98 99
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 419 (11), 412 (22), 399 (27)
 beste Teiler 29.4 (2.) 58.4 (16.) 58.6 (3.)
 Trefferlage 0.37 mm links, 0.02 mm tief
 Streuwert 1.66, horizontal: 1.86, vertikal: 1.42




Serie 1:
 10.2 * 10.8 * 10.7 * 10.0 ↓ 10.0 ←
 10.2 * 9.6 ↓ 9.6 ↗ 10.6 * 9.5 ↘
 beste Teiler 29.4 (2.) 58.6 (3.) 78.9 (9.)
 Trefferlage 0.77 mm links, 0.03 mm hoch
 Streuwert 1.65, horizontal: 1.48, vertikal: 1.81



Serie 2:
 9.3 ↗ 9.9 ↑ 10.1 ↓ 9.4 → 10.0 ↘
 10.7 * 10.3 * 10.6 * 10.4 * 9.9 ↘
 beste Teiler 58.4 (16.) 99.2 (18.) 144.1 (19.)
 Trefferlage 0.84 mm rechts, 0.44 mm hoch
 Streuwert 1.74, horizontal: 1.92, vertikal: 1.55





Serie 3:
 10.6 * 9.3 ← 10.4 * 10.3 * 10.3 *
 10.1 ↓ 9.4 ← 10.2 * 10.5 * 10.5 *
 beste Teiler 95.5 (21.) 107.0 (29.) 116.7 (30.)
 Trefferlage 1.02 mm links, 0.00 mm
 Streuwert 1.51, horizontal: 1.82, vertikal: 1.11




Serie 4:
 10.0 ↓ 9.5 ← 10.6 * 10.0 ↘ 10.0 ↘
 10.4 * 10.5 * 10.0 ← 10.3 * 10.1 ←
 beste Teiler 98.3 (33.) 105.8 (37.) 137.7 (36.)
 Trefferlage 0.54 mm links, 0.57 mm tief
 Streuwert 1.54, horizontal: 1.87, vertikal: 1.11

Unterschrift des Schützen


Ergebnis: **388** (403.1)
 Serien: 95 98 97 98
 Zähler: 29 10 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 563 (10), 499 (24), 498 (39)
 beste Teiler 28.2 (37.) 46.1 (8.) 49.0 (23.)
 Trefferlage 0.07 mm links, 0.26 mm hoch
 Streuwert 1.79, horizontal: 2.12, vertikal: 1.39




Serie 1:
 10.1 ↙ 9.7 ↓ 10.5 * 9.2 ↖ 10.0 ↗
 9.9 → 10.5 * 10.8 * 10.1 ↗ 8.7 ↘
 beste Teiler 46.1 (8.) 110.5 (3.) 114.2 (7.)
 Trefferlage 0.77 mm links, 0.46 mm hoch
 Streuwert 2.08, horizontal: 2.31, vertikal: 1.83



Serie 2:
 9.9 ↘ 10.1 ↘ 10.2 * 10.4 * 10.4 *
 10.3 * 10.0 ↘ 10.5 * 9.8 → 10.6 *
 beste Teiler 80.0 (20.) 105.1 (18.) 128.1 (15.)
 Trefferlage 0.26 mm rechts, 0.05 mm tief
 Streuwert 1.40, horizontal: 1.64, vertikal: 1.10



Serie 3:
 10.4 * 9.9 ↑ 10.8 * 9.0 → 10.4 *
 9.5 → 10.3 * 10.0 ← 10.1 → 10.3 *
 beste Teiler 49.0 (23.) 139.6 (21.) 141.8 (25.)
 Trefferlage 0.65 mm rechts, 0.78 mm hoch
 Streuwert 1.74, horizontal: 2.22, vertikal: 1.07





Serie 4:
 10.1 ↙ 10.5 * 10.1 ↖ 9.3 ↖ 10.4 *
 10.2 * 10.8 * 10.0 ← 9.0 ↘ 10.3 *
 beste Teiler 28.2 (37.) 121.6 (32.) 126.1 (35.)
 Trefferlage 0.43 mm links, 0.15 mm tief
 Streuwert 1.88, horizontal: 2.25, vertikal: 1.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (406.7)
 Serien: 96 96 97 96
 Zähler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 636 (5), 342 (13), 336 (38)
 beste Teiler 46.5 (8.) 54.2 (23.) 55.2 (17.)
 Trefferlage 0.13 mm rechts, 0.42 mm tief
 Streuwert 1.60, horizontal: 1.52, vertikal: 1.67




Serie 1:
 10.5 * 10.6 * 10.0 ↘ 10.6 * 8.4 ↘
 10.2 * 10.7 * 10.8 * 9.6 ← 9.8 →
 beste Teiler 46.5 (8.) 74.5 (7.) 89.4 (2.)
 Trefferlage 0.33 mm links, 0.49 mm hoch
 Streuwert 1.95, horizontal: 1.90, vertikal: 2.00



Serie 2:
 10.0 ↙ 10.5 * 9.6 ↓ 9.8 ↘ 10.5 *
 10.2 * 10.7 * 9.9 ← 9.6 ↗ 10.4 *
 beste Teiler 55.2 (17.) 110.4 (12.) 122.4 (15.)
 Trefferlage 0.06 mm links, 0.54 mm tief
 Streuwert 1.64, horizontal: 1.49, vertikal: 1.78





Serie 3:
 10.1 ↘ 9.8 ↓ 10.7 * 10.5 * 9.8 ↓
 10.5 * 10.3 * 9.8 ↘ 10.4 * 10.4 *
 beste Teiler 54.2 (23.) 102.9 (24.) 115.5 (26.)
 Trefferlage 0.79 mm rechts, 0.84 mm tief
 Streuwert 1.20, horizontal: 0.85, vertikal: 1.46




Serie 4:
 9.7 ↓ 10.1 ↙ 10.6 * 10.5 * 9.8 ↙
 9.9 → 10.6 * 9.6 → 10.7 * 10.5 *
 beste Teiler 56.2 (39.) 78.2 (33.) 94.0 (37.)
 Trefferlage 0.12 mm rechts, 0.80 mm tief
 Streuwert 1.46, horizontal: 1.65, vertikal: 1.24

Unterschrift des Schützen


Ergebnis: **385** (404.2)
 Serien: 95 96 97 97
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 455 (39), 414 (33), 409 (30)
 beste Teiler 45.6 (35.) 56.5 (21.) 81.8 (2.)
 Trefferlage 0.08 mm links, 0.57 mm hoch
 Streuwert 1.62, horizontal: 1.97, vertikal: 1.17




Serie 1:
 9.9 ↘ 10.6 * 9.7 ↗ 9.9 ↘ 10.4 *
 9.7 ↗ 10.1 ↘ 10.0 ↖ 10.4 * 9.8 ↖
 beste Teiler 81.8 (2.) 128.4 (5.) 134.3 (9.)
 Trefferlage 0.06 mm links, 0.86 mm hoch
 Streuwert 1.63, horizontal: 1.87, vertikal: 1.36



Serie 2:
 10.6 * 9.9 ← 10.5 * 10.2 * 9.9 ←
 10.0 → 9.7 ↗ 10.2 * 10.2 * 9.9 ↑
 beste Teiler 89.8 (11.) 122.1 (13.) 177.5 (18.)
 Trefferlage 0.22 mm links, 0.93 mm hoch
 Streuwert 1.46, horizontal: 1.77, vertikal: 1.08



Serie 3:
 10.7 * 9.7 → 10.5 * 10.6 * 10.2 *
 9.8 → 10.1 → 10.4 * 10.6 * 9.3 ←
 beste Teiler 56.5 (21.) 84.8 (29.) 99.3 (24.)
 Trefferlage 0.29 mm rechts, 0.34 mm hoch
 Streuwert 1.62, horizontal: 2.17, vertikal: 0.72





Serie 4:
 10.5 * 10.0 ↘ 9.3 ← 10.2 * 10.8 *
 9.8 → 10.4 * 10.4 * 9.1 ↖ 10.2 *
 beste Teiler 45.6 (35.) 111.4 (31.) 147.4 (37.)
 Trefferlage 0.34 mm links, 0.16 mm hoch
 Streuwert 1.88, horizontal: 2.27, vertikal: 1.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (402.8)
 Serien: 98 98 95 95
 Zähler: 28 10 2 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 553 (34), 519 (36), 451 (17)
 beste Teiler 46.1 (18.) 85.5 (9.) 92.6 (26.)
 Trefferlage 0.44 mm rechts, 0.41 mm hoch
 Streuwert 1.73, horizontal: 2.13, vertikal: 1.19




Serie 1:
 10.3 * 9.2 ↘ 10.2 * 10.0 ↖ 10.6 *
 10.3 * 9.7 ↗ 10.3 * 10.6 * 10.1 ↗
 beste Teiler 85.5 (9.) 96.5 (5.) 153.0 (1.)
 Trefferlage 0.70 mm rechts, 0.70 mm hoch
 Streuwert 1.54, horizontal: 1.69, vertikal: 1.37



Serie 2:
 10.5 * 10.1 ↖ 10.4 * 9.9 ↗ 10.2 *
 10.4 * 9.1 → 10.8 * 10.4 * 10.2 *
 beste Teiler 46.1 (18.) 110.7 (11.) 130.9 (19.)
 Trefferlage 0.78 mm rechts, 0.43 mm hoch
 Streuwert 1.45, horizontal: 1.78, vertikal: 1.03



Serie 3:
 9.7 → 9.7 → 10.1 ↗ 9.8 ↖ 9.9 →
 10.6 * 10.5 * 10.2 * 9.5 ← 10.3 *
 beste Teiler 92.6 (26.) 110.0 (27.) 161.8 (30.)
 Trefferlage 0.22 mm rechts, 0.08 mm hoch
 Streuwert 1.83, horizontal: 2.36, vertikal: 1.06





Serie 4:
 10.0 ↖ 10.4 * 10.1 ↗ 8.7 ← 9.9 ↗
 8.9 → 10.2 * 10.4 * 10.2 * 10.4 *
 beste Teiler 127.0 (32.) 131.7 (38.) 147.2 (40.)
 Trefferlage 0.07 mm rechts, 0.42 mm hoch
 Streuwert 2.20, horizontal: 2.78, vertikal: 1.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (403.0)
 Serien: 98 96 96 95
 Zähler: 26 13 1 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 656 (40), 473 (1), 433 (35)
 beste Teiler 51.0 (3.) 70.2 (12.) 82.1 (20.)
 Trefferlage 0.46 mm rechts, 0.92 mm hoch
 Streuwert 1.63, horizontal: 1.78, vertikal: 1.46




Serie 1:
 9.1 ↗ 10.1 → 10.7 * 10.3 * 10.5 *
 10.5 * 10.1 ↗ 10.3 * 10.6 * 9.7 ↗
 beste Teiler 51.0 (3.) 95.5 (9.) 104.5 (6.)
 Trefferlage 1.04 mm rechts, 1.15 mm hoch
 Streuwert 1.21, horizontal: 1.41, vertikal: 0.97



Serie 2:
 10.4 * 10.7 * 9.7 ↑ 10.4 * 9.8 ↗
 10.5 * 10.5 * 9.5 ← 9.7 ↘ 10.6 *
 beste Teiler 70.2 (12.) 82.1 (20.) 105.0 (17.)
 Trefferlage 0.11 mm links, 0.98 mm hoch
 Streuwert 1.45, horizontal: 1.73, vertikal: 1.10



Serie 3:
 9.8 → 10.5 * 10.1 ↗ 10.1 ↗ 9.8 ↗
 10.2 * 9.7 ↘ 10.6 * 10.1 ← 9.9 ↖
 beste Teiler 99.4 (28.) 120.0 (22.) 192.7 (26.)
 Trefferlage 0.25 mm links, 0.94 mm hoch
 Streuwert 1.55, horizontal: 1.85, vertikal: 1.16





Serie 4:
 9.9 ↑ 10.2 * 10.0 ← 10.2 * 9.2 ↗
 9.9 ↘ 10.3 * 10.1 → 10.4 * 8.3 ↑
 beste Teiler 127.7 (39.) 167.5 (37.) 184.5 (34.)
 Trefferlage 1.17 mm rechts, 0.60 mm hoch
 Streuwert 2.11, horizontal: 1.84, vertikal: 2.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (397.3)
 Serien: 96 95 94 96
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 585 (21), 492 (36), 468 (38)
 beste Teiler 36.8 (10.) 73.0 (3.) 100.2 (9.)
 Trefferlage 0.27 mm links, 0.17 mm hoch
 Streuwert 2.01, horizontal: 2.24, vertikal: 1.75




Serie 1:
 9.2 ↗ 9.9 ↖ 10.7 * 10.1 ← 10.0 ↕
 9.3 ↕ 9.5 ↗ 10.4 * 10.6 * 10.8 *
 beste Teiler 36.8 (10.) 73.0 (3.) 100.2 (9.)
 Trefferlage 0.04 mm rechts, 0.88 mm hoch
 Streuwert 1.85, horizontal: 1.94, vertikal: 1.75



Serie 2:
 10.2 * 9.7 ↗ 10.4 * 10.3 * 9.8 ↗
 9.3 → 10.2 * 10.4 * 9.2 ← 9.8 ↕
 beste Teiler 136.4 (13.) 147.2 (18.) 162.2 (14.)
 Trefferlage 0.44 mm rechts, 0.50 mm hoch
 Streuwert 1.98, horizontal: 2.34, vertikal: 1.55



Serie 3:
 8.6 ↗ 10.4 * 10.3 * 9.5 ← 10.2 *
 10.3 * 9.5 ← 9.9 ↘ 9.7 ← 10.4 *
 beste Teiler 129.7 (22.) 148.9 (30.) 161.7 (26.)
 Trefferlage 0.76 mm links, 0.32 mm tief
 Streuwert 2.12, horizontal: 2.49, vertikal: 1.67



Serie 4:
 10.2 * 10.4 * 9.8 ↘ 10.1 ↓ 10.2 *
 9.0 ← 10.1 ← 9.1 ↗ 10.1 ← 9.7 ↗
 beste Teiler 132.9 (32.) 179.6 (31.) 185.3 (35.)
 Trefferlage 0.82 mm links, 0.37 mm tief
 Streuwert 2.08, horizontal: 2.23, vertikal: 1.92

Unterschrift des Schützen

Meyton Elektronik