





Ergebnis: **374** (392.5)
 Serien: 93 91 95 95
 Zähler: 18 18 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2127 (34), 1855 (18), 1642 (8)
 beste Teiler 127.3 (19.) 209.5 (7.) 252.6 (11.)
 Trefferlage 0.28 mm rechts, 0.42 mm tief
 Streuwert 7.27, horizontal: 6.55, vertikal: 7.93




Serie 1:
 10.1 ↘ 10.0 ← 8.9 ↑ 10.1 ↓ 9.7 ↓
 9.4 ↗ 10.7 * 8.9 ↙ 9.9 ↓ 10.0 ↑
 beste Teiler 209.5 (7.) 688.7 (4.) 708.9 (1.)
 Trefferlage 0.24 mm links, 1.08 mm tief
 Streuwert 7.65, horizontal: 5.26, vertikal: 9.46



Serie 2:
 10.6 * 9.8 ← 9.7 ↘ 9.9 ↑ 9.3 →
 9.4 ↘ 9.9 → 8.6 ↑ 10.8 * 9.4 ↓
 beste Teiler 127.3 (19.) 252.6 (11.) 825.9 (14.)
 Trefferlage 3.68 mm rechts, 0.21 mm hoch
 Streuwert 7.61, horizontal: 7.02, vertikal: 8.16



Serie 3:
 9.5 ↙ 10.5 * 9.8 ↙ 10.2 ↗ 10.2 ←
 10.5 * 9.5 ↓ 10.3 ↖ 9.4 ↖ 9.2 →
 beste Teiler 335.5 (26.) 355.0 (22.) 497.8 (28.)
 Trefferlage 2.38 mm links, 1.51 mm tief
 Streuwert 6.43, horizontal: 7.34, vertikal: 5.37





Serie 4:
 9.5 ↗ 10.1 ↓ 9.5 ↑ 8.3 ↓ 10.5 *
 10.3 ↙ 10.3 ↗ 10.0 ↑ 9.6 ← 10.2 →
 beste Teiler 394.8 (35.) 541.1 (37.) 557.6 (36.)
 Trefferlage 0.09 mm rechts, 0.66 mm hoch
 Streuwert 7.67, horizontal: 5.80, vertikal: 9.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (391.5)
 Serien: 92 94 94 96
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2007 (32), 1736 (7), 1576 (27)
 beste Teiler 241.6 (18.) 254.7 (36.) 265.5 (20.)
 Trefferlage 0.22 mm rechts, 0.51 mm hoch
 Streuwert 7.33, horizontal: 7.09, vertikal: 7.56




Serie 1:
 9.9 ↙ 10.1 ↗ 9.8 ↗ 10.2 ↘ 10.0 ↘
 9.5 ↙ 8.8 ↗ 9.7 ↘ 9.4 ↗ 9.2 ↙
 beste Teiler 574.3 (4.) 693.5 (2.) 753.5 (5.)
 Trefferlage 0.16 mm rechts, 2.56 mm hoch
 Streuwert 7.87, horizontal: 8.36, vertikal: 7.34



Serie 2:
 10.5 * 9.9 ← 10.2 ↖ 9.9 ↖ 9.0 →
 9.3 ↙ 9.0 ↑ 10.6 * 9.0 ↓ 10.6 *
 beste Teiler 241.6 (18.) 265.5 (20.) 393.9 (11.)
 Trefferlage 1.95 mm links, 0.92 mm tief
 Streuwert 7.70, horizontal: 7.08, vertikal: 8.28



Serie 3:
 9.3 ↓ 9.8 ↘ 10.4 * 10.0 ↓ 10.4 *
 9.9 ↘ 9.0 ↗ 9.2 ↙ 10.1 ↘ 9.9 ↘
 beste Teiler 433.2 (23.) 435.8 (25.) 715.9 (29.)
 Trefferlage 0.05 mm rechts, 1.66 mm tief
 Streuwert 7.36, horizontal: 7.03, vertikal: 7.67





Serie 4:
 10.0 ↑ 8.4 ↗ 10.3 ↘ 9.4 ↙ 10.1 ↑
 10.6 * 10.3 ↘ 9.8 ↑ 10.0 → 10.0 ↘
 beste Teiler 254.7 (36.) 491.8 (37.) 492.0 (33.)
 Trefferlage 2.63 mm rechts, 2.06 mm hoch
 Streuwert 6.63, horizontal: 6.06, vertikal: 7.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.6)
 Serien: 92 92 94 93
 Zähler: 13 25 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2260 (8), 1884 (31), 1534 (11)
 beste Teiler 127.9 (24.) 137.8 (21.) 357.6 (10.)
 Trefferlage 0.54 mm links, 1.49 mm hoch
 Streuwert 7.55, horizontal: 6.32, vertikal: 8.60




Serie 1:
 9.8 ↖ 9.1 ↗ 9.3 ↘ 9.4 ↙ 9.7 ↗
 9.1 ↓ 10.4 * 8.1 ↓ 10.2 ↓ 10.5 *
 beste Teiler 357.6 (10.) 444.1 (7.) 590.0 (9.)
 Trefferlage 0.96 mm links, 3.77 mm tief
 Streuwert 8.75, horizontal: 7.70, vertikal: 9.68



Serie 2:
 9.0 ↑ 9.5 ↑ 9.8 ↗ 10.4 * 10.3 ↗
 9.6 ↗ 9.9 ↘ 9.8 ↓ 9.5 ↘ 9.3 ↖
 beste Teiler 449.3 (14.) 487.3 (15.) 822.9 (17.)
 Trefferlage 0.81 mm rechts, 4.09 mm hoch
 Streuwert 7.08, horizontal: 6.88, vertikal: 7.27





Serie 3:
 10.8 * 9.9 ↗ 9.1 ↑ 10.8 * 10.5 *
 10.4 * 9.7 ↓ 9.5 ↙ 9.3 ↑ 9.2 ↖
 beste Teiler 127.9 (24.) 137.8 (21.) 400.7 (25.)
 Trefferlage 1.30 mm links, 1.55 mm hoch
 Streuwert 6.96, horizontal: 5.98, vertikal: 7.83




Serie 4:
 8.6 ↑ 10.1 ↗ 9.5 ↘ 10.0 ↑ 10.4 *
 9.7 ↘ 10.2 ↘ 9.7 ↑ 9.6 ↙ 9.9 ↙
 beste Teiler 454.4 (35.) 570.8 (37.) 694.8 (32.)
 Trefferlage 0.71 mm links, 4.12 mm hoch
 Streuwert 6.87, horizontal: 5.29, vertikal: 8.15

Unterschrift des Schützen


Ergebnis:	374	(389.9)
Serien:	95 89 94 96	
Zähler:	19 18 2 0 1 0 0 0 0 0	
Innenzehner:	4	
weiteste:	3542 (20), 1927 (21), 1649 (22)	
beste Teiler	130.4 (10.) 198.0 (14.) 338.2 (24.)	
Trefferlage	1.14 mm links, 0.75 mm tief	
Streuwert	7.89, horizontal: 7.98, vertikal: 7.80	




Serie 1:	9.3 ↑	9.3 →	9.6 →	10.0 ↗	10.2 ↘
	10.0 ↘	9.6 →	9.9 ↗	10.0 ↓	10.8 *
beste Teiler	130.4 (10.) 605.8 (5.) 742.4 (6.)				
Trefferlage	3.52 mm rechts, 3.22 mm hoch				
Streuwert	5.97, horizontal: 6.20, vertikal: 5.74				



Serie 2:	9.5 ↓	9.3 ←	9.8 →	10.7 *	9.0 ↓
	9.4 ←	10.4 ↗	9.5 ↖	9.6 →	6.5 ↙
beste Teiler	198.0 (14.) 478.1 (17.) 890.8 (13.)				
Trefferlage	2.77 mm links, 5.19 mm tief				
Streuwert	10.47, horizontal: 10.37, vertikal: 10.56				



Serie 3:	8.5 ←	8.9 ↑	10.0 ↑	10.5 *	9.1 ↘
	10.1 →	10.2 ↖	9.9 ↘	10.3 ↘	10.3 ↓
beste Teiler	338.2 (24.) 484.4 (30.) 496.0 (29.)				
Trefferlage	2.29 mm links, 0.28 mm tief				
Streuwert	7.70, horizontal: 7.77, vertikal: 7.64				





Serie 4:	9.8 ↗	10.1 ↓	10.0 ↖	10.0 ←	10.0 ↓
	9.8 ↖	9.7 ←	10.4 *	9.7 ←	10.2 ↘
beste Teiler	430.4 (38.) 581.4 (40.) 673.1 (32.)				
Trefferlage	3.03 mm links, 0.76 mm tief				
Streuwert	5.39, horizontal: 6.10, vertikal: 4.58				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (404.6)
 Serien: 98 95 98 98
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1573 (25), 1279 (39), 1263 (2)
 beste Teiler 68.4 (8.) 73.0 (3.) 96.7 (1.)
 Trefferlage 0.42 mm links, 0.34 mm tief
 Streuwert 5.42, horizontal: 5.56, vertikal: 5.27




Serie 1:
 10.8 * 9.4 ↓ 10.9 * 10.2 → 10.5 *
 10.4 * 10.0 ↓ 10.9 * 9.6 ↑ 10.0 ↑
 beste Teiler 68.4 (8.) 73.0 (3.) 96.7 (1.)
 Trefferlage 0.93 mm rechts, 0.17 mm hoch
 Streuwert 5.09, horizontal: 3.02, vertikal: 6.54



Serie 2:
 10.3 ↓ 10.3 ↓ 9.5 ↖ 10.3 ↗ 10.0 →
 9.5 ← 10.6 * 9.8 → 9.7 ↓ 9.8 →
 beste Teiler 308.1 (17.) 511.7 (14.) 519.8 (12.)
 Trefferlage 0.97 mm rechts, 1.47 mm tief
 Streuwert 5.96, horizontal: 6.83, vertikal: 4.94



Serie 3:
 10.3 ← 10.4 * 10.0 ← 9.8 ↓ 9.0 ↗
 10.0 → 10.3 ← 10.0 ↗ 10.0 ← 10.1 ↓
 beste Teiler 414.9 (22.) 501.5 (27.) 529.5 (21.)
 Trefferlage 0.39 mm rechts, 1.56 mm tief
 Streuwert 6.14, horizontal: 6.84, vertikal: 5.34





Serie 4:
 9.7 ↖ 10.2 ↓ 10.3 ↖ 10.1 ↖ 10.7 *
 10.6 * 10.2 ↖ 10.5 * 9.4 ← 10.5 *
 beste Teiler 205.2 (35.) 253.3 (36.) 384.3 (38.)
 Trefferlage 4.00 mm links, 1.48 mm hoch
 Streuwert 3.88, horizontal: 3.51, vertikal: 4.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.1)
 Serien: 91 95 90 95
 Zähler: 15 23 1 0 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 3446 (29), 1795 (23), 1533 (1)
 beste Teiler 212.2 (12.) 234.0 (37.) 334.4 (15.)
 Trefferlage 1.72 mm links, 1.63 mm hoch
 Streuwert 7.78, horizontal: 8.50, vertikal: 6.98




Serie 1:
 9.0 ↗ 9.8 ↘ 9.5 ↙ 9.4 ↖ 10.3 ↘
 9.8 ↘ 9.2 → 9.4 ← 9.3 → 9.7 ↑
 beste Teiler 482.1 (5.) 893.4 (6.) 917.7 (2.)
 Trefferlage 0.16 mm rechts, 0.66 mm hoch
 Streuwert 8.60, horizontal: 8.97, vertikal: 8.21



Serie 2:
 9.4 ↖ 10.7 * 9.9 ↘ 9.6 ↖ 10.5 *
 10.3 ↑ 10.5 * 10.1 ↖ 9.4 ↑ 9.3 →
 beste Teiler 212.2 (12.) 334.4 (15.) 342.7 (17.)
 Trefferlage 0.45 mm links, 3.23 mm hoch
 Streuwert 6.12, horizontal: 6.03, vertikal: 6.20



Serie 3:
 9.6 ↖ 10.0 ↑ 8.7 ↑ 10.5 * 9.5 ↓
 10.5 * 10.5 * 9.2 ↙ 6.6 ← 9.7 ←
 beste Teiler 360.6 (27.) 385.1 (26.) 398.1 (24.)
 Trefferlage 6.85 mm links, 1.43 mm hoch
 Streuwert 9.64, horizontal: 10.88, vertikal: 8.22





Serie 4:
 9.8 ↖ 9.9 → 10.1 ↖ 9.6 ↗ 9.7 ↙
 9.5 ↘ 10.7 * 10.4 * 10.0 ↑ 10.5 *
 beste Teiler 234.0 (37.) 358.2 (40.) 414.0 (38.)
 Trefferlage 0.23 mm rechts, 1.21 mm hoch
 Streuwert 6.01, horizontal: 6.22, vertikal: 5.78


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **383** (401.4)
 Serien: 96 95 97 95
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1817 (7), 1564 (28), 1434 (2)
 beste Teiler 48.1 (25.) 157.4 (1.) 157.5 (24.)
 Trefferlage 2.68 mm links, 1.21 mm tief
 Streuwert 5.72, horizontal: 4.88, vertikal: 6.44




Serie 1:
 10.8 * 9.2 ↘ 10.5 * 10.2 ← 10.1 ←
 10.7 * 8.7 ↙ 9.6 ← 10.2 ↗ 10.2 ←
 beste Teiler 157.4 (1.) 179.2 (6.) 388.8 (3.)
 Trefferlage 5.43 mm links, 0.52 mm tief
 Streuwert 5.44, horizontal: 3.70, vertikal: 6.74



Serie 2:
 10.1 ← 10.3 ↘ 9.9 ↑ 9.3 ↗ 9.7 →
 10.5 * 9.6 ↙ 10.2 ↘ 9.3 ← 10.3 ↑
 beste Teiler 385.5 (16.) 536.1 (20.) 545.4 (12.)
 Trefferlage 2.08 mm links, 2.24 mm tief
 Streuwert 6.24, horizontal: 6.80, vertikal: 5.62



Serie 3:
 9.9 ↙ 10.1 ← 10.7 * 10.8 * 10.9 *
 10.0 ↓ 10.4 * 9.0 ↑ 9.8 ↙ 10.4 *
 beste Teiler 48.1 (25.) 157.5 (24.) 210.8 (23.)
 Trefferlage 0.62 mm links, 0.52 mm tief
 Streuwert 5.50, horizontal: 3.45, vertikal: 6.97





Serie 4:
 9.2 ↓ 10.5 * 9.6 ← 10.5 * 10.3 ↗
 10.5 * 9.9 ↗ 9.5 ↘ 10.6 * 9.4 ↓
 beste Teiler 303.3 (39.) 339.0 (34.) 352.9 (32.)
 Trefferlage 2.59 mm links, 1.54 mm tief
 Streuwert 5.91, horizontal: 4.24, vertikal: 7.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.2)
 Serien: 92 93 92 95
 Zähler: 19 15 5 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2661 (6), 2272 (39), 2027 (8)
 beste Teiler 96.1 (26.) 263.7 (35.) 279.2 (3.)
 Trefferlage 1.51 mm links, 1.47 mm tief
 Streuwert 7.71, horizontal: 6.92, vertikal: 8.43




Serie 1:
 9.8 ↙ 10.1 ↙ 10.6 * 10.1 ↗ 10.3 ←
 7.6 ↓ 10.1 → 8.4 ↘ 9.9 ← 9.8 ↘
 beste Teiler 279.2 (3.) 520.1 (5.) 662.8 (2.)
 Trefferlage 3.53 mm links, 5.54 mm tief
 Streuwert 7.82, horizontal: 5.49, vertikal: 9.60



Serie 2:
 10.0 ↗ 9.8 ↓ 9.4 ↓ 9.2 → 10.4 *
 9.6 ↘ 9.5 ↑ 9.1 ↘ 9.8 ↗ 10.6 *
 beste Teiler 298.3 (20.) 466.9 (15.) 791.3 (11.)
 Trefferlage 0.74 mm rechts, 0.96 mm hoch
 Streuwert 7.65, horizontal: 5.71, vertikal: 9.18



Serie 3:
 10.1 ← 9.4 ↘ 8.7 ↓ 10.0 ↓ 9.6 ↑
 10.8 * 10.5 * 8.6 ← 9.9 ↑ 9.9 ↘
 beste Teiler 96.1 (26.) 374.9 (27.) 667.1 (21.)
 Trefferlage 4.25 mm links, 1.96 mm tief
 Streuwert 7.34, horizontal: 5.60, vertikal: 8.74



Serie 4:
 10.5 * 10.5 * 10.3 ↘ 8.9 ↗ 10.6 *
 10.3 → 10.0 ↘ 9.8 ↗ 8.1 ← 10.6 *
 beste Teiler 263.7 (35.) 288.1 (40.) 327.6 (32.)
 Trefferlage 0.98 mm rechts, 0.64 mm hoch
 Streuwert 7.51, horizontal: 9.38, vertikal: 4.97

Unterschrift des Schützen

Meyton Elektronik