




Ergebnis:	<b>366</b>	(386.4)
Serien:	90 92 90 94	
Zähler:	14 19 6 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2672 (15), 2124 (22), 1854 (21)	
beste Teiler	89.0 (31.) 320.3 (19.) 336.1 (10.)	
Trefferlage	3.43 mm links, 0.31 mm tief	
Streuwert	8.00, horizontal: 8.66, vertikal: 7.28	



Serie 1:

8.7 ←	9.6 ↗	10.4 *	9.5 ↑	8.8 ←
9.6 ←	8.7 ↖	10.2 ↘	9.8 ←	10.5 *


beste Teiler 336.1 (10.) 426.1 (3.) 566.9 (8.)  
 Trefferlage 5.52 mm links, 2.56 mm hoch  
 Streuwert 7.80, horizontal: 9.89, vertikal: 4.87



Serie 2:

10.3 ↘	10.3 ↓	10.0 ←	8.9 ↖	7.6 ↓
10.4 *	9.4 ↓	9.7 ↓	10.6 *	9.4 ↑


beste Teiler 320.3 (19.) 472.9 (16.) 497.9 (12.)  
 Trefferlage 2.42 mm links, 2.98 mm tief  
 Streuwert 8.82, horizontal: 6.41, vertikal: 10.70



Serie 3:

8.6 →	8.3 ←	9.9 ←	9.9 ←	9.1 ↑
10.1 →	9.3 ↘	9.3 ↙	9.6 ↗	10.3 ←

beste Teiler 505.7 (30.) 667.2 (26.) 831.0 (23.)  
 Trefferlage 0.67 mm links, 0.58 mm hoch  
 Streuwert 9.63, horizontal: 11.48, vertikal: 7.32



Serie 4:



10.8 *	9.4 ←	9.5 ←	10.5 *	9.7 ↖
9.9 ↓	10.2 →	9.9 ←	9.4 ↙	10.3 ↖

beste Teiler 89.0 (31.) 348.1 (34.) 511.6 (40.)  
 Trefferlage 5.11 mm links, 1.43 mm tief  
 Streuwert 5.26, horizontal: 6.09, vertikal: 4.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (395.7)  
 Serien: 95 93 95 95  
 Zähler: 23 12 5 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 2195 (17), 2073 (19), 2024 (28)  
 beste Teiler 30.3 (3.) 139.7 (39.) 197.0 (27.)  
 Trefferlage 1.19 mm links, 0.51 mm tief  
 Streuwert 7.31, horizontal: 6.89, vertikal: 7.71




Serie 1:  
 9.4 ↑                      10.3 ←                      10.9 \*                      9.4 ←                      9.1 ↗  
 9.6 ↗                      10.1 ←                      10.6 \*                      10.4 \*                      9.9 ↓  
 beste Teiler 30.3 (3.) 266.5 (8.) 436.0 (9.)  
 Trefferlage 0.21 mm links, 1.70 mm hoch  
 Streuwert 6.58, horizontal: 7.01, vertikal: 6.13



Serie 2:  
 10.0 ↓                      9.9 ↗                      10.3 ↑                      9.5 ↗                      9.4 ↓  
 10.6 \*                      8.2 ↘                      10.0 ↑                      8.4 ↓                      10.6 \*  
 beste Teiler 262.3 (16.) 287.1 (20.) 548.1 (13.)  
 Trefferlage 0.59 mm links, 0.56 mm tief  
 Streuwert 8.90, horizontal: 7.17, vertikal: 10.34



Serie 3:  
 10.2 ←                      8.5 ↓                      10.2 ↘                      9.8 ↑                      10.5 \*  
 10.7 \*                      10.7 \*                      8.4 ↗                      10.3 ↗                      10.4 \*  
 beste Teiler 197.0 (27.) 201.6 (26.) 357.6 (25.)  
 Trefferlage 2.08 mm links, 1.91 mm tief  
 Streuwert 7.31, horizontal: 6.06, vertikal: 8.37





Serie 4:  
 10.0 ↘                      9.9 ←                      10.6 \*                      10.3 ↘                      9.0 ↗  
 9.4 →                      10.2 ↑                      8.6 ↗                      10.8 \*                      10.6 \*  
 beste Teiler 139.7 (39.) 244.7 (40.) 280.0 (33.)  
 Trefferlage 1.87 mm links, 1.27 mm tief  
 Streuwert 7.09, horizontal: 8.10, vertikal: 5.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>361</b>	(382.6)
Serien:	92 92 91 86	
Zähler:	11 20 8 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2462 (36), 2184 (31), 2184 (34)	
beste Teiler	38.8 (6.) 82.0 (22.) 216.7 (5.)	
Trefferlage	0.13 mm links, 1.69 mm tief	
Streuwert	8.89, horizontal: 7.82, vertikal: 9.84	




Serie 1:	9.7 ←	9.1 ↑	9.6 →	10.5 *	10.7 *
	10.9 *	8.8 ↙	9.9 →	8.8 ↘	10.5 *
beste Teiler	38.8 (6.)	216.7 (5.)	353.6 (10.)		
Trefferlage	1.67 mm links, 0.03 mm hoch				
Streuwert	7.89, horizontal: 7.69, vertikal: 8.08				



Serie 2:	8.6 ↓	10.0 ↖	10.5 *	8.8 ↘	9.2 ↗
	9.5 ↖	9.4 →	10.5 *	10.1 ↘	9.6 ↘
beste Teiler	328.6 (18.)	331.4 (13.)	684.2 (19.)		
Trefferlage	1.78 mm rechts, 0.20 mm hoch				
Streuwert	8.68, horizontal: 8.61, vertikal: 8.75				



Serie 3:	9.7 ↘	10.8 *	10.1 ↗	8.9 ↖	9.4 ↘
	9.8 ←	9.5 ↘	9.9 ↑	9.9 →	9.5 ↙
beste Teiler	82.0 (22.)	646.5 (23.)	833.0 (29.)		
Trefferlage	0.77 mm rechts, 0.00 mm				
Streuwert	7.63, horizontal: 7.94, vertikal: 7.30				





Serie 4:	8.2 ↑	8.4 ↙	9.8 →	8.2 ↓	9.4 →
	7.9 ↓	9.2 ←	9.9 ↓	9.3 ↓	10.1 ↓
beste Teiler	667.3 (40.)	807.7 (38.)	942.5 (33.)		
Trefferlage	1.44 mm links, 6.99 mm tief				
Streuwert	10.99, horizontal: 7.70, vertikal: 13.50				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (381.1)  
 Serien: 92 87 88 92  
 Zähler: 10 22 7 0 0 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4214 (20), 1953 (11), 1909 (27)  
 beste Teiler 324.3 (32.) 340.3 (5.) 374.2 (31.)  
 Trefferlage 0.98 mm rechts, 1.41 mm hoch  
 Streuwert 9.28, horizontal: 10.23, vertikal: 8.23




Serie 1:  
 10.2 ↙                      10.2 ↓                      9.7 ↙                      9.7 ↓                      10.5 \*  
 9.4 ↘                      9.8 ↘                      9.4 ↙                      8.9 ↗                      9.6 ↗  
 beste Teiler 340.3 (5.) 569.4 (2.) 618.6 (1.)  
 Trefferlage 1.43 mm links, 0.21 mm tief  
 Streuwert 7.60, horizontal: 6.28, vertikal: 8.72



Serie 2:  
 8.5 ↗                      9.8 ↖                      10.2 ↘                      9.6 ↖                      9.4 ←  
 9.8 ↗                      9.8 →                      9.8 ↗                      10.0 ↓                      5.7 →  
 beste Teiler 601.8 (13.) 732.6 (19.) 882.0 (12.)  
 Trefferlage 6.17 mm rechts, 3.39 mm hoch  
 Streuwert 11.46, horizontal: 15.33, vertikal: 5.27



Serie 3:  
 8.8 ↙                      10.2 ↗                      9.9 ←                      10.2 ↓                      8.9 ↗  
 9.7 ←                      8.6 ↑                      9.7 ↓                      8.9 ↙                      9.9 →  
 beste Teiler 590.1 (24.) 631.6 (22.) 815.7 (23.)  
 Trefferlage 2.28 mm links, 0.54 mm tief  
 Streuwert 9.28, horizontal: 8.64, vertikal: 9.88





Serie 4:  
 10.5 \*                      10.5 \*                      9.3 ↖                      9.7 ↘                      10.1 →  
 8.8 ↑                      9.2 ↗                      9.3 ←                      9.2 ↘                      9.7 ↗  
 beste Teiler 324.3 (32.) 374.2 (31.) 696.6 (35.)  
 Trefferlage 1.48 mm rechts, 3.02 mm hoch  
 Streuwert 8.17, horizontal: 7.47, vertikal: 8.82

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>363</b>	(380.7)
Serien:	89 90 93 91	
Zähler:	16 14 7 3 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2665 (8), 2557 (31), 2536 (16)	
beste Teiler	22.2 (33.) 215.0 (35.) 360.8 (11.)	
Trefferlage	2.16 mm links, 2.64 mm hoch	
Streuwert	9.07, horizontal: 8.99, vertikal: 9.14	



Serie 1:

10.1 ←	10.0 ↓	9.1 ↗	9.2 →	9.1 ↑
9.5 ↘	9.3 ↙	7.6 ↖	8.6 ↑	9.8 ↘


beste Teiler 674.4 (1.) 762.2 (2.) 912.3 (10.)  
 Trefferlage 0.37 mm links, 7.04 mm hoch  
 Streuwert 9.70, horizontal: 9.58, vertikal: 9.82



Serie 2:

10.5 *	9.1 ↘	10.0 ↗	8.9 ↙	9.7 ←
7.8 ↗	10.4 *	9.3 ↓	10.2 ←	8.7 →


beste Teiler 360.8 (11.) 415.9 (17.) 611.5 (19.)  
 Trefferlage 1.21 mm rechts, 1.57 mm hoch  
 Streuwert 10.02, horizontal: 11.10, vertikal: 8.81



Serie 3:

10.1 →	10.3 ↓	10.4 *	8.9 ←	8.9 ←
9.5 ←	10.0 ↙	9.5 ↑	10.1 ←	9.5 ↙

beste Teiler 464.5 (23.) 484.6 (22.) 657.0 (21.)  
 Trefferlage 5.70 mm links, 1.25 mm tief  
 Streuwert 6.64, horizontal: 7.55, vertikal: 5.58



Serie 4:



7.8 ↖	10.3 ←	10.9 *	9.3 ↓	10.7 *
8.5 ↑	10.3 →	10.3 ↑	8.7 ←	9.8 ←

beste Teiler 22.2 (33.) 215.0 (35.) 484.8 (37.)  
 Trefferlage 3.80 mm links, 3.21 mm hoch  
 Streuwert 9.00, horizontal: 6.71, vertikal: 10.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>365</b>	(379.0)
Serien:	95 93 86 91	
Zähler:	13 20 6 1 0 0 0 0 0 0	
Innenzehner:	2	
weiteste:	2436 (25), 2356 (36), 1936 (35)	
beste Teiler	143.0 (7.) 402.3 (13.) 496.6 (33.)	
Trefferlage	1.82 mm links, 2.84 mm hoch	
Streuwert	8.94, horizontal: 9.75, vertikal: 8.04	




Serie 1:					
	10.2 ↘	10.2 ↘	8.7 ↑	9.0 ↙	9.3 ↑
	10.1 ↗	10.8 *	9.9 ←	10.0 →	10.1 →
beste Teiler	143.0 (7.) 568.8 (2.) 637.3 (1.)				
Trefferlage	1.07 mm rechts, 4.03 mm hoch				
Streuwert	6.91, horizontal: 6.69, vertikal: 7.13				



Serie 2:					
	10.0 ↘	9.8 ←	10.4 *	9.6 ↙	9.2 ↗
	9.2 ↗	10.0 ↘	9.1 ←	9.8 ↘	9.2 →
beste Teiler	402.3 (13.) 746.6 (17.) 750.7 (11.)				
Trefferlage	0.03 mm links, 2.99 mm hoch				
Streuwert	7.97, horizontal: 8.78, vertikal: 7.06				



Serie 3:					
	9.1 ↗	9.2 ↙	8.6 ↗	9.9 ↙	7.9 ↗
	9.6 ↙	10.0 ←	8.8 ←	8.8 ↙	9.0 →
beste Teiler	753.3 (27.) 860.5 (24.) 1080.4 (26.)				
Trefferlage	1.45 mm links, 5.07 mm hoch				
Streuwert	10.96, horizontal: 12.55, vertikal: 9.08				





Serie 4:					
	9.3 ←	9.2 ↙	10.3 ↘	10.1 ↗	8.5 ←
	8.0 ↙	10.3 ↘	9.1 ↙	9.0 ↗	9.7 ←
beste Teiler	496.6 (33.) 542.0 (37.) 718.3 (34.)				
Trefferlage	6.88 mm links, 0.72 mm tief				
Streuwert	9.14, horizontal: 9.55, vertikal: 8.71				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (378.9)  
 Serien: 88 91 93 87  
 Zähler: 9 23 6 2 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2829 (9), 2538 (37), 2315 (22)  
 beste Teiler 251.1 (21.) 260.5 (6.) 407.4 (33.)  
 Trefferlage 1.10 mm links, 0.17 mm tief  
 Streuwert 9.47, horizontal: 11.17, vertikal: 7.39




Serie 1:  
 9.5 ↑                      10.0 ↘                      9.8 ←                      8.5 ↓                      9.7 →  
 10.6 \*                      9.0 ←                      8.2 ↗                      7.4 ←                      9.7 ↘  
 beste Teiler 260.5 (6.) 784.0 (2.) 907.8 (3.)  
 Trefferlage 4.74 mm links, 1.81 mm hoch  
 Streuwert 10.87, horizontal: 12.66, vertikal: 8.71



Serie 2:  
 9.7 ↙                      9.7 ↗                      8.8 ←                      9.4 ↘                      10.1 →  
 9.8 ↘                      9.5 →                      9.3 ↘                      10.4 \*                      9.2 ↓  
 beste Teiler 450.9 (19.) 706.2 (15.) 945.2 (16.)  
 Trefferlage 0.16 mm links, 0.90 mm tief  
 Streuwert 8.49, horizontal: 9.29, vertikal: 7.62



Serie 3:  
 10.6 \*                      8.1 ↘                      9.5 ↓                      9.2 ↘                      9.8 ↓  
 9.4 →                      10.3 ↘                      10.4 \*                      10.2 ↗                      9.6 ←  
 beste Teiler 251.1 (21.) 452.0 (28.) 537.4 (27.)  
 Trefferlage 3.07 mm links, 0.46 mm hoch  
 Streuwert 8.25, horizontal: 9.04, vertikal: 7.37





Serie 4:  
 9.9 ←                      8.5 →                      10.4 \*                      9.7 →                      9.1 →  
 9.9 ↗                      7.8 ↙                      9.9 ↘                      9.5 ↓                      8.8 →  
 beste Teiler 407.4 (33.) 848.1 (31.) 872.9 (36.)  
 Trefferlage 3.54 mm rechts, 2.06 mm tief  
 Streuwert 10.17, horizontal: 12.96, vertikal: 6.23

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>362</b>	(380.5)
Serien:	89 91 91 91	
Zähler:	12 19 8 1 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2931 (10), 2290 (2), 2205 (40)	
beste Teiler	283.5 (17.) 359.2 (35.) 391.4 (21.)	
Trefferlage	0.28 mm links, 0.29 mm hoch	
Streuwert	9.31, horizontal: 9.88, vertikal: 8.70	




Serie 1:

10.3 ↘	8.1 ↗	9.6 ↗	9.3 ↘	9.7 ↘
10.0 ↗	8.8 ↘	10.4 *	9.6 ↗	7.3 ↖
beste Teiler	414.2 (8.) 496.2 (1.) 786.9 (6.)			
Trefferlage	0.79 mm rechts, 2.06 mm hoch			
Streuwert	11.17, horizontal: 12.25, vertikal: 9.97			




Serie 2:

9.2 ↖	10.1 ↗	9.8 →	9.3 ↘	8.9 ↖
10.0 ↗	10.6 *	9.9 →	9.1 →	8.6 ↘
beste Teiler	283.5 (17.) 661.9 (12.) 752.9 (16.)			
Trefferlage	3.66 mm rechts, 0.68 mm tief			
Streuwert	8.59, horizontal: 8.34, vertikal: 8.84			



Serie 3:

10.5 *	8.4 ↖	9.9 ↗	9.8 ↗	10.2 ↗
9.9 ↘	9.7 →	9.3 ↘	9.5 ↖	9.5 ↖
beste Teiler	391.4 (21.) 586.9 (25.) 857.3 (26.)			
Trefferlage	0.59 mm links, 0.13 mm hoch			
Streuwert	8.34, horizontal: 9.01, vertikal: 7.62			



Serie 4:

9.6 ↖	8.6 ↓	10.3 ↖	10.2 ↖	10.5 *
10.2 ←	9.2 ↓	9.9 →	8.5 ←	8.2 ↖
beste Teiler	359.2 (35.) 543.3 (33.) 639.0 (34.)			
Trefferlage	5.02 mm links, 0.33 mm tief			
Streuwert	9.10, horizontal: 8.87, vertikal: 9.33			

Unterschrift des Schützen

Meyton Elektronik