





Ergebnis: **374** (390.8)
 Serien: 93 94 93 94
 Zähler: 15 24 1 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 511 (24), 477 (8), 468 (4)
 beste Teiler 78.0 (19.) 97.6 (26.) 111.2 (29.)
 Trefferlage 0.72 mm rechts, 0.51 mm tief
 Streuwert 2.19, horizontal: 2.54, vertikal: 1.77




Serie 1:
 10.0 ← 9.2 → 9.9 ↘ 9.1 → 9.8 →
 10.4 * 9.3 ↓ 9.0 ↖ 9.4 ↑ 10.0 ↗
 beste Teiler 147.2 (6.) 227.0 (10.) 235.6 (1.)
 Trefferlage 0.90 mm rechts, 0.30 mm hoch
 Streuwert 2.51, horizontal: 2.55, vertikal: 2.47



Serie 2:
 9.1 ← 10.4 * 10.2 * 9.8 → 10.2 *
 9.6 ↘ 9.5 ↘ 9.6 ↘ 10.6 * 9.5 ←
 beste Teiler 78.0 (19.) 136.3 (12.) 183.6 (13.)
 Trefferlage 0.03 mm rechts, 1.07 mm tief
 Streuwert 2.07, horizontal: 2.70, vertikal: 1.13



Serie 3:
 9.6 ↖ 9.9 → 10.3 * 8.9 → 9.3 ↓
 10.6 * 9.4 ↘ 10.0 ↘ 10.5 * 9.7 →
 beste Teiler 97.6 (26.) 111.2 (29.) 169.8 (23.)
 Trefferlage 1.31 mm rechts, 0.80 mm tief
 Streuwert 2.02, horizontal: 2.52, vertikal: 1.35





Serie 4:
 10.0 ↙ 9.8 ↓ 9.1 → 10.3 * 9.4 ←
 9.7 ↗ 9.5 → 10.4 * 9.3 ↓ 10.5 *
 beste Teiler 116.3 (40.) 148.5 (38.) 151.6 (34.)
 Trefferlage 0.66 mm rechts, 0.50 mm tief
 Streuwert 2.24, horizontal: 2.61, vertikal: 1.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (397.4)
 Serien: 96 97 96 91
 Zähler: 24 12 4 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 611 (37), 560 (33), 550 (31)
 beste Teiler 71.5 (14.) 82.3 (19.) 86.3 (10.)
 Trefferlage 0.36 mm rechts, 0.00 mm
 Streuwert 2.09, horizontal: 2.61, vertikal: 1.40




Serie 1:
 9.3 ↗ 10.5 * 10.1 ↘ 10.6 * 9.2 →
 10.1 ↘ 9.1 ↘ 10.5 * 9.7 ↖ 10.6 *
 beste Teiler 86.3 (10.) 92.8 (4.) 113.1 (2.)
 Trefferlage 0.58 mm rechts, 0.26 mm hoch
 Streuwert 2.08, horizontal: 2.34, vertikal: 1.79



Serie 2:
 10.5 * 9.8 ↘ 10.0 → 10.7 * 8.9 ←
 10.2 * 10.4 * 10.1 ← 10.6 * 10.5 *
 beste Teiler 71.5 (14.) 82.3 (19.) 121.3 (20.)
 Trefferlage 0.07 mm links, 0.37 mm tief
 Streuwert 1.74, horizontal: 2.35, vertikal: 0.75



Serie 3:
 9.6 ↘ 10.2 * 10.4 * 10.4 * 10.0 ↘
 10.0 → 9.9 ↘ 9.9 → 9.8 ↗ 10.2 *
 beste Teiler 129.7 (24.) 144.5 (23.) 178.3 (22.)
 Trefferlage 0.29 mm rechts, 0.02 mm tief
 Streuwert 1.75, horizontal: 1.99, vertikal: 1.47





Serie 4:
 8.8 → 10.4 * 8.7 ↘ 9.6 ↗ 10.1 →
 9.2 ↖ 8.5 → 10.2 * 10.6 * 9.5 →
 beste Teiler 89.4 (39.) 142.3 (32.) 191.4 (38.)
 Trefferlage 0.65 mm rechts, 0.10 mm hoch
 Streuwert 2.87, horizontal: 3.77, vertikal: 1.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381	(398.3)
Serien:	92	97 98 94
Zähler:	23	15 2 0 0 0 0 0 0 0
Innenzehner:	15	
weiteste:	580	(34), 560 (4), 500 (5)
beste Teiler	11.4	(21.) 46.5 (14.) 46.8 (18.)
Trefferlage	0.57 mm	rechts, 0.68 mm tief
Streuwert	1.96,	horizontal: 2.28, vertikal: 1.56




Serie 1:	10.4 *	9.8 ←	9.3 ↓	8.7 →	9.0 →
	9.8 ↙	9.1 →	10.0 →	10.3 *	9.9 →
beste Teiler	140.7	(1.) 163.0 (9.)	242.9 (8.)		
Trefferlage	1.66 mm	rechts, 0.92 mm tief			
Streuwert	2.26,	horizontal: 2.75, vertikal: 1.63			



Serie 2:	10.6 *	9.9 ↑	10.1 ↘	10.8 *	9.7 ↑
	10.2 *	10.5 *	10.8 *	10.3 *	9.7 ↘
beste Teiler	46.5	(14.) 46.8 (18.)	100.6 (11.)		
Trefferlage	0.00 mm	, 0.09 mm hoch			
Streuwert	1.50,	horizontal: 1.25, vertikal: 1.72			



Serie 3:	10.9 *	10.0 ↘	10.7 *	10.7 *	9.9 ↘
	9.6 ←	10.0 →	10.0 ↙	10.3 *	10.0 ↘
beste Teiler	11.4	(21.) 72.0 (23.)	74.9 (24.)		
Trefferlage	0.12 mm	rechts, 0.86 mm tief			
Streuwert	1.47,	horizontal: 1.80, vertikal: 1.04			





Serie 4:	9.8 ↗	10.3 *	10.4 *	8.6 ↘	10.1 ↙
	10.0 ↙	9.1 ←	9.2 →	9.4 →	10.4 *
beste Teiler	131.6	(33.) 136.4 (40.)	158.6 (32.)		
Trefferlage	0.49 mm	rechts, 1.01 mm tief			
Streuwert	2.37,	horizontal: 2.87, vertikal: 1.74			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.2)
 Serien: 89 95 97 94
 Zähler: 20 15 5 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 630 (26), 564 (1), 563 (8)
 beste Teiler 30.6 (29.) 60.9 (28.) 67.4 (22.)
 Trefferlage 0.26 mm rechts, 1.05 mm tief
 Streuwert 2.18, horizontal: 2.48, vertikal: 1.82




Serie 1:
 8.7 → 9.4 ↓ 9.3 ↓ 8.9 ← 9.6 ↘
 9.3 ↘ 10.5 * 8.7 ↘ 9.2 ↙ 10.5 *
 beste Teiler 119.1 (7.) 119.8 (10.) 337.3 (5.)
 Trefferlage 0.29 mm rechts, 1.38 mm tief
 Streuwert 2.92, horizontal: 3.14, vertikal: 2.68



Serie 2:
 8.8 → 9.4 ↘ 10.4 * 9.4 ↓ 10.0 ↓
 10.4 * 10.5 * 9.8 → 10.5 * 10.5 *
 beste Teiler 111.0 (19.) 118.3 (17.) 125.2 (20.)
 Trefferlage 0.76 mm rechts, 1.17 mm tief
 Streuwert 1.87, horizontal: 2.08, vertikal: 1.62



Serie 3:
 10.5 * 10.7 * 10.2 * 10.0 → 10.4 *
 8.4 ← 9.9 ↗ 10.7 * 10.8 * 10.2 *
 beste Teiler 30.6 (29.) 60.9 (28.) 67.4 (22.)
 Trefferlage 0.04 mm rechts, 0.06 mm tief
 Streuwert 1.87, horizontal: 2.31, vertikal: 1.29





Serie 4:
 10.3 * 9.7 ↙ 9.3 ↓ 10.0 ↙ 10.0 ↙
 9.9 ↘ 9.8 ← 10.2 * 9.0 → 9.4 ↘
 beste Teiler 156.4 (31.) 176.5 (38.) 237.6 (34.)
 Trefferlage 0.05 mm links, 1.59 mm tief
 Streuwert 2.02, horizontal: 2.59, vertikal: 1.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (396.7)
 Serien: 97 95 90 98
 Zähler: 22 16 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 572 (25), 569 (16), 473 (13)
 beste Teiler 30.4 (19.) 42.0 (2.) 65.8 (12.)
 Trefferlage 0.64 mm rechts, 0.53 mm tief
 Streuwert 2.03, horizontal: 2.20, vertikal: 1.84




Serie 1:
 10.1 ↘ 10.8 * 9.8 ↙ 10.4 * 9.5 →
 10.5 * 10.0 ← 9.3 → 10.4 * 10.7 *
 beste Teiler 42.0 (2.) 72.2 (10.) 120.0 (6.)
 Trefferlage 0.45 mm rechts, 0.18 mm tief
 Streuwert 1.70, horizontal: 2.22, vertikal: 0.89



Serie 2:
 10.1 ↓ 10.7 * 9.1 ↘ 10.2 * 9.4 →
 8.7 ↘ 9.9 ↑ 10.0 → 10.8 * 10.0 ↙
 beste Teiler 30.4 (19.) 65.8 (12.) 188.7 (14.)
 Trefferlage 1.80 mm rechts, 0.54 mm tief
 Streuwert 1.86, horizontal: 2.13, vertikal: 1.55



Serie 3:
 9.1 ↘ 9.1 ↓ 9.9 → 9.2 ↘ 8.7 ↙
 9.4 ↑ 9.1 ↘ 9.8 ↘ 10.1 ← 9.9 ↘
 beste Teiler 223.2 (29.) 251.8 (30.) 266.7 (23.)
 Trefferlage 0.50 mm rechts, 1.10 mm tief
 Streuwert 2.82, horizontal: 2.72, vertikal: 2.91





Serie 4:
 10.2 * 10.3 * 10.7 * 9.9 ↘ 10.3 *
 10.1 ↓ 9.8 ↑ 10.4 * 10.2 * 10.1 ↘
 beste Teiler 74.3 (33.) 136.9 (38.) 155.9 (32.)
 Trefferlage 0.17 mm links, 0.32 mm tief
 Streuwert 1.46, horizontal: 1.33, vertikal: 1.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.7)
 Serien: 96 94 95 97
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 580 (39), 491 (18), 484 (6)
 beste Teiler 13.1 (38.) 33.9 (13.) 59.6 (2.)
 Trefferlage 0.34 mm rechts, 1.00 mm tief
 Streuwert 1.85, horizontal: 2.25, vertikal: 1.33




Serie 1:
 9.7 ← 10.7 * 10.4 * 10.3 * 9.7 →
 9.0 ↓ 9.1 ↓ 10.3 * 10.1 ↓ 10.4 *
 beste Teiler 59.6 (2.) 133.2 (3.) 139.3 (10.)
 Trefferlage 0.16 mm links, 1.19 mm tief
 Streuwert 1.86, horizontal: 1.74, vertikal: 1.97



Serie 2:
 10.4 * 9.8 ↙ 10.8 * 10.4 * 9.3 ↓
 9.7 ← 9.9 ← 9.0 ↓ 10.4 * 9.0 ↘
 beste Teiler 33.9 (13.) 139.6 (11.) 142.2 (14.)
 Trefferlage 0.12 mm rechts, 1.59 mm tief
 Streuwert 1.99, horizontal: 2.41, vertikal: 1.47



Serie 3:
 10.2 * 10.2 * 9.5 ↘ 9.5 ← 9.6 ↘
 10.3 * 10.5 * 10.6 * 9.9 → 9.6 →
 beste Teiler 79.9 (28.) 115.5 (27.) 154.3 (26.)
 Trefferlage 0.77 mm rechts, 0.53 mm tief
 Streuwert 1.79, horizontal: 2.46, vertikal: 0.63





Serie 4:
 10.3 * 10.7 * 10.2 * 10.6 * 10.3 *
 10.3 * 10.4 * 10.9 * 8.6 → 9.1 ←
 beste Teiler 13.1 (38.) 62.6 (32.) 88.7 (34.)
 Trefferlage 0.63 mm rechts, 0.70 mm tief
 Streuwert 1.86, horizontal: 2.54, vertikal: 0.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (395.4)
 Serien: 94 92 96 96
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 696 (14), 513 (15), 411 (33)
 beste Teiler 66.6 (26.) 85.0 (37.) 108.7 (32.)
 Trefferlage 0.07 mm links, 0.39 mm tief
 Streuwert 2.07, horizontal: 2.46, vertikal: 1.59




Serie 1:
 9.3 → 10.1 ↘ 9.4 ↘ 9.7 ↘ 10.1 ↘
 9.4 ↘ 10.0 ↘ 9.9 ↘ 10.0 ↘ 9.4 ↘
 beste Teiler 215.0 (2.) 224.4 (5.) 229.1 (7.)
 Trefferlage 1.01 mm rechts, 0.71 mm tief
 Streuwert 2.16, horizontal: 2.44, vertikal: 1.84



Serie 2:
 10.2 * 9.9 ↘ 10.1 ↘ 8.2 ← 8.9 ←
 10.0 ↘ 10.4 * 9.9 → 9.8 → 9.9 ↗
 beste Teiler 131.3 (17.) 200.0 (11.) 210.0 (13.)
 Trefferlage 1.20 mm links, 0.49 mm hoch
 Streuwert 2.40, horizontal: 3.09, vertikal: 1.39



Serie 3:
 10.1 → 10.2 * 9.8 ↘ 10.1 ↓ 9.6 ↙
 10.7 * 9.7 ↗ 10.4 * 10.0 ↙ 9.5 ↖
 beste Teiler 66.6 (26.) 141.0 (28.) 176.1 (22.)
 Trefferlage 0.26 mm links, 0.42 mm tief
 Streuwert 1.83, horizontal: 2.11, vertikal: 1.50





Serie 4:
 9.6 ↙ 10.5 * 9.3 → 10.2 * 9.8 ↙
 10.3 * 10.6 * 9.9 ↓ 10.1 ↘ 10.4 *
 beste Teiler 85.0 (37.) 108.7 (32.) 136.1 (40.)
 Trefferlage 0.14 mm rechts, 0.93 mm tief
 Streuwert 1.65, horizontal: 1.84, vertikal: 1.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.2)
 Serien: 91 98 96 85
 Zähler: 18 16 4 2 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 966 (33), 932 (40), 694 (32)
 beste Teiler 29.5 (12.) 64.6 (24.) 95.4 (15.)
 Trefferlage 0.93 mm rechts, 0.69 mm tief
 Streuwert 2.68, horizontal: 2.87, vertikal: 2.49




Serie 1:
 8.3 ↙ 9.1 ← 9.9 → 9.4 ↘ 10.5 *
 9.0 ↓ 9.3 → 9.0 ↓ 10.3 * 9.0 ↓
 beste Teiler 111.0 (5.) 164.0 (9.) 260.3 (3.)
 Trefferlage 0.20 mm links, 2.13 mm tief
 Streuwert 2.72, horizontal: 3.09, vertikal: 2.29



Serie 2:
 9.6 ↙ 10.8 * 10.6 * 9.6 ← 10.6 *
 10.1 ↘ 10.1 ← 10.0 ↑ 10.1 ↘ 10.5 *
 beste Teiler 29.5 (12.) 95.4 (15.) 98.4 (13.)
 Trefferlage 0.68 mm links, 0.13 mm tief
 Streuwert 1.51, horizontal: 1.69, vertikal: 1.31



Serie 3:
 10.1 ↘ 9.8 ↘ 9.8 ↙ 10.7 * 10.6 *
 10.2 * 9.2 → 10.6 * 9.2 ↑ 10.2 *
 beste Teiler 64.6 (24.) 99.2 (25.) 99.2 (28.)
 Trefferlage 0.91 mm rechts, 0.05 mm tief
 Streuwert 1.84, horizontal: 1.59, vertikal: 2.06



Serie 4:
 10.5 * 8.2 → 7.1 ↘ 9.9 → 9.1 →
 8.9 → 9.8 → 10.4 * 8.9 ↓ 7.2 ↑
 beste Teiler 125.4 (31.) 126.0 (38.) 271.8 (34.)
 Trefferlage 3.69 mm rechts, 0.46 mm tief
 Streuwert 3.19, horizontal: 2.81, vertikal: 3.53

Unterschrift des Schützen

Meyton Elektronik