





Ergebnis:	378	(395.0)
Serien:	95	92 96 95
Zähler:	21	16 3 0 0 0 0 0 0 0
Innenzehner:	13	
weiteste:	542	(40), 541 (22), 516 (15)
beste Teiler	40.2	(18.) 48.2 (9.) 53.0 (23.)
Trefferlage	0.66 mm	rechts, 0.22 mm hoch
Streuwert	2.13,	horizontal: 2.46, vertikal: 1.74




Serie 1:	9.5 →	10.4 *	9.6 ←	9.7 ←	10.1 ↗
	10.0 ↘	9.4 ←	10.0 ↘	10.8 *	9.1 →
beste Teiler	48.2	(9.) 144.4	(2.) 220.6	(5.)	
Trefferlage	0.37 mm	rechts, 0.44 mm	tief		
Streuwert	2.18,	horizontal: 2.87,	vertikal: 1.14		



Serie 2:	10.0 ↑	9.7 ↙	9.6 ←	9.0 →	8.9 →
	10.0 ↑	9.3 ↙	10.8 *	9.5 ↘	9.3 ↘
beste Teiler	40.2	(18.) 235.6	(16.) 243.6	(11.)	
Trefferlage	0.35 mm	rechts, 0.03 mm	tief		
Streuwert	2.69,	horizontal: 3.22,	vertikal: 2.04		



Serie 3:	10.0 ↘	8.8 →	10.7 *	9.3 ↗	9.8 →
	10.6 *	10.6 *	10.4 *	10.7 *	10.2 *
beste Teiler	53.0	(23.) 63.5	(29.) 87.4	(26.)	
Trefferlage	1.54 mm	rechts, 0.54 mm	hoch		
Streuwert	1.50,	horizontal: 1.48,	vertikal: 1.51		





Serie 4:	9.8 ↗	9.4 ↑	9.5 ↙	10.0 ↘	10.1 →
	10.4 *	10.6 *	10.4 *	10.2 *	8.8 ↗
beste Teiler	96.3	(37.) 139.3	(38.) 145.0	(36.)	
Trefferlage	0.40 mm	rechts, 0.81 mm	hoch		
Streuwert	2.06,	horizontal: 2.06,	vertikal: 2.06		


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	383	(398.9)
Serien:	96 94 95 98	
Zähler:	27 10 2 1 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	966 (19), 685 (4), 592 (15)	
beste Teiler	36.2 (29.) 50.2 (22.) 83.7 (11.)	
Trefferlage	0.12 mm rechts, 0.28 mm tief	
Streuwert	2.13, horizontal: 2.74, vertikal: 1.26	




Serie 1:	10.6 *	10.3 *	9.4 ←	8.2 →	10.2 *
	10.1 ↘	10.3 *	10.1 ↘	9.6 ↙	10.4 *
beste Teiler	88.2 (1.) 131.7 (10.) 156.0 (7.)				
Trefferlage	0.31 mm rechts, 0.69 mm tief				
Streuwert	2.21, horizontal: 2.94, vertikal: 1.08				



Serie 2:	10.6 *	10.0 ↙	10.2 *	10.2 *	8.6 ←
	10.3 *	10.5 *	10.2 *	7.1 →	9.7 ↓
beste Teiler	83.7 (11.) 118.1 (17.) 152.6 (16.)				
Trefferlage	0.58 mm rechts, 0.93 mm tief				
Streuwert	2.86, horizontal: 3.93, vertikal: 0.98				



Serie 3:	9.9 ↑	10.8 *	9.7 ←	9.6 ←	10.6 *
	9.4 ↖	9.9 ↘	10.4 *	10.8 *	10.2 *
beste Teiler	36.2 (29.) 50.2 (22.) 90.2 (25.)				
Trefferlage	0.79 mm links, 0.19 mm hoch				
Streuwert	1.64, horizontal: 1.79, vertikal: 1.48				





Serie 4:	9.4 →	10.1 ↑	10.1 ↙	10.4 *	10.1 →
	9.9 ↖	10.3 *	10.4 *	10.0 ←	10.3 *
beste Teiler	133.0 (34.) 149.2 (38.) 151.1 (37.)				
Trefferlage	0.39 mm rechts, 0.27 mm hoch				
Streuwert	1.63, horizontal: 2.01, vertikal: 1.13				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (400.4)
 Serien: 96 95 96 95
 Zähler: 22 18 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 491 (36), 471 (9), 441 (26)
 beste Teiler 61.1 (18.) 65.8 (25.) 67.1 (4.)
 Trefferlage 0.22 mm links, 0.21 mm hoch
 Streuwert 1.90, horizontal: 2.28, vertikal: 1.41




Serie 1:
 10.1 ↑ 10.6 * 9.8 ↙ 10.7 * 10.3 *
 10.5 * 9.7 ↙ 9.4 ← 9.1 ← 10.6 *
 beste Teiler 67.1 (4.) 81.7 (10.) 99.6 (2.)
 Trefferlage 1.47 mm links, 0.16 mm tief
 Streuwert 1.55, horizontal: 1.86, vertikal: 1.15



Serie 2:
 9.6 ↖ 10.5 * 10.1 → 10.4 * 10.0 ←
 9.9 ↘ 9.7 ↘ 10.7 * 9.9 ↙ 9.8 ↘
 beste Teiler 61.1 (18.) 123.9 (12.) 149.9 (14.)
 Trefferlage 0.84 mm links, 0.48 mm hoch
 Streuwert 1.61, horizontal: 1.83, vertikal: 1.35



Serie 3:
 10.3 * 10.4 * 9.4 → 10.4 * 10.7 *
 9.2 → 9.5 ↘ 10.7 * 9.6 ↘ 10.1 ←
 beste Teiler 65.8 (25.) 70.2 (28.) 126.0 (22.)
 Trefferlage 0.38 mm rechts, 0.24 mm hoch
 Streuwert 1.98, horizontal: 2.36, vertikal: 1.50





Serie 4:
 10.5 * 10.4 * 10.6 * 10.2 * 10.1 →
 9.0 → 9.6 ↑ 9.5 → 9.2 ↘ 9.6 ↘
 beste Teiler 98.1 (33.) 121.1 (31.) 126.6 (32.)
 Trefferlage 1.04 mm rechts, 0.29 mm hoch
 Streuwert 2.09, horizontal: 2.42, vertikal: 1.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	382	(404.6)
Serien:	97 97 96 92	
Zähler:	22 18 0 0 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	499 (40), 401 (19), 378 (4)	
beste Teiler	7.2 (27.) 17.4 (1.) 38.0 (25.)	
Trefferlage	0.33 mm rechts, 0.08 mm hoch	
Streuwert	1.72, horizontal: 1.95, vertikal: 1.46	




Serie 1:					
	10.9 *	10.5 *	9.8 ↘	9.4 ↘	10.1 ↗
	10.5 *	9.8 ↙	10.5 *	10.4 *	10.0 ↗
beste Teiler	17.4 (1.) 104.4 (2.) 115.1 (8.)				
Trefferlage	0.55 mm rechts, 0.29 mm tief				
Streuwert	1.52, horizontal: 1.53, vertikal: 1.51				



Serie 2:					
	10.7 *	10.4 *	10.7 *	10.2 *	10.4 *
	9.9 ←	10.6 *	10.6 *	9.3 ↘	9.8 ↗
beste Teiler	67.0 (11.) 67.4 (13.) 82.7 (17.)				
Trefferlage	0.58 mm rechts, 0.22 mm hoch				
Streuwert	1.46, horizontal: 1.83, vertikal: 0.96				



Serie 3:					
	9.7 →	10.7 *	10.6 *	9.5 →	10.8 *
	10.4 *	10.9 *	10.1 ←	9.9 ←	9.6 ↖
beste Teiler	7.2 (27.) 38.0 (25.) 60.3 (22.)				
Trefferlage	0.06 mm rechts, 0.06 mm hoch				
Streuwert	1.66, horizontal: 2.04, vertikal: 1.16				





Serie 4:					
	9.6 ↖	9.6 →	9.8 ↑	10.5 *	9.8 ←
	9.6 ↙	9.6 ↘	9.7 ↘	10.7 *	9.0 ↗
beste Teiler	72.8 (39.) 105.8 (34.) 282.1 (35.)				
Trefferlage	0.15 mm rechts, 0.36 mm hoch				
Streuwert	2.32, horizontal: 2.54, vertikal: 2.09				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (400.3)
 Serien: 97 94 94 98
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 624 (17), 441 (23), 419 (20)
 beste Teiler 54.4 (19.) 71.5 (24.) 75.8 (38.)
 Trefferlage 0.34 mm links, 0.73 mm hoch
 Streuwert 1.82, horizontal: 2.05, vertikal: 1.56




Serie 1:
 10.4 * 10.6 * 10.3 * 9.9 → 10.5 *
 9.3 ↘ 10.3 * 10.2 * 10.2 * 9.9 ↓
 beste Teiler 79.4 (2.) 116.8 (5.) 136.8 (1.)
 Trefferlage 0.40 mm links, 0.12 mm hoch
 Streuwert 1.58, horizontal: 1.43, vertikal: 1.71



Serie 2:
 10.6 * 9.7 ← 10.0 ↗ 9.6 ↑ 9.3 ↘
 10.1 ← 8.5 ↘ 10.2 * 10.7 * 9.3 ↘
 beste Teiler 54.4 (19.) 82.6 (11.) 186.3 (18.)
 Trefferlage 1.49 mm links, 1.37 mm hoch
 Streuwert 1.96, horizontal: 2.27, vertikal: 1.59



Serie 3:
 10.0 → 9.9 ↗ 9.2 ↗ 10.7 * 9.7 ↗
 9.5 ↗ 10.2 * 9.5 ← 9.8 ↗ 10.5 *
 beste Teiler 71.5 (24.) 119.2 (30.) 176.1 (27.)
 Trefferlage 1.27 mm rechts, 1.20 mm hoch
 Streuwert 1.69, horizontal: 2.14, vertikal: 1.07





Serie 4:
 10.4 * 10.2 * 9.7 ↑ 10.0 ↗ 10.5 *
 9.6 ↓ 10.0 ← 10.7 * 10.6 * 10.0 ←
 beste Teiler 75.8 (38.) 78.0 (39.) 124.6 (35.)
 Trefferlage 0.74 mm links, 0.23 mm hoch
 Streuwert 1.49, horizontal: 1.36, vertikal: 1.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (402.8)
 Serien: 95 96 97 98
 Zähler: 28 10 2 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 575 (2), 535 (15), 485 (36)
 beste Teiler 45.5 (3.) 49.3 (4.) 70.0 (34.)
 Trefferlage 0.51 mm links, 0.10 mm hoch
 Streuwert 1.79, horizontal: 2.01, vertikal: 1.54




Serie 1:
 9.5 → 8.7 ↙ 10.8 * 10.8 * 10.5 *
 10.2 * 10.1 ↓ 10.4 * 9.6 ↘ 9.4 ←
 beste Teiler 45.5 (3.) 49.3 (4.) 119.8 (5.)
 Trefferlage 0.42 mm links, 0.81 mm tief
 Streuwert 2.04, horizontal: 2.24, vertikal: 1.83



Serie 2:
 10.1 ↓ 10.0 ← 9.8 ↙ 10.2 * 8.8 ←
 10.5 * 9.8 ↙ 10.6 * 10.3 * 10.2 *
 beste Teiler 81.2 (18.) 122.8 (16.) 169.1 (19.)
 Trefferlage 0.83 mm links, 0.55 mm tief
 Streuwert 1.80, horizontal: 2.19, vertikal: 1.31



Serie 3:
 9.3 ← 9.6 ↗ 10.6 * 10.1 ← 10.4 *
 10.5 * 9.8 → 10.4 * 10.2 * 10.5 *
 beste Teiler 100.4 (23.) 103.7 (30.) 103.8 (26.)
 Trefferlage 0.26 mm links, 0.69 mm hoch
 Streuwert 1.59, horizontal: 2.09, vertikal: 0.84





Serie 4:
 10.2 * 10.3 * 10.4 * 10.7 * 10.4 *
 9.0 ↘ 10.2 * 10.0 ↗ 10.1 ↘ 9.8 ↖
 beste Teiler 70.0 (34.) 140.2 (35.) 146.7 (33.)
 Trefferlage 0.53 mm links, 1.10 mm hoch
 Streuwert 1.53, horizontal: 1.77, vertikal: 1.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (399.6)
 Serien: 96 92 95 98
 Zähler: 24 13 3 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 644 (17), 582 (7), 518 (19)
 beste Teiler 73.5 (33.) 86.5 (5.) 96.5 (29.)
 Trefferlage 0.07 mm rechts, 0.93 mm hoch
 Streuwert 1.85, horizontal: 2.18, vertikal: 1.45




Serie 1:
 9.6 → 10.3 * 10.4 * 10.5 * 10.6 *
 10.2 * 8.6 ← 10.5 * 10.6 * 9.8 ↗
 beste Teiler 86.5 (5.) 99.7 (9.) 107.4 (4.)
 Trefferlage 0.16 mm links, 0.48 mm hoch
 Streuwert 1.86, horizontal: 2.38, vertikal: 1.14



Serie 2:
 9.9 ↖ 9.4 ← 10.5 * 9.4 ↖ 10.5 *
 9.8 ← 8.4 ↗ 10.2 * 8.9 ↖ 10.5 *
 beste Teiler 101.3 (20.) 115.6 (15.) 125.4 (13.)
 Trefferlage 0.82 mm links, 1.53 mm hoch
 Streuwert 2.21, horizontal: 2.50, vertikal: 1.88



Serie 3:
 10.2 * 10.5 * 10.1 ↗ 9.6 ↖ 9.7 ↖
 9.4 ↗ 9.4 ↗ 9.9 ↗ 10.6 * 10.4 *
 beste Teiler 96.5 (29.) 121.1 (22.) 135.5 (30.)
 Trefferlage 0.55 mm rechts, 0.97 mm hoch
 Streuwert 1.81, horizontal: 2.21, vertikal: 1.30





Serie 4:
 10.1 → 9.6 ↗ 10.7 * 10.2 * 10.0 →
 10.2 * 10.3 * 9.9 ↖ 10.2 * 10.0 ↑
 beste Teiler 73.5 (33.) 155.9 (37.) 184.6 (34.)
 Trefferlage 0.72 mm rechts, 0.73 mm hoch
 Streuwert 1.42, horizontal: 1.48, vertikal: 1.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(397.5)
Serien:	95 94 99 92	
Zähler:	23 14 3 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	726 (40), 685 (32), 505 (20)	
beste Teiler	8.9 (36.) 23.0 (21.) 25.0 (26.)	
Trefferlage	0.56 mm rechts, 0.68 mm hoch	
Streuwert	2.09, horizontal: 2.65, vertikal: 1.31	




Serie 1:	9.0 ↑	9.3 ↗	10.5 *	10.4 *	9.3 →
	10.7 *	10.1 ←	10.4 *	9.0 →	9.9 →
beste Teiler	68.6 (6.) 104.5 (3.) 136.7 (8.)				
Trefferlage	1.24 mm rechts, 1.01 mm hoch				
Streuwert	2.02, horizontal: 2.39, vertikal: 1.55				



Serie 2:	9.3 →	9.5 ↗	9.9 →	10.5 *	9.9 →
	10.3 *	10.0 ↗	10.0 ←	10.4 *	8.9 →
beste Teiler	107.1 (14.) 145.2 (19.) 162.8 (16.)				
Trefferlage	1.54 mm rechts, 0.58 mm hoch				
Streuwert	1.82, horizontal: 2.25, vertikal: 1.24				



Serie 3:	10.9 *	10.6 *	10.3 *	10.2 *	9.7 ↗
	10.9 *	10.3 *	10.3 *	10.0 ↗	10.6 *
beste Teiler	23.0 (21.) 25.0 (26.) 99.2 (22.)				
Trefferlage	0.81 mm rechts, 0.57 mm hoch				
Streuwert	1.07, horizontal: 1.27, vertikal: 0.82				



Serie 4:	9.3 →	8.2 ←	9.5 ↗	10.1 ←	9.5 ←
	10.9 *	10.4 *	10.6 *	9.9 ↘	8.0 ←
beste Teiler	8.9 (36.) 87.1 (38.) 148.9 (37.)				
Trefferlage	1.36 mm links, 0.55 mm hoch				
Streuwert	2.74, horizontal: 3.50, vertikal: 1.64				

Unterschrift des Schützen

Meyton Elektronik