





Ergebnis: **377** (394.8)
 Serien: 90 96 94 97
 Zähler: 21 15 4 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 611 (1), 579 (28), 558 (4)
 beste Teiler 15.2 (20.) 59.6 (11.) 67.2 (14.)
 Trefferlage 0.21 mm links, 0.59 mm hoch
 Streuwert 2.20, horizontal: 2.31, vertikal: 2.08




Serie 1:
 8.5 → 9.4 ↗ 9.0 ↘ 8.7 ↗ 9.1 ↖
 9.2 ↘ 9.4 ↗ 9.4 ↑ 10.3 * 10.2 *
 beste Teiler 157.0 (9.) 199.6 (10.) 376.2 (7.)
 Trefferlage 1.17 mm rechts, 2.90 mm hoch
 Streuwert 2.17, horizontal: 2.81, vertikal: 1.24



Serie 2:
 10.7 * 9.6 ↘ 9.5 ↑ 10.7 * 10.4 *
 9.9 ↓ 10.6 * 10.3 * 9.9 ↗ 10.9 *
 beste Teiler 15.2 (20.) 59.6 (11.) 67.2 (14.)
 Trefferlage 0.51 mm rechts, 0.18 mm tief
 Streuwert 1.52, horizontal: 1.05, vertikal: 1.88



Serie 3:
 10.6 * 10.2 * 10.5 * 10.3 * 9.0 ↖
 10.3 * 9.6 ↘ 8.6 ← 8.9 ← 10.4 *
 beste Teiler 91.3 (21.) 114.6 (23.) 149.2 (30.)
 Trefferlage 1.51 mm links, 0.14 mm hoch
 Streuwert 2.15, horizontal: 2.68, vertikal: 1.44





Serie 4:
 10.2 * 10.1 ↘ 10.5 * 10.4 * 10.0 ←
 9.3 ↓ 10.6 * 9.6 ↘ 9.8 ← 10.2 *
 beste Teiler 77.4 (37.) 104.2 (33.) 138.5 (34.)
 Trefferlage 1.03 mm links, 0.49 mm tief
 Streuwert 1.59, horizontal: 1.24, vertikal: 1.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (399.7)
 Serien: 97 96 93 98
 Zähler: 26 12 2 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 702 (21), 504 (25), 444 (24)
 beste Teiler 26.6 (8.) 44.1 (31.) 59.4 (30.)
 Trefferlage 0.45 mm links, 1.04 mm tief
 Streuwert 1.81, horizontal: 2.10, vertikal: 1.46




Serie 1:
 10.1 ↗ 10.2 * 10.0 ↘ 9.2 → 10.3 *
 9.7 ↓ 10.2 * 10.8 * 10.5 * 9.8 ↙
 beste Teiler 26.6 (8.) 102.6 (9.) 165.8 (5.)
 Trefferlage 0.71 mm rechts, 0.70 mm tief
 Streuwert 1.62, horizontal: 1.67, vertikal: 1.56



Serie 2:
 9.3 ← 9.8 ↗ 10.2 * 9.6 ← 10.0 ↓
 10.1 ↓ 10.6 * 10.1 → 9.9 ↘ 10.0 ←
 beste Teiler 88.0 (17.) 195.6 (13.) 201.4 (18.)
 Trefferlage 0.31 mm links, 0.76 mm tief
 Streuwert 1.86, horizontal: 2.13, vertikal: 1.54



Serie 3:
 8.1 ← 9.3 ← 10.5 * 9.2 ↓ 8.9 ↓
 10.4 * 10.3 * 9.3 → 10.3 * 10.7 *
 beste Teiler 59.4 (30.) 106.8 (23.) 140.6 (26.)
 Trefferlage 1.15 mm links, 1.76 mm tief
 Streuwert 2.28, horizontal: 2.84, vertikal: 1.54





Serie 4:
 10.8 * 10.3 * 9.5 ↓ 10.0 ↙ 10.7 *
 10.2 * 9.9 ← 10.3 * 10.6 * 10.0 ←
 beste Teiler 44.1 (31.) 67.1 (35.) 81.2 (39.)
 Trefferlage 1.04 mm links, 0.95 mm tief
 Streuwert 1.09, horizontal: 1.09, vertikal: 1.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	369	(386.7)
Serien:	95 91 92 91	
Zähler:	14 21 5 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	606 (11), 557 (2), 552 (33)	
beste Teiler	24.7 (5.) 79.3 (1.) 110.0 (8.)	
Trefferlage	0.71 mm links, 0.57 mm hoch	
Streuwert	2.41, horizontal: 2.59, vertikal: 2.21	




Serie 1:	10.6 *	8.7 ←	10.1 →	10.4 *	10.9 *
	9.8 ↙	10.3 *	10.5 *	10.1 ↘	8.9 ↙
beste Teiler	24.7 (5.)	79.3 (1.)	110.0 (8.)		
Trefferlage	1.22 mm links, 0.24 mm tief				
Streuwert	1.90, horizontal: 2.29, vertikal: 1.40				



Serie 2:	8.5 ↙	9.1 ↙	9.6 ↘	10.1 ↓	10.0 ↘
	9.7 ↘	9.4 ↗	9.3 ↑	9.7 ↑	9.6 ↗
beste Teiler	203.1 (14.)	244.5 (15.)	308.9 (16.)		
Trefferlage	0.97 mm rechts, 0.42 mm tief				
Streuwert	2.69, horizontal: 2.46, vertikal: 2.91				





Serie 3:	9.2 ↗	9.8 ←	9.3 ↑	10.4 *	9.5 ↘
	9.0 ↑	9.2 ↘	9.3 ↙	10.0 ↘	9.8 ↘
beste Teiler	128.3 (24.)	226.6 (29.)	291.1 (30.)		
Trefferlage	1.05 mm links, 1.79 mm hoch				
Streuwert	2.19, horizontal: 2.28, vertikal: 2.11				




Serie 4:	10.1 ↑	9.9 ↑	8.7 ←	9.6 ↘	9.1 ←
	10.3 *	8.8 ↘	9.9 ↘	9.2 →	10.3 *
beste Teiler	154.4 (40.)	168.7 (36.)	212.0 (31.)		
Trefferlage	1.53 mm links, 1.18 mm hoch				
Streuwert	2.32, horizontal: 2.88, vertikal: 1.57				

Unterschrift des Schützen


Ergebnis: **380** (397.9)
 Serien: 96 97 94 93
 Zähler: 21 18 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 679 (36), 474 (33), 462 (31)
 beste Teiler 56.0 (17.) 79.1 (27.) 81.7 (15.)
 Trefferlage 1.01 mm rechts, 0.07 mm tief
 Streuwert 1.86, horizontal: 2.03, vertikal: 1.67




Serie 1:
 10.1 ↗ 9.7 ↘ 10.0 ↘ 9.9 ↘ 10.2 *
 10.1 ↗ 9.8 ↘ 10.1 ↘ 10.1 ↘ 9.9 ↙
 beste Teiler 182.7 (5.) 203.1 (1.) 205.7 (9.)
 Trefferlage 0.52 mm links, 0.48 mm hoch
 Streuwert 1.71, horizontal: 1.67, vertikal: 1.74



Serie 2:
 10.6 * 9.8 ↗ 10.0 ↗ 10.0 → 10.6 *
 9.9 ↓ 10.7 * 10.5 * 9.3 → 10.1 ↘
 beste Teiler 56.0 (17.) 81.7 (15.) 89.8 (11.)
 Trefferlage 0.92 mm rechts, 0.38 mm tief
 Streuwert 1.54, horizontal: 1.64, vertikal: 1.44





Serie 3:
 9.4 ↘ 9.7 ↓ 9.9 ↗ 10.4 * 9.9 ↓
 9.9 → 10.6 * 10.5 * 9.8 → 10.6 *
 beste Teiler 79.1 (27.) 87.3 (30.) 111.4 (28.)
 Trefferlage 1.07 mm rechts, 0.59 mm tief
 Streuwert 1.55, horizontal: 1.57, vertikal: 1.54




Serie 4:
 9.1 ↗ 9.8 ↗ 9.1 ↗ 10.3 * 9.6 →
 8.2 → 10.0 ↘ 10.3 * 9.4 → 10.0 ↘
 beste Teiler 160.3 (34.) 165.5 (38.) 227.1 (40.)
 Trefferlage 2.56 mm rechts, 0.19 mm hoch
 Streuwert 2.04, horizontal: 2.15, vertikal: 1.93

Unterschrift des Schützen


Ergebnis: **383** (400.4)
 Serien: 95 97 95 96
 Zähler: 25 13 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 585 (37), 512 (5), 403 (35)
 beste Teiler 13.4 (31.) 32.8 (1.) 52.6 (20.)
 Trefferlage 0.33 mm rechts, 0.49 mm tief
 Streuwert 1.85, horizontal: 2.04, vertikal: 1.64




Serie 1:
 10.8 * 9.4 ↖ 9.7 ↗ 10.6 * 8.9 →
 10.5 * 9.5 ↗ 10.0 ↘ 10.0 ↖ 10.3 *
 beste Teiler 32.8 (1.) 96.8 (4.) 108.7 (6.)
 Trefferlage 0.66 mm rechts, 0.78 mm hoch
 Streuwert 2.00, horizontal: 2.34, vertikal: 1.59



Serie 2:
 9.8 → 10.0 ↖ 10.0 ↗ 9.7 ↘ 10.1 ↘
 10.1 ↓ 10.2 * 9.5 ↙ 10.2 * 10.7 *
 beste Teiler 52.6 (20.) 184.1 (17.) 184.7 (19.)
 Trefferlage 0.66 mm rechts, 0.44 mm tief
 Streuwert 1.68, horizontal: 1.70, vertikal: 1.66



Serie 3:
 10.2 * 10.6 * 10.5 * 9.6 ↘ 10.1 ↓
 9.9 ↘ 9.8 ↓ 9.7 → 10.0 → 9.4 ↙
 beste Teiler 93.4 (22.) 121.4 (23.) 185.1 (21.)
 Trefferlage 0.59 mm rechts, 1.04 mm tief
 Streuwert 1.70, horizontal: 1.90, vertikal: 1.47





Serie 4:
 10.9 * 10.5 * 10.3 * 10.1 ↓ 9.3 →
 10.7 * 8.6 ↙ 10.3 * 9.6 ↓ 10.3 *
 beste Teiler 13.4 (31.) 63.0 (36.) 122.0 (32.)
 Trefferlage 0.60 mm links, 1.28 mm tief
 Streuwert 1.77, horizontal: 2.20, vertikal: 1.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	387	(399.7)
Serien:	99 98 96 94	
Zähler:	28 11 1 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	516 (40), 488 (34), 450 (20)	
beste Teiler	94.6 (24.) 110.0 (14.) 119.0 (37.)	
Trefferlage	0.03 mm rechts, 0.15 mm tief	
Streuwert	1.87, horizontal: 1.78, vertikal: 1.96	




Serie 1:	10.2 *	10.2 *	10.0 ↘	9.3 ↑	10.0 ↓
	10.2 *	10.1 ↙	10.2 *	10.4 *	10.1 ↗
beste Teiler	142.6 (9.)	185.5 (8.)	190.2 (1.)		
Trefferlage	0.21 mm links, 0.84 mm hoch				
Streuwert	1.61, horizontal: 1.10, vertikal: 2.00				



Serie 2:	10.2 *	10.4 *	10.2 *	10.5 *	10.2 *
	10.2 *	10.2 *	9.8 ↘	10.0 ↘	9.2 ↓
beste Teiler	110.0 (14.)	145.9 (12.)	177.4 (17.)		
Trefferlage	0.17 mm links, 0.32 mm tief				
Streuwert	1.74, horizontal: 1.37, vertikal: 2.05				





Serie 3:	9.4 ↘	10.3 *	9.3 →	10.6 *	10.0 →
	9.5 ↘	10.2 *	10.3 *	9.7 ↘	10.1 →
beste Teiler	94.6 (24.)	160.0 (22.)	170.1 (28.)		
Trefferlage	1.40 mm rechts, 0.24 mm tief				
Streuwert	1.78, horizontal: 1.89, vertikal: 1.66				




Serie 4:	10.2 *	9.9 ↗	9.9 ↘	9.0 ↓	10.1 ↘
	9.8 ↓	10.5 *	10.2 *	10.2 *	8.9 ←
beste Teiler	119.0 (37.)	179.8 (31.)	182.3 (38.)		
Trefferlage	0.87 mm links, 0.88 mm tief				
Streuwert	2.00, horizontal: 1.97, vertikal: 2.02				

Unterschrift des Schützen


Ergebnis:	377	(394.3)
Serien:	93 99 93 92	
Zähler:	18 21 1 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	602 (5), 464 (39), 459 (22)	
beste Teiler	21.5 (2.) 49.4 (31.) 95.0 (29.)	
Trefferlage	0.52 mm rechts, 0.79 mm hoch	
Streuwert	2.06, horizontal: 2.32, vertikal: 1.76	




Serie 1:	9.6 ↘	10.9 *	9.3 ↗	10.4 *	8.5 ↘
	10.2 *	9.9 ↗	9.4 ↘	10.1 ↘	9.8 ↘
beste Teiler	21.5 (2.)	135.0 (4.)	176.5 (6.)		
Trefferlage	0.99 mm links, 2.22 mm hoch				
Streuwert	1.57, horizontal: 1.84, vertikal: 1.23				



Serie 2:	10.2 *	10.3 *	10.2 *	10.5 *	10.1 ↘
	10.4 *	9.6 →	10.1 →	10.5 *	10.4 *
beste Teiler	109.0 (19.)	117.6 (14.)	135.3 (20.)		
Trefferlage	0.37 mm rechts, 0.19 mm tief				
Streuwert	1.37, horizontal: 1.59, vertikal: 1.10				





Serie 3:	10.1 ↓	9.1 ↗	9.3 ↘	9.6 ↗	9.7 ↘
	9.7 ←	9.7 ↑	10.3 *	10.6 *	9.4 →
beste Teiler	95.0 (29.)	154.1 (28.)	208.4 (21.)		
Trefferlage	1.34 mm rechts, 0.39 mm hoch				
Streuwert	2.10, horizontal: 2.10, vertikal: 2.10				




Serie 4:	10.8 *	9.4 ↗	9.7 ←	9.1 →	9.5 ↑
	9.2 →	10.5 *	9.2 ↘	9.1 →	9.9 ←
beste Teiler	49.4 (31.)	108.8 (37.)	267.2 (40.)		
Trefferlage	1.36 mm rechts, 0.76 mm hoch				
Streuwert	2.40, horizontal: 2.97, vertikal: 1.64				

Unterschrift des Schützen


Ergebnis: **379** (393.3)
 Serien: 98 93 96 92
 Zähler: 20 19 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 577 (37), 492 (17), 485 (2)
 beste Teiler 72.8 (19.) 153.5 (29.) 158.7 (7.)
 Trefferlage 0.61 mm rechts, 0.54 mm hoch
 Streuwert 2.05, horizontal: 2.25, vertikal: 1.83




Serie 1:
 9.5 → 9.0 → 10.2 * 10.2 * 10.2 *
 10.2 * 10.3 * 10.1 ↑ 10.0 ↘ 10.0 ←
 beste Teiler 158.7 (7.) 180.4 (5.) 189.0 (4.)
 Trefferlage 1.02 mm rechts, 0.18 mm hoch
 Streuwert 1.79, horizontal: 2.14, vertikal: 1.35



Serie 2:
 9.7 ↙ 9.3 ↗ 9.7 ← 9.9 ↗ 10.0 →
 9.6 ↙ 9.0 ↗ 10.3 * 10.7 * 9.6 ↘
 beste Teiler 72.8 (19.) 172.7 (18.) 242.0 (15.)
 Trefferlage 0.24 mm rechts, 0.27 mm hoch
 Streuwert 2.35, horizontal: 2.67, vertikal: 1.97



Serie 3:
 9.6 ↓ 9.7 ↙ 10.0 ↗ 10.0 ↘ 10.1 ↘
 9.4 → 9.9 ↑ 10.0 ↑ 10.3 * 10.1 ↑
 beste Teiler 153.5 (29.) 206.4 (30.) 224.4 (25.)
 Trefferlage 0.91 mm rechts, 0.04 mm hoch
 Streuwert 1.88, horizontal: 1.67, vertikal: 2.07



Serie 4:
 9.7 ← 10.2 * 9.5 ↗ 9.5 ↑ 10.2 *
 9.7 ↑ 8.6 → 9.7 ← 10.2 * 9.4 ↑
 beste Teiler 178.8 (32.) 194.0 (39.) 198.2 (35.)
 Trefferlage 0.25 mm rechts, 1.66 mm hoch
 Streuwert 2.17, horizontal: 2.63, vertikal: 1.60

Unterschrift des Schützen

Meyton Elektronik