





Ergebnis: **368** (386.4)  
 Serien: 93 94 89 92  
 Zähler: 13 22 5 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 734 (35), 663 (30), 631 (27)  
 beste Teiler 44.1 (37.) 75.6 (17.) 140.5 (25.)  
 Trefferlage 0.59 mm rechts, 0.29 mm tief  
 Streuwert 2.52, horizontal: 2.90, vertikal: 2.08




Serie 1:  
 9.8 ↘ 10.3 \* 9.6 → 8.5 ↓ 9.1 ←  
 9.0 → 10.2 \* 10.3 \* 9.8 → 10.0 ↓  
 beste Teiler 156.8 (8.) 161.0 (2.) 196.1 (7.)  
 Trefferlage 0.71 mm rechts, 1.22 mm tief  
 Streuwert 2.42, horizontal: 2.70, vertikal: 2.11



Serie 2:  
 9.7 → 10.3 \* 10.2 \* 10.3 \* 9.5 ↑  
 9.8 ↓ 10.7 \* 9.8 ↙ 9.6 ↖ 9.7 ↖  
 beste Teiler 75.6 (17.) 156.0 (12.) 173.0 (14.)  
 Trefferlage 0.38 mm links, 0.14 mm hoch  
 Streuwert 1.92, horizontal: 1.92, vertikal: 1.92



Serie 3:  
 9.4 ↘ 10.1 ↖ 9.3 ↘ 9.8 → 10.4 \*  
 9.3 ↙ 8.4 ← 9.8 → 8.9 ↑ 8.3 ↘  
 beste Teiler 140.5 (25.) 204.5 (22.) 278.3 (28.)  
 Trefferlage 0.64 mm rechts, 0.04 mm hoch  
 Streuwert 3.13, horizontal: 3.65, vertikal: 2.50





Serie 4:  
 9.9 ↘ 10.3 \* 9.2 ↘ 9.7 ↘ 8.0 →  
 9.6 ← 10.8 \* 10.1 ← 9.9 ↖ 9.0 ↗  
 beste Teiler 44.1 (37.) 175.2 (32.) 214.1 (38.)  
 Trefferlage 1.39 mm rechts, 0.12 mm tief  
 Streuwert 2.57, horizontal: 3.21, vertikal: 1.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.1)  
 Serien: 92 95 93 93  
 Zähler: 18 17 5 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 660 (1), 613 (26), 594 (29)  
 beste Teiler 6.3 (23.) 57.3 (33.) 59.9 (12.)  
 Trefferlage 0.32 mm links, 0.01 mm tief  
 Streuwert 2.36, horizontal: 2.47, vertikal: 2.25




Serie 1:  
 8.3 ↘ 9.5 ↘ 9.1 ← 8.9 ↘ 10.7 \*  
 9.8 ↘ 9.7 ↙ 10.2 \* 10.1 ↙ 10.2 \*  
 beste Teiler 64.4 (5.) 189.7 (10.) 193.0 (8.)  
 Trefferlage 0.83 mm links, 1.32 mm tief  
 Streuwert 2.46, horizontal: 2.32, vertikal: 2.60



Serie 2:  
 9.1 ↘ 10.7 \* 9.4 ← 10.3 \* 9.7 →  
 9.7 ↘ 10.2 \* 10.4 \* 9.8 ← 10.7 \*  
 beste Teiler 59.9 (12.) 74.6 (20.) 148.9 (18.)  
 Trefferlage 0.69 mm links, 0.17 mm tief  
 Streuwert 1.95, horizontal: 2.10, vertikal: 1.78



Serie 3:  
 10.7 \* 10.1 → 10.9 \* 9.7 ↘ 9.8 ↗  
 8.5 ← 10.4 \* 10.4 \* 8.6 → 9.3 ↘  
 beste Teiler 6.3 (23.) 70.6 (21.) 131.0 (28.)  
 Trefferlage 0.52 mm rechts, 0.58 mm hoch  
 Streuwert 2.49, horizontal: 3.27, vertikal: 1.30





Serie 4:  
 9.0 ↗ 10.4 \* 10.7 \* 9.8 ↘ 10.1 ↙  
 10.0 ↘ 8.8 ↘ 9.5 ↘ 9.4 ← 9.5 ↗  
 beste Teiler 57.3 (33.) 133.6 (32.) 209.7 (35.)  
 Trefferlage 0.31 mm links, 0.84 mm hoch  
 Streuwert 2.42, horizontal: 2.16, vertikal: 2.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>362</b>	(376.5)
Serien:	88 90 92 92	
Zähler:	14 16 8 2 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	857 (16), 850 (40), 699 (4)	
beste Teiler	89.1 (31.) 99.3 (20.) 122.4 (25.)	
Trefferlage	0.70 mm rechts, 0.73 mm hoch	
Streuwert	3.03, horizontal: 3.65, vertikal: 2.26	




Serie 1:	8.5 ↘	9.2 ↗	9.5 ↖	8.2 ↙	9.9 ↘
	10.2 *	9.1 →	9.1 →	8.2 →	9.1 ←
beste Teiler	176.8 (6.)	251.0 (5.)	356.5 (3.)		
Trefferlage	0.46 mm rechts, 1.61 mm hoch				
Streuwert	3.44, horizontal: 4.30, vertikal: 2.27				



Serie 2:	8.7 ↗	8.7 ↘	9.1 ↑	10.2 *	9.9 ↘
	7.5 ↘	9.0 ←	10.2 *	10.3 *	10.6 *
beste Teiler	99.3 (20.)	164.8 (19.)	180.2 (18.)		
Trefferlage	0.51 mm rechts, 0.43 mm hoch				
Streuwert	3.31, horizontal: 3.70, vertikal: 2.88				



Serie 3:	10.2 *	8.5 →	9.4 ↗	9.2 ↖	10.5 *
	8.9 ←	9.4 ↑	10.0 →	10.4 *	9.8 →
beste Teiler	122.4 (25.)	126.9 (29.)	178.0 (21.)		
Trefferlage	0.79 mm rechts, 0.58 mm hoch				
Streuwert	2.60, horizontal: 3.23, vertikal: 1.77				





Serie 4:	10.6 *	9.2 ↖	9.9 ↙	10.1 →	9.0 →
	10.0 ↗	8.3 ↘	10.2 *	10.1 →	7.6 →
beste Teiler	89.1 (31.)	186.5 (38.)	209.6 (34.)		
Trefferlage	1.05 mm rechts, 0.30 mm hoch				
Streuwert	3.10, horizontal: 3.84, vertikal: 2.11				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (394.4)  
 Serien: 92 94 95 96  
 Zähler: 20 17 3 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 640 (40), 550 (1), 508 (18)  
 beste Teiler 39.5 (34.) 56.3 (9.) 121.2 (12.)  
 Trefferlage 0.05 mm links, 0.14 mm tief  
 Streuwert 2.18, horizontal: 2.15, vertikal: 2.21




Serie 1:  
 8.8 ↙ 10.4 \* 9.1 ↙ 9.8 ↙ 9.5 ↙  
 9.8 ↘ 9.3 ↘ 9.2 ↙ 10.7 \* 10.3 \*  
 beste Teiler 56.3 (9.) 131.0 (2.) 170.5 (10.)  
 Trefferlage 1.60 mm links, 1.36 mm tief  
 Streuwert 2.09, horizontal: 2.20, vertikal: 1.98



Serie 2:  
 9.5 ↘ 10.5 \* 9.7 ↘ 10.1 ↑ 9.5 ↘  
 9.7 ↘ 10.2 \* 8.9 ↗ 10.4 \* 10.4 \*  
 beste Teiler 121.2 (12.) 133.8 (20.) 141.6 (19.)  
 Trefferlage 0.25 mm rechts, 0.92 mm hoch  
 Streuwert 2.06, horizontal: 1.89, vertikal: 2.21



Serie 3:  
 10.3 \* 9.9 → 10.0 ↗ 9.9 ↑ 9.3 ↙  
 10.1 ↘ 9.6 ↑ 10.5 \* 9.1 → 10.4 \*  
 beste Teiler 123.4 (28.) 126.2 (30.) 163.8 (21.)  
 Trefferlage 0.61 mm rechts, 0.83 mm hoch  
 Streuwert 1.95, horizontal: 2.40, vertikal: 1.36





Serie 4:  
 10.2 \* 10.1 ↙ 9.9 ↓ 10.8 \* 9.8 ↘  
 10.1 ↗ 10.2 \* 10.0 ↘ 10.0 ↘ 8.4 ↓  
 beste Teiler 39.5 (34.) 191.8 (37.) 195.4 (31.)  
 Trefferlage 0.50 mm rechts, 0.96 mm tief  
 Streuwert 2.00, horizontal: 1.50, vertikal: 2.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>367</b>	(383.8)
Serien:	94 92 90 91	
Zähler:	16 16 7 1 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	804 (26), 723 (9), 689 (36)	
beste Teiler	58.8 (34.) 98.4 (17.) 128.0 (27.)	
Trefferlage	1.01 mm links, 1.33 mm hoch	
Streuwert	2.47, horizontal: 2.98, vertikal: 1.83	




Serie 1:	8.8 ↘	10.2 *	10.3 *	9.9 ↘	10.0 ↘
	9.4 ↙	10.2 *	10.1 ↗	8.1 ↘	10.4 *
beste Teiler	134.0 (10.)	175.4 (3.)	176.1 (7.)		
Trefferlage	1.05 mm links, 0.08 mm hoch				
Streuwert	2.52, horizontal: 2.81, vertikal: 2.19				



Serie 2:	10.1 ↘	9.3 ←	8.5 ↘	9.5 ↗	9.3 →
	10.4 *	10.6 *	8.8 ↘	9.9 →	10.3 *
beste Teiler	98.4 (17.)	149.8 (16.)	156.4 (20.)		
Trefferlage	0.43 mm links, 1.26 mm hoch				
Streuwert	2.49, horizontal: 3.18, vertikal: 1.49				



Serie 3:	8.8 ↗	9.0 ↘	9.8 ↑	9.6 ↑	9.5 ↑
	7.7 ↙	10.4 *	10.0 ↑	9.6 ↖	10.2 *
beste Teiler	128.0 (27.)	180.3 (30.)	244.8 (28.)		
Trefferlage	0.80 mm links, 2.61 mm hoch				
Streuwert	2.34, horizontal: 3.12, vertikal: 1.10				





Serie 4:	9.4 ↗	10.0 ↘	8.6 ←	10.7 *	9.8 ↘
	8.2 ←	10.1 ↗	9.3 ↘	9.3 ↑	9.7 ↙
beste Teiler	58.8 (34.)	213.5 (37.)	250.5 (32.)		
Trefferlage	1.79 mm links, 1.36 mm hoch				
Streuwert	2.47, horizontal: 3.08, vertikal: 1.64				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (380.8)  
 Serien: 90 94 91 89  
 Zähler: 16 14 8 2 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 888 (8), 812 (5), 744 (1)  
 beste Teiler 27.0 (19.) 47.3 (15.) 77.8 (10.)  
 Trefferlage 0.55 mm links, 0.47 mm hoch  
 Streuwert 2.97, horizontal: 3.31, vertikal: 2.59




Serie 1:  
 8.0 ↘ 10.2 \* 9.2 ↘ 9.6 ↗ 7.7 ↓  
 10.0 ↘ 10.2 \* 7.4 ↖ 10.0 ↑ 10.6 \*  
 beste Teiler 77.8 (10.) 182.4 (2.) 191.6 (7.)  
 Trefferlage 0.51 mm rechts, 0.90 mm tief  
 Streuwert 3.65, horizontal: 3.60, vertikal: 3.69



Serie 2:  
 10.1 → 10.6 \* 9.5 ← 8.0 ↖ 10.8 \*  
 9.6 ↓ 9.3 ↗ 10.1 ↓ 10.8 \* 9.8 ↑  
 beste Teiler 27.0 (19.) 47.3 (15.) 99.7 (12.)  
 Trefferlage 0.92 mm links, 0.42 mm hoch  
 Streuwert 2.39, horizontal: 2.72, vertikal: 2.00



Serie 3:  
 8.6 ↖ 10.3 \* 9.7 ↓ 8.8 → 10.4 \*  
 8.6 ↗ 9.6 ↑ 9.7 → 10.5 \* 10.3 \*  
 beste Teiler 119.0 (29.) 143.1 (25.) 166.4 (22.)  
 Trefferlage 0.64 mm rechts, 0.57 mm hoch  
 Streuwert 2.73, horizontal: 3.10, vertikal: 2.29





Serie 4:  
 9.2 ↖ 9.6 ↖ 8.2 ↖ 10.0 ↗ 9.9 ↗  
 8.7 ↖ 9.1 ← 10.1 ↗ 8.2 ← 9.8 ↑  
 beste Teiler 206.3 (38.) 227.9 (34.) 265.1 (35.)  
 Trefferlage 2.45 mm links, 1.81 mm hoch  
 Streuwert 2.50, horizontal: 3.23, vertikal: 1.44

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>368</b>	(388.6)
Serien:	90 95 91 92	
Zähler:	17 16 5 2 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	833 (8), 780 (27), 562 (3)	
beste Teiler	22.8 (6.) 58.8 (12.) 84.0 (23.)	
Trefferlage	0.10 mm rechts, 0.87 mm hoch	
Streuwert	2.49, horizontal: 3.10, vertikal: 1.67	




Serie 1:

8.8 ↗	9.9 ←	8.7 ↖	9.3 ↑	10.3 *
10.9 *	10.5 *	7.6 →	10.2 *	9.8 ↑
beste Teiler	22.8 (6.)	104.0 (7.)	158.3 (5.)	
Trefferlage	0.51 mm rechts, 0.69 mm hoch			
Streuwert	2.99, horizontal: 3.74, vertikal: 1.97			




Serie 2:

9.8 ↗	10.7 *	10.4 *	10.3 *	10.3 *
9.7 ↘	10.0 ←	10.1 ↑	8.9 ↗	9.8 ↘
beste Teiler	58.8 (12.)	140.0 (13.)	167.4 (14.)	
Trefferlage	0.39 mm rechts, 0.88 mm hoch			
Streuwert	1.88, horizontal: 1.89, vertikal: 1.87			



Serie 3:

9.8 ↗	9.3 →	10.6 *	10.2 *	9.5 ↖
10.0 ↗	7.8 ↖	9.2 ↗	9.8 ↗	9.9 ↑
beste Teiler	84.0 (23.)	196.8 (24.)	247.2 (26.)	
Trefferlage	0.61 mm rechts, 1.51 mm hoch			
Streuwert	2.58, horizontal: 3.28, vertikal: 1.60			





Serie 4:

10.0 ←	8.7 ←	8.9 →	9.3 ↖	9.5 ←
10.2 *	9.3 ←	10.5 *	10.2 *	9.9 ↘
beste Teiler	122.4 (38.)	183.5 (36.)	195.5 (39.)	
Trefferlage	1.11 mm links, 0.42 mm hoch			
Streuwert	2.50, horizontal: 3.32, vertikal: 1.21			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>369</b>	(386.5)
Serien:	92 93 91 93	
Zähler:	19 13 6 2 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	975 (10), 800 (34), 696 (26)	
beste Teiler	72.4 (14.) 80.0 (25.) 85.4 (22.)	
Trefferlage	0.90 mm links, 0.01 mm tief	
Streuwert	2.70, horizontal: 3.30, vertikal: 1.92	




Serie 1:	9.4 ↗	10.0 ←	10.4 *	9.7 ↓	9.6 ↘
	9.9 ↘	10.0 ←	9.0 ↗	10.5 *	7.1 ←
beste Teiler	101.2 (9.)	149.0 (3.)	235.5 (7.)		
Trefferlage	1.03 mm links, 0.52 mm tief				
Streuwert	3.01, horizontal: 3.74, vertikal: 2.04				



Serie 2:	10.0 ↗	10.2 *	10.4 *	10.7 *	9.7 ↗
	8.2 ←	10.2 *	8.7 ←	9.2 ↘	9.9 ↘
beste Teiler	72.4 (14.)	145.0 (13.)	193.2 (17.)		
Trefferlage	1.30 mm links, 0.04 mm tief				
Streuwert	2.51, horizontal: 3.13, vertikal: 1.69				



Serie 3:	10.0 ↓	10.6 *	8.5 ↘	9.9 ↘	10.6 *
	8.2 ↘	8.9 ↘	8.9 →	10.6 *	10.0 ↘
beste Teiler	80.0 (25.)	85.4 (22.)	98.4 (29.)		
Trefferlage	0.49 mm links, 0.02 mm tief				
Streuwert	2.95, horizontal: 3.41, vertikal: 2.39				



Serie 4:	10.3 *	9.2 ↗	9.9 ↘	7.8 ←	10.1 ↖
	9.0 ↘	10.2 *	10.6 *	10.5 *	9.9 →
beste Teiler	91.6 (38.)	114.7 (39.)	174.3 (31.)		
Trefferlage	0.77 mm links, 0.54 mm hoch				
Streuwert	2.65, horizontal: 3.38, vertikal: 1.60				

Unterschrift des Schützen

Meyton Elektronik