





Ergebnis: **385** (403.1)  
 Serien: 97 94 99 95  
 Zähler: 28 9 3 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 554 (36), 528 (38), 527 (11)  
 beste Teiler 65.5 (29.) 72.0 (37.) 79.7 (17.)  
 Trefferlage 0.37 mm links, 0.84 mm hoch  
 Streuwert 1.69, horizontal: 2.01, vertikal: 1.29




Serie 1:  
 9.7 ↖ 9.5 ↘ 10.6 \* 10.6 \* 10.3 \*  
 10.3 \* 10.4 \* 9.5 ↑ 10.1 ↘ 10.6 \*  
 beste Teiler 85.0 (4.) 87.4 (3.) 98.7 (10.)  
 Trefferlage 0.29 mm links, 1.44 mm hoch  
 Streuwert 1.25, horizontal: 1.23, vertikal: 1.26



Serie 2:  
 8.8 ← 9.4 ← 9.8 ↗ 10.2 \* 9.7 ↖  
 10.5 \* 10.6 \* 9.8 ↗ 10.3 \* 10.3 \*  
 beste Teiler 79.7 (17.) 114.9 (16.) 161.2 (20.)  
 Trefferlage 0.91 mm links, 0.75 mm hoch  
 Streuwert 1.92, horizontal: 2.42, vertikal: 1.24



Serie 3:  
 9.7 → 10.1 ↘ 10.5 \* 10.1 ↘ 10.5 \*  
 10.3 \* 10.4 \* 10.5 \* 10.7 \* 10.4 \*  
 beste Teiler 65.5 (29.) 101.5 (25.) 111.6 (23.)  
 Trefferlage 0.48 mm rechts, 0.14 mm hoch  
 Streuwert 1.23, horizontal: 1.51, vertikal: 0.87





Serie 4:  
 9.4 ↖ 10.1 → 10.2 \* 10.0 ← 10.2 \*  
 8.7 ↗ 10.7 \* 8.8 ← 10.2 \* 10.6 \*  
 beste Teiler 72.0 (37.) 95.1 (40.) 182.0 (39.)  
 Trefferlage 0.75 mm links, 1.02 mm hoch  
 Streuwert 2.11, horizontal: 2.56, vertikal: 1.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (406.4)  
 Serien: 97 94 99 97  
 Zähler: 29 10 0 1 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 756 (13), 419 (14), 394 (30)  
 beste Teiler 27.2 (20.) 54.0 (18.) 69.4 (3.)  
 Trefferlage 0.30 mm rechts, 0.55 mm hoch  
 Streuwert 1.62, horizontal: 2.00, vertikal: 1.14




Serie 1:  
 10.2 \*                      10.3 \*                      10.7 \*                      9.6 ↘                      9.8 ↗  
 10.5 \*                      10.6 \*                      9.8 →                      10.5 \*                      10.0 ←  
 beste Teiler 69.4 (3.) 81.9 (7.) 118.5 (6.)  
 Trefferlage 0.56 mm rechts, 0.02 mm hoch  
 Streuwert 1.49, horizontal: 1.79, vertikal: 1.12



Serie 2:  
 9.6 ↖                      10.5 \*                      7.9 ↗                      9.3 →                      10.3 \*  
 10.2 \*                      10.2 \*                      10.7 \*                      9.9 ↗                      10.8 \*  
 beste Teiler 27.2 (20.) 54.0 (18.) 107.1 (12.)  
 Trefferlage 0.73 mm rechts, 1.25 mm hoch  
 Streuwert 2.15, horizontal: 2.91, vertikal: 0.91



Serie 3:  
 10.5 \*                      10.3 \*                      10.5 \*                      10.6 \*                      10.5 \*  
 10.4 \*                      10.2 \*                      10.6 \*                      10.1 →                      9.4 ←  
 beste Teiler 98.7 (24.) 99.2 (28.) 108.1 (25.)  
 Trefferlage 0.56 mm links, 0.68 mm hoch  
 Streuwert 1.20, horizontal: 1.65, vertikal: 0.42





Serie 4:  
 10.4 \*                      10.4 \*                      9.8 ↗                      10.0 ↗                      9.9 ↓  
 10.6 \*                      10.3 \*                      10.4 \*                      10.2 \*                      9.9 ↗  
 beste Teiler 79.2 (36.) 128.7 (31.) 145.2 (32.)  
 Trefferlage 0.47 mm rechts, 0.26 mm hoch  
 Streuwert 1.44, horizontal: 1.31, vertikal: 1.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (404.7)  
 Serien: 95 98 97 98  
 Zähler: 29 10 1 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 505 (30), 459 (10), 437 (7)  
 beste Teiler 21.5 (34.) 30.8 (39.) 35.3 (25.)  
 Trefferlage 0.18 mm links, 0.72 mm hoch  
 Streuwert 1.64, horizontal: 1.83, vertikal: 1.41




Serie 1:  
 10.0 ↗ 10.5 \* 9.8 ↑ 9.7 ↗ 10.2 \*  
 9.3 ← 9.2 ↘ 10.2 \* 10.3 \* 9.1 →  
 beste Teiler 111.8 (2.) 156.8 (9.) 196.7 (5.)  
 Trefferlage 0.09 mm rechts, 1.34 mm hoch  
 Streuwert 2.06, horizontal: 2.69, vertikal: 1.11



Serie 2:  
 10.6 \* 10.7 \* 10.3 \* 10.0 ↘ 10.1 ←  
 9.7 ↑ 10.1 → 9.5 ↘ 10.0 ↗ 10.4 \*  
 beste Teiler 62.2 (12.) 94.0 (11.) 138.4 (20.)  
 Trefferlage 0.28 mm links, 0.83 mm hoch  
 Streuwert 1.50, horizontal: 1.65, vertikal: 1.33



Serie 3:  
 10.0 ↓ 10.4 \* 10.6 \* 9.8 ↗ 10.8 \*  
 10.3 \* 10.0 ↘ 10.1 ← 10.5 \* 8.9 ↘  
 beste Teiler 35.3 (25.) 81.4 (23.) 114.2 (29.)  
 Trefferlage 0.61 mm links, 0.69 mm hoch  
 Streuwert 1.65, horizontal: 1.54, vertikal: 1.75





Serie 4:  
 9.8 ↘ 10.3 \* 10.3 \* 10.9 \* 10.6 \*  
 10.2 \* 10.7 \* 10.2 \* 10.8 \* 9.8 ↘  
 beste Teiler 21.5 (34.) 30.8 (39.) 56.6 (37.)  
 Trefferlage 0.05 mm rechts, 0.02 mm hoch  
 Streuwert 1.31, horizontal: 1.36, vertikal: 1.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (402.0)  
 Serien: 96 96 95 97  
 Zähler: 25 14 1 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 554 (21), 497 (11), 422 (22)  
 beste Teiler 40.4 (1.) 52.8 (14.) 53.7 (3.)  
 Trefferlage 0.00 mm , 0.16 mm tief  
 Streuwert 1.80, horizontal: 1.90, vertikal: 1.69




Serie 1:  
 10.8 \*                      10.1 ←                      10.7 \*                      9.9 ↗                      10.0 ↗  
 9.6 ←                      10.7 \*                      10.1 ↗                      9.8 ↑                      9.8 →  
 beste Teiler 40.4 (1.) 53.7 (3.) 60.8 (7.)  
 Trefferlage 0.57 mm links, 0.79 mm hoch  
 Streuwert 1.53, horizontal: 1.61, vertikal: 1.44



Serie 2:  
 9.0 →                      9.9 ↓                      10.4 \*                      10.7 \*                      9.8 ↓  
 10.3 \*                      9.5 ↓                      10.1 →                      10.3 \*                      10.0 ↘  
 beste Teiler 52.8 (14.) 126.7 (13.) 169.2 (19.)  
 Trefferlage 1.06 mm rechts, 1.33 mm tief  
 Streuwert 1.53, horizontal: 1.62, vertikal: 1.44



Serie 3:  
 8.7 ←                      9.3 ↘                      10.3 \*                      10.0 ↙                      10.0 →  
 10.3 \*                      9.7 →                      10.5 \*                      9.9 ←                      10.3 \*  
 beste Teiler 105.1 (28.) 159.0 (30.) 162.8 (23.)  
 Trefferlage 0.10 mm rechts, 1.14 mm tief  
 Streuwert 2.01, horizontal: 2.52, vertikal: 1.31





Serie 4:  
 10.4 \*                      9.7 ↑                      9.9 ↖                      10.2 \*                      9.8 ↖  
 10.4 \*                      10.6 \*                      10.3 \*                      10.1 →                      10.1 ↖  
 beste Teiler 88.0 (37.) 126.2 (31.) 137.0 (36.)  
 Trefferlage 0.59 mm links, 1.01 mm hoch  
 Streuwert 1.29, horizontal: 1.42, vertikal: 1.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (400.6)  
 Serien: 96 96 96 96  
 Zähler: 24 16 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 461 (36), 440 (23), 423 (10)  
 beste Teiler 45.5 (12.) 46.1 (5.) 104.4 (22.)  
 Trefferlage 0.07 mm rechts, 0.76 mm hoch  
 Streuwert 1.79, horizontal: 1.96, vertikal: 1.61




Serie 1:  
 9.5 ↗ 9.5 ↑ 10.3 \* 10.2 \* 10.8 \*  
 10.4 \* 10.5 \* 10.4 \* 9.5 ↘ 9.3 ↑  
 beste Teiler 46.1 (5.) 110.1 (7.) 127.0 (8.)  
 Trefferlage 0.09 mm links, 1.15 mm hoch  
 Streuwert 1.77, horizontal: 1.75, vertikal: 1.78



Serie 2:  
 9.7 ← 10.8 \* 10.3 \* 10.1 ↘ 9.3 ↑  
 10.3 \* 9.4 ↑ 9.6 ↙ 10.2 \* 10.1 ↘  
 beste Teiler 45.5 (12.) 163.7 (16.) 175.6 (13.)  
 Trefferlage 1.23 mm links, 1.21 mm hoch  
 Streuwert 1.55, horizontal: 1.35, vertikal: 1.72



Serie 3:  
 9.8 → 10.5 \* 9.2 → 9.6 ↗ 10.1 →  
 10.4 \* 10.3 \* 9.7 ↙ 10.4 \* 10.4 \*  
 beste Teiler 104.4 (22.) 126.4 (26.) 129.2 (30.)  
 Trefferlage 0.68 mm rechts, 0.27 mm hoch  
 Streuwert 1.78, horizontal: 2.12, vertikal: 1.37





Serie 4:  
 10.4 \* 9.7 ↘ 10.5 \* 10.2 \* 9.5 ↑  
 9.1 → 10.3 \* 10.4 \* 9.6 → 10.3 \*  
 beste Teiler 125.2 (33.) 128.0 (31.) 136.0 (38.)  
 Trefferlage 0.94 mm rechts, 0.40 mm hoch  
 Streuwert 1.81, horizontal: 2.03, vertikal: 1.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (391.8)  
 Serien: 94 93 93 94  
 Zähler: 17 20 3 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 582 (13), 567 (2), 508 (30)  
 beste Teiler 75.2 (36.) 79.6 (40.) 92.5 (7.)  
 Trefferlage 0.74 mm links, 0.96 mm hoch  
 Streuwert 2.07, horizontal: 1.94, vertikal: 2.20




Serie 1:  
 9.7 → 8.7 ↗ 9.3 ↑ 10.4 \* 9.5 ←  
 9.3 ↘ 10.6 \* 10.3 \* 10.0 ↖ 10.3 \*  
 beste Teiler 92.5 (7.) 135.7 (4.) 164.4 (10.)  
 Trefferlage 0.36 mm links, 1.51 mm hoch  
 Streuwert 2.11, horizontal: 2.20, vertikal: 2.01



Serie 2:  
 10.0 ← 10.0 ↑ 8.6 ↑ 9.0 ↗ 9.7 ↗  
 9.5 ↘ 9.4 ↘ 10.1 → 9.7 ↘ 10.3 \*  
 beste Teiler 153.1 (20.) 211.0 (18.) 235.4 (12.)  
 Trefferlage 0.03 mm rechts, 2.44 mm hoch  
 Streuwert 1.92, horizontal: 1.91, vertikal: 1.92



Serie 3:  
 9.9 ↑ 9.1 ↘ 10.0 ↗ 10.1 ↘ 9.6 ↘  
 9.8 ↓ 10.3 \* 9.7 ← 10.0 ← 8.9 ←  
 beste Teiler 167.4 (27.) 220.9 (24.) 231.8 (29.)  
 Trefferlage 1.66 mm links, 0.93 mm hoch  
 Streuwert 1.92, horizontal: 1.88, vertikal: 1.97





Serie 4:  
 9.8 ↓ 9.8 ↖ 9.8 ↘ 9.8 ← 10.1 ↖  
 10.7 \* 10.0 ↓ 9.7 ↓ 9.7 ← 10.6 \*  
 beste Teiler 75.2 (36.) 79.6 (40.) 205.7 (35.)  
 Trefferlage 0.99 mm links, 1.02 mm tief  
 Streuwert 1.52, horizontal: 1.57, vertikal: 1.47

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>386</b>	(402.0)
Serien:	94 96 97 99	
Zähler:	28 10 2 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	655 (9), 547 (11), 475 (15)	
beste Teiler	32.8 (31.) 34.5 (16.) 54.0 (5.)	
Trefferlage	1.01 mm rechts, 0.57 mm hoch	
Streuwert	1.71, horizontal: 1.99, vertikal: 1.37	




Serie 1:

9.8 →	9.5 →	10.2 *	10.5 *	10.7 *
9.9 ↘	9.1 →	10.2 *	8.3 ↗	10.2 *
beste Teiler	54.0 (5.) 101.5 (4.) 176.6 (8.)			
Trefferlage	1.42 mm rechts, 0.78 mm hoch			
Streuwert	2.10, horizontal: 2.62, vertikal: 1.38			




Serie 2:

8.8 →	10.4 *	9.5 →	10.0 ↘	9.1 ↗
10.8 *	10.0 ↗	10.0 ↑	10.4 *	10.4 *
beste Teiler	34.5 (16.) 126.0 (20.) 126.3 (12.)			
Trefferlage	1.45 mm rechts, 0.99 mm hoch			
Streuwert	1.80, horizontal: 1.97, vertikal: 1.60			



Serie 3:

10.1 ↗	10.5 *	10.7 *	9.9 →	10.3 *
10.3 *	10.2 *	9.6 ↗	9.2 ↗	10.0 ↘
beste Teiler	70.7 (23.) 112.8 (22.) 157.0 (25.)			
Trefferlage	1.13 mm rechts, 0.31 mm hoch			
Streuwert	1.57, horizontal: 1.60, vertikal: 1.54			





Serie 4:

10.8 *	10.3 *	10.0 →	10.6 *	10.4 *
10.6 *	10.6 *	10.4 *	9.7 →	10.0 ↖
beste Teiler	32.8 (31.) 77.0 (37.) 90.0 (36.)			
Trefferlage	0.06 mm rechts, 0.21 mm hoch			
Streuwert	1.26, horizontal: 1.54, vertikal: 0.89			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>386</b>	(405.1)
Serien:	98 96 95 97	
Zähler:	26 14 0 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	408 (15), 385 (16), 369 (22)	
beste Teiler	21.0 (13.) 34.4 (19.) 48.0 (31.)	
Trefferlage	0.06 mm rechts, 0.83 mm hoch	
Streuwert	1.54, horizontal: 1.67, vertikal: 1.39	




Serie 1:	10.1 →	10.2 *	10.5 *	10.5 *	9.8 ↖
	10.6 *	9.9 →	10.3 *	10.1 →	10.5 *
beste Teiler	81.1 (6.) 101.2 (3.) 108.2 (4.)				
Trefferlage	0.61 mm rechts, 0.54 mm hoch				
Streuwert	1.22, horizontal: 1.29, vertikal: 1.14				



Serie 2:	10.7 *	10.1 ↑	10.9 *	10.0 ↗	9.3 ↗
	9.4 ↑	9.9 ↙	9.7 ↗	10.8 *	10.6 *
beste Teiler	21.0 (13.) 34.4 (19.) 67.1 (11.)				
Trefferlage	0.33 mm rechts, 1.37 mm hoch				
Streuwert	1.48, horizontal: 1.14, vertikal: 1.76				



Serie 3:	10.0 ↖	9.5 →	9.7 ↙	9.6 ↗	10.3 *
	10.2 *	10.2 *	9.9 ↓	9.7 ←	10.5 *
beste Teiler	115.4 (30.) 165.1 (25.) 198.6 (26.)				
Trefferlage	0.33 mm links, 0.41 mm hoch				
Streuwert	1.94, horizontal: 2.27, vertikal: 1.53				



Serie 4:	10.8 *	9.6 ↖	10.1 ↗	10.2 *	10.1 ↖
	9.7 ↖	10.1 →	10.6 *	10.6 *	9.8 ↗
beste Teiler	48.0 (31.) 84.1 (38.) 98.0 (39.)				
Trefferlage	0.34 mm links, 1.02 mm hoch				
Streuwert	1.45, horizontal: 1.80, vertikal: 0.98				

Unterschrift des Schützen

Meyton Elektronik