





Ergebnis: **324** (343.0)  
 Serien: 82 76 82 84  
 Zähler: 4 13 12 6 4 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4191 (17), 3999 (24), 3919 (20)  
 beste Teiler 105.0 (39.) 394.2 (21.) 491.1 (23.)  
 Trefferlage 2.78 mm rechts, 5.87 mm tief  
 Streuwert 14.83, horizontal: 13.09, vertikal: 16.38




Serie 1:  
 9.6 ↙                      8.6 ←                      9.8 ↗                      7.8 →                      9.3 ↗  
 9.1 →                      8.0 ↓                      8.4 ↑                      9.9 ↙                      6.1 ↓  
 beste Teiler 856.5 (9.) 938.7 (3.) 1082.3 (1.)  
 Trefferlage 0.59 mm rechts, 5.04 mm tief  
 Streuwert 14.77, horizontal: 12.85, vertikal: 16.46



Serie 2:  
 8.6 ↘                      9.6 →                      9.9 ↗                      8.1 ↓                      7.7 ↙  
 7.2 ↓                      5.7 ↓                      8.5 ↓                      9.3 ↗                      6.1 →  
 beste Teiler 840.6 (13.) 1068.8 (12.) 1349.8 (19.)  
 Trefferlage 7.15 mm rechts, 15.80 mm tief  
 Streuwert 13.85, horizontal: 12.52, vertikal: 15.06



Serie 3:  
 10.5 \*                      9.8 ↙                      10.3 ↓                      6.0 →                      9.1 ↙  
 7.2 ↑                      8.8 →                      6.8 ↙                      9.6 ←                      8.6 ↑  
 beste Teiler 394.2 (21.) 491.1 (23.) 893.2 (22.)  
 Trefferlage 2.24 mm rechts, 0.26 mm tief  
 Streuwert 16.05, horizontal: 15.47, vertikal: 16.60





Serie 4:  
 10.3 →                      9.9 ↘                      7.5 ↗                      7.1 ↓                      8.5 ↓  
 9.5 ↙                      8.4 ←                      8.1 →                      10.8 \*                      8.9 ↗  
 beste Teiler 105.0 (39.) 528.4 (31.) 802.0 (32.)  
 Trefferlage 1.14 mm rechts, 2.37 mm tief  
 Streuwert 13.81, horizontal: 12.30, vertikal: 15.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (358.0)  
 Serien: 87 84 90 80  
 Zähler: 7 16 12 4 0 0 0 1 0 0  
 Innenzehner: 1  
 weiteste: 5731 (39), 3053 (10), 2864 (12)  
 beste Teiler 447.4 (2.) 496.8 (16.) 500.9 (27.)  
 Trefferlage 0.90 mm rechts, 1.75 mm tief  
 Streuwert 13.20, horizontal: 10.29, vertikal: 15.58




Serie 1:  
 9.5 ←                      10.4 \*                      9.4 ←                      9.4 ↖                      9.2 →  
 7.9 ↗                      8.3 ↖                      9.4 ↗                      10.2 ↖                      7.1 ↓  
 beste Teiler 447.4 (2.) 563.7 (9.) 1129.3 (1.)  
 Trefferlage 0.95 mm links, 3.00 mm hoch  
 Streuwert 12.35, horizontal: 9.98, vertikal: 14.33



Serie 2:  
 8.2 →                      7.4 ↗                      9.6 →                      8.4 ↖                      8.2 ↓  
 10.3 ↖                      8.8 ↘                      10.1 ↘                      8.7 ↗                      8.7 ↓  
 beste Teiler 496.8 (16.) 690.5 (18.) 1103.0 (13.)  
 Trefferlage 5.25 mm rechts, 1.58 mm tief  
 Streuwert 12.94, horizontal: 12.14, vertikal: 13.70



Serie 3:  
 9.6 ↘                      8.5 ↖                      9.6 ↑                      10.3 ↓                      9.1 ↘  
 9.3 ←                      10.3 ←                      9.0 ↓                      9.6 ↓                      8.9 ↗  
 beste Teiler 500.9 (27.) 537.7 (24.) 1075.6 (21.)  
 Trefferlage 2.45 mm links, 4.15 mm tief  
 Streuwert 9.02, horizontal: 8.34, vertikal: 9.65





Serie 4:  
 7.5 ←                      9.4 ↘                      9.4 ↘                      8.5 ↑                      9.6 ↗  
 8.0 ↑                      10.0 →                      9.9 →                      3.8 ↓                      8.5 ↓  
 beste Teiler 746.2 (37.) 801.0 (38.) 1091.5 (35.)  
 Trefferlage 1.77 mm rechts, 4.28 mm tief  
 Streuwert 17.76, horizontal: 10.19, vertikal: 22.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (363.2)  
 Serien: 88 87 91 83  
 Zähler: 9 20 6 3 0 2 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4665 (12), 4413 (35), 3113 (40)  
 beste Teiler 106.9 (18.) 171.2 (25.) 430.1 (27.)  
 Trefferlage 1.59 mm rechts, 0.08 mm tief  
 Streuwert 12.73, horizontal: 11.68, vertikal: 13.70




Serie 1:  
 9.7 ↖ 9.2 ↗ 9.8 ↗ 9.0 ↑ 9.0 ↗  
 9.1 → 9.7 ↘ 9.4 ↗ 7.4 ↓ 9.5 ↘  
 beste Teiler 886.0 (3.) 983.8 (1.) 1030.0 (7.)  
 Trefferlage 5.20 mm rechts, 1.08 mm hoch  
 Streuwert 10.58, horizontal: 7.42, vertikal: 13.00



Serie 2:  
 9.1 ↗ 5.1 ↗ 10.4 \* 8.2 ↘ 9.0 ↘  
 10.0 → 9.6 ↖ 10.8 \* 8.3 ↙ 9.3 ↙  
 beste Teiler 106.9 (18.) 457.5 (13.) 786.2 (16.)  
 Trefferlage 1.33 mm rechts, 0.24 mm hoch  
 Streuwert 14.77, horizontal: 14.46, vertikal: 15.08



Serie 3:  
 9.4 ↗ 10.0 ↖ 10.0 ↗ 7.8 ↙ 10.7 \*  
 8.0 ↘ 10.4 \* 10.0 ↙ 9.5 → 8.4 ↖  
 beste Teiler 171.2 (25.) 430.1 (27.) 748.4 (22.)  
 Trefferlage 1.95 mm links, 0.73 mm tief  
 Streuwert 10.65, horizontal: 11.41, vertikal: 9.82





Serie 4:  
 8.6 → 9.8 ↖ 9.5 ← 9.7 ↓ 5.4 ↓  
 9.9 ↖ 8.0 → 10.0 ↗ 9.4 ↓ 7.1 ↗  
 beste Teiler 729.0 (38.) 851.9 (36.) 921.1 (32.)  
 Trefferlage 1.79 mm rechts, 0.94 mm tief  
 Streuwert 15.60, horizontal: 12.98, vertikal: 17.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (350.0)  
 Serien: 88 75 87 85  
 Zähler: 9 12 12 2 3 1 1 0 0 0  
 Innenzehner: 4  
 weiteste: 5464 (13), 4483 (19), 3949 (12)  
 beste Teiler 244.0 (15.) 313.4 (24.) 368.2 (29.)  
 Trefferlage 1.10 mm rechts, 3.82 mm tief  
 Streuwert 14.97, horizontal: 13.07, vertikal: 16.65




Serie 1:  
 9.8 ↘                      8.8 ↗                      10.3 ↓                      8.2 ↖                      10.4 \*  
 7.5 ↑                      10.3 ↙                      8.1 ↗                      9.4 ↓                      9.2 ↓  
 beste Teiler 473.0 (5.) 482.8 (7.) 505.2 (3.)  
 Trefferlage 0.12 mm links, 4.81 mm hoch  
 Streuwert 11.45, horizontal: 8.52, vertikal: 13.78



Serie 2:  
 9.5 ↗                      6.0 ↓                      4.1 ↙                      8.3 ↓                      10.6 \*  
 8.4 ↓                      10.1 ←                      9.4 ↘                      5.3 ↗                      6.0 ↑  
 beste Teiler 244.0 (15.) 669.0 (17.) 1160.4 (11.)  
 Trefferlage 1.51 mm rechts, 4.63 mm tief  
 Streuwert 22.44, horizontal: 22.19, vertikal: 22.68



Serie 3:  
 8.2 ↗                      6.4 ↓                      8.4 ↙                      10.6 \*                      10.2 ↘  
 9.8 ↙                      8.4 ↓                      9.3 ↓                      10.5 \*                      9.1 ↓  
 beste Teiler 313.4 (24.) 368.2 (29.) 609.4 (25.)  
 Trefferlage 1.27 mm rechts, 8.10 mm tief  
 Streuwert 11.80, horizontal: 9.69, vertikal: 13.59





Serie 4:  
 8.2 ↓                      9.6 ↙                      10.0 ↑                      9.5 ↗                      8.9 ↙  
 9.4 ↗                      7.2 ↓                      8.2 ↓                      8.9 ↓                      9.5 ↘  
 beste Teiler 790.9 (33.) 1073.9 (32.) 1137.7 (34.)  
 Trefferlage 1.75 mm rechts, 7.38 mm tief  
 Streuwert 11.68, horizontal: 8.90, vertikal: 13.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (347.1)  
 Serien: 91 78 78 82  
 Zähler: 7 16 7 3 4 2 1 0 0 0  
 Innenzehner: 2  
 weiteste: 4832 (13), 4161 (37), 4011 (29)  
 beste Teiler 188.2 (19.) 281.6 (3.) 554.7 (26.)  
 Trefferlage 3.34 mm rechts, 1.99 mm tief  
 Streuwert 15.17, horizontal: 13.78, vertikal: 16.45




Serie 1:  
 8.9 ↗ 9.2 → 10.6 \* 10.2 ↖ 9.7 ↘  
 9.7 ↗ 8.0 ↗ 10.0 ↑ 9.3 → 9.9 ↘  
 beste Teiler 281.6 (3.) 621.4 (4.) 725.6 (8.)  
 Trefferlage 3.74 mm rechts, 6.12 mm hoch  
 Streuwert 7.70, horizontal: 8.61, vertikal: 6.66



Serie 2:  
 9.8 ↑ 7.9 ← 4.9 ↓ 8.6 ↓ 9.4 ↓  
 10.0 ↗ 6.2 ↗ 7.1 ↓ 10.7 \* 8.7 ↘  
 beste Teiler 188.2 (19.) 758.7 (16.) 931.3 (11.)  
 Trefferlage 0.81 mm links, 8.29 mm tief  
 Streuwert 17.61, horizontal: 15.19, vertikal: 19.74



Serie 3:  
 6.8 ↘ 8.9 ↙ 9.0 ← 8.6 ↘ 9.5 ↓  
 10.3 → 6.4 ↑ 8.9 ↙ 5.9 ↓ 9.1 ↗  
 beste Teiler 554.7 (26.) 1162.2 (25.) 1497.8 (30.)  
 Trefferlage 2.91 mm rechts, 4.46 mm tief  
 Streuwert 17.18, horizontal: 14.94, vertikal: 19.16





Serie 4:  
 9.2 → 7.3 → 6.3 ↓ 9.1 → 9.2 ↘  
 10.1 ← 5.7 ↗ 9.3 ↘ 9.6 ↘ 9.1 ↓  
 beste Teiler 676.0 (36.) 1097.7 (39.) 1302.5 (38.)  
 Trefferlage 7.52 mm rechts, 1.33 mm tief  
 Streuwert 15.86, horizontal: 15.98, vertikal: 15.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (357.1)  
 Serien: 86 86 80 86  
 Zähler: 10 16 6 3 2 1 2 0 0 0  
 Innenzehner: 7  
 weiteste: 5356 (16), 5108 (25), 4103 (24)  
 beste Teiler 127.4 (4.) 199.4 (9.) 267.4 (32.)  
 Trefferlage 1.42 mm rechts, 2.89 mm hoch  
 Streuwert 14.62, horizontal: 14.83, vertikal: 14.42




Serie 1:  
 6.9 ↗ 8.2 → 9.2 ↓ 10.8 \* 7.1 ↑  
 8.5 ← 10.2 ↑ 9.0 ↗ 10.7 \* 9.4 ↘  
 beste Teiler 127.4 (4.) 199.4 (9.) 618.0 (7.)  
 Trefferlage 2.74 mm rechts, 5.88 mm hoch  
 Streuwert 13.14, horizontal: 13.45, vertikal: 12.82



Serie 2:  
 8.1 → 10.5 \* 9.0 ↗ 9.8 ↖ 7.7 ↑  
 4.3 ↙ 10.0 ↑ 10.0 ↖ 9.5 → 10.6 \*  
 beste Teiler 271.6 (20.) 325.6 (12.) 759.6 (18.)  
 Trefferlage 1.86 mm links, 2.89 mm hoch  
 Streuwert 15.95, horizontal: 18.02, vertikal: 13.56



Serie 3:  
 9.8 ↑ 7.8 → 9.8 ↗ 5.8 → 4.6 ↓  
 10.4 \* 8.1 ↓ 10.5 \* 9.7 ← 9.9 ↖  
 beste Teiler 327.9 (28.) 442.0 (26.) 874.8 (30.)  
 Trefferlage 8.68 mm rechts, 4.06 mm tief  
 Streuwert 16.50, horizontal: 15.70, vertikal: 17.26





Serie 4:  
 9.9 ↖ 10.6 \* 9.2 ↖ 9.2 ↖ 9.9 ←  
 9.9 ← 9.4 ↘ 8.8 ↗ 8.2 ↙ 6.1 ↑  
 beste Teiler 267.4 (32.) 802.4 (36.) 840.4 (35.)  
 Trefferlage 3.86 mm links, 6.84 mm hoch  
 Streuwert 11.63, horizontal: 9.84, vertikal: 13.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (352.8)  
 Serien: 88 81 82 82  
 Zähler: 5 11 17 6 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3230 (14), 3183 (15), 3058 (24)  
 beste Teiler 115.8 (29.) 215.8 (5.) 272.0 (19.)  
 Trefferlage 3.61 mm links, 1.54 mm hoch  
 Streuwert 13.15, horizontal: 14.09, vertikal: 12.15




Serie 1:  
 8.0 ↙ 8.8 ↑ 9.4 → 10.2 ↘ 10.7 \*  
 8.2 ↙ 8.7 ↘ 10.2 ↑ 8.4 → 9.1 →  
 beste Teiler 215.8 (5.) 626.4 (4.) 631.0 (8.)  
 Trefferlage 0.85 mm links, 2.10 mm hoch  
 Streuwert 11.73, horizontal: 13.52, vertikal: 9.61



Serie 2:  
 8.8 ↑ 8.0 ↙ 8.3 → 6.9 ↙ 7.0 ↗  
 8.5 ← 9.2 ↑ 9.6 ← 10.6 \* 8.9 ↑  
 beste Teiler 272.0 (19.) 1084.2 (18.) 1377.4 (17.)  
 Trefferlage 3.71 mm links, 2.62 mm hoch  
 Streuwert 15.17, horizontal: 15.03, vertikal: 15.32





Serie 3:  
 9.7 ↘ 7.4 → 9.3 ↙ 7.1 ↙ 7.4 ↓  
 9.9 ← 9.1 ↑ 7.9 ↘ 10.8 \* 8.9 ↘  
 beste Teiler 115.8 (29.) 848.9 (26.) 1036.7 (21.)  
 Trefferlage 4.19 mm links, 3.38 mm tief  
 Streuwert 14.35, horizontal: 15.28, vertikal: 13.35




Serie 4:  
 8.3 ← 8.7 ↑ 9.7 ↘ 8.9 ↙ 8.8 ↘  
 7.7 → 9.6 ↘ 9.2 ↗ 8.9 ↙ 8.0 ←  
 beste Teiler 1038.2 (33.) 1062.4 (37.) 1370.1 (38.)  
 Trefferlage 5.69 mm links, 4.82 mm hoch  
 Streuwert 12.21, horizontal: 14.30, vertikal: 9.67

Unterschrift des Schützen


Ergebnis: **346** (362.2)  
 Serien: 87 91 85 83  
 Zähler: 8 19 7 4 1 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4389 (39), 3627 (3), 3168 (40)  
 beste Teiler 320.9 (31.) 391.0 (9.) 441.3 (17.)  
 Trefferlage 0.65 mm rechts, 2.38 mm hoch  
 Streuwert 12.53, horizontal: 13.69, vertikal: 11.25




Serie 1:  
 10.2 ↗ 9.0 ↗ 6.4 ← 9.2 ↗ 9.7 ↑  
 7.8 ↗ 9.3 ↓ 9.5 ↖ 10.5 \* 9.4 ←  
 beste Teiler 391.0 (9.) 581.8 (1.) 1013.7 (5.)  
 Trefferlage 0.75 mm links, 2.99 mm hoch  
 Streuwert 12.70, horizontal: 15.18, vertikal: 9.60



Serie 2:  
 9.0 ↗ 10.1 → 10.0 ↑ 9.0 ↖ 8.1 ↗  
 9.9 ↖ 10.4 \* 8.2 ↘ 9.2 → 9.7 ↑  
 beste Teiler 441.3 (17.) 677.8 (12.) 754.8 (13.)  
 Trefferlage 4.21 mm rechts, 5.34 mm hoch  
 Streuwert 9.23, horizontal: 9.47, vertikal: 8.98



Serie 3:  
 7.1 ↖ 8.8 ↗ 8.8 ↗ 9.8 ↓ 7.5 ↖  
 9.6 ↖ 10.1 ↑ 9.9 → 9.3 ↗ 9.5 ↖  
 beste Teiler 686.9 (27.) 835.7 (28.) 921.9 (24.)  
 Trefferlage 1.56 mm links, 3.82 mm hoch  
 Streuwert 12.49, horizontal: 12.27, vertikal: 12.70



Serie 4:  
 10.6 \* 9.6 ↖ 8.7 ↑ 8.4 → 8.8 ←  
 9.1 ↓ 9.5 ↖ 10.0 ↘ 5.5 ↘ 7.0 ←  
 beste Teiler 320.9 (31.) 747.6 (38.) 1118.0 (32.)  
 Trefferlage 0.71 mm rechts, 2.60 mm tief  
 Streuwert 15.70, horizontal: 17.86, vertikal: 13.19

Unterschrift des Schützen