





Ergebnis: **362** (382.0)
 Serien: 89 87 91 95
 Zähler: 13 18 7 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 832 (20), 808 (16), 675 (6)
 beste Teiler 28.0 (39.) 65.7 (21.) 87.2 (31.)
 Trefferlage 0.84 mm links, 0.09 mm hoch
 Streuwert 2.76, horizontal: 3.51, vertikal: 1.72




Serie 1:
 9.5 ← 9.5 ↘ 9.5 ↑ 9.5 → 9.8 ↓
 8.3 ← 10.1 ↓ 8.8 ↗ 9.4 ↗ 9.3 ←
 beste Teiler 214.4 (7.) 281.5 (5.) 356.5 (3.)
 Trefferlage 0.09 mm rechts, 0.07 mm hoch
 Streuwert 3.11, horizontal: 3.83, vertikal: 2.15



Serie 2:
 10.5 * 8.6 ← 9.5 ↓ 9.6 → 8.8 ↘
 7.7 ← 9.6 ↖ 10.0 ↓ 10.6 * 7.6 ←
 beste Teiler 91.2 (19.) 121.2 (11.) 231.5 (18.)
 Trefferlage 2.64 mm links, 0.02 mm tief
 Streuwert 3.08, horizontal: 3.84, vertikal: 2.05



Serie 3:
 10.7 * 9.4 ← 10.3 * 9.4 ↘ 10.1 ←
 9.5 → 9.8 ↘ 8.9 ↘ 8.7 ↘ 9.5 →
 beste Teiler 65.7 (21.) 160.9 (23.) 201.0 (25.)
 Trefferlage 0.68 mm rechts, 0.01 mm tief
 Streuwert 2.63, horizontal: 3.39, vertikal: 1.51





Serie 4:
 10.6 * 10.0 ↗ 8.9 ← 10.1 ← 10.1 ↓
 9.7 ← 9.5 ↘ 9.5 ← 10.8 * 10.3 *
 beste Teiler 28.0 (39.) 87.2 (31.) 161.7 (40.)
 Trefferlage 1.52 mm links, 0.34 mm hoch
 Streuwert 1.77, horizontal: 2.17, vertikal: 1.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	357	(373.2)
Serien:	94 90 85 88	
Zähler:	13 14 10 3 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	907 (13), 809 (33), 751 (28)	
beste Teiler	91.6 (9.) 104.0 (32.) 122.3 (3.)	
Trefferlage	1.34 mm links, 0.97 mm hoch	
Streuwert	3.04, horizontal: 3.67, vertikal: 2.24	




Serie 1:	9.3 ←	9.6 →	10.5 *	9.2 ←	9.2 →
	10.0 ↓	10.3 *	10.4 *	10.6 *	8.8 →
beste Teiler	91.6 (9.)	122.3 (3.)	146.4 (8.)		
Trefferlage	0.36 mm rechts, 0.42 mm tief				
Streuwert	2.39, horizontal: 3.13, vertikal: 1.30				



Serie 2:	10.0 ↖	9.4 ←	7.3 ↖	9.9 ↘	10.1 ↓
	8.7 ↖	8.7 ↖	10.3 *	9.8 ↖	10.1 →
beste Teiler	156.5 (18.)	210.9 (15.)	217.9 (20.)		
Trefferlage	2.19 mm links, 0.99 mm hoch				
Streuwert	2.73, horizontal: 3.29, vertikal: 2.03				





Serie 3:	8.3 ←	10.3 *	9.5 ↖	8.6 ↖	9.4 ↑
	8.3 →	9.0 →	7.9 ←	9.1 ↖	8.4 ←
beste Teiler	154.1 (22.)	372.3 (23.)	379.7 (25.)		
Trefferlage	1.66 mm links, 1.11 mm hoch				
Streuwert	3.78, horizontal: 4.73, vertikal: 2.47				




Serie 4:	8.7 ↖	10.5 *	7.7 ↖	9.5 ↗	8.3 ↖
	8.6 ↑	9.3 ↖	10.3 *	9.0 ↖	10.3 *
beste Teiler	104.0 (32.)	159.9 (38.)	170.4 (40.)		
Trefferlage	1.89 mm links, 2.20 mm hoch				
Streuwert	2.90, horizontal: 3.31, vertikal: 2.43				

Unterschrift des Schützen


Ergebnis: **362** (379.9)
 Serien: 92 88 92 90
 Zähler: 14 16 8 2 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 843 (15), 755 (35), 698 (13)
 beste Teiler 89.6 (2.) 93.9 (38.) 117.1 (18.)
 Trefferlage 0.91 mm links, 0.44 mm hoch
 Streuwert 2.90, horizontal: 3.72, vertikal: 1.71




Serie 1:
 8.8 ← 10.6 * 10.1 ↑ 8.8 → 9.6 ↗
 9.2 ← 10.2 * 10.2 * 9.9 ↘ 9.3 ←
 beste Teiler 89.6 (2.) 189.7 (8.) 195.4 (7.)
 Trefferlage 0.73 mm links, 0.68 mm hoch
 Streuwert 2.53, horizontal: 3.18, vertikal: 1.63



Serie 2:
 9.9 ↑ 9.5 → 8.2 → 9.1 ↘ 7.6 ←
 9.9 ↓ 9.4 ↘ 10.5 * 9.3 ↘ 9.8 →
 beste Teiler 117.1 (18.) 260.4 (16.) 273.5 (11.)
 Trefferlage 0.35 mm rechts, 0.21 mm hoch
 Streuwert 3.42, horizontal: 4.27, vertikal: 2.26



Serie 3:
 8.7 ↘ 10.2 * 8.5 ← 9.7 ↑ 10.4 *
 9.9 ↘ 10.2 * 9.3 ← 9.4 ↘ 10.0 ↘
 beste Teiler 145.0 (25.) 184.6 (27.) 189.2 (22.)
 Trefferlage 1.81 mm links, 0.80 mm hoch
 Streuwert 2.27, horizontal: 2.79, vertikal: 1.58





Serie 4:
 9.3 → 8.2 ← 8.4 → 8.2 ← 7.9 ←
 10.2 * 10.0 ↘ 10.6 * 10.5 * 10.4 *
 beste Teiler 93.9 (38.) 125.0 (39.) 150.8 (40.)
 Trefferlage 1.45 mm links, 0.05 mm hoch
 Streuwert 3.38, horizontal: 4.57, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	375	(393.2)
Serien:	93 97 90 95	
Zähler:	22 14 1 3 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	908 (10), 806 (30), 799 (28)	
beste Teiler	46.7 (25.) 60.6 (5.) 69.2 (36.)	
Trefferlage	1.04 mm rechts, 0.09 mm hoch	
Streuwert	2.35, horizontal: 2.72, vertikal: 1.90	




Serie 1:	10.3 *	8.3 ↗	10.1 →	10.5 *	10.7 *
	9.8 ↓	10.5 *	10.1 ↑	9.6 ↗	7.3 →
beste Teiler	60.6 (5.)	107.7 (7.)	110.1 (4.)		
Trefferlage	1.92 mm rechts, 0.43 mm hoch				
Streuwert	2.61, horizontal: 3.22, vertikal: 1.81				



Serie 2:	10.1 ↖	10.3 *	10.3 *	10.0 ↗	10.5 *
	10.3 *	9.2 ↘	9.7 ↑	9.4 ↖	10.5 *
beste Teiler	123.1 (20.)	124.6 (15.)	161.2 (13.)		
Trefferlage	0.17 mm rechts, 0.80 mm hoch				
Streuwert	1.82, horizontal: 1.83, vertikal: 1.81				



Serie 3:	9.3 ↙	10.2 *	9.9 ↗	9.2 ↘	10.8 *
	10.2 *	9.9 ↑	7.8 →	10.3 *	7.7 ↘
beste Teiler	46.7 (25.)	166.3 (29.)	180.6 (22.)		
Trefferlage	2.09 mm rechts, 0.26 mm tief				
Streuwert	2.83, horizontal: 3.41, vertikal: 2.11				





Serie 4:	9.9 ↑	9.9 →	9.9 ↓	10.2 *	10.1 ↖
	10.7 *	9.8 ↓	10.2 *	9.6 ↘	10.1 ↗
beste Teiler	69.2 (36.)	183.7 (38.)	196.8 (34.)		
Trefferlage	0.00 mm , 0.56 mm tief				
Streuwert	1.74, horizontal: 1.63, vertikal: 1.85				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (369.8)
 Serien: 89 87 90 88
 Zähler: 11 18 6 4 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1083 (17), 978 (30), 890 (4)
 beste Teiler 101.7 (24.) 109.2 (1.) 162.6 (33.)
 Trefferlage 2.13 mm rechts, 0.05 mm hoch
 Streuwert 3.17, horizontal: 3.98, vertikal: 2.06




Serie 1:
 10.5 * 9.2 → 10.1 ↓ 7.4 → 10.3 *
 9.7 ↘ 9.7 → 8.8 ↗ 9.9 ← 8.1 →
 beste Teiler 109.2 (1.) 168.0 (5.) 219.7 (3.)
 Trefferlage 2.66 mm rechts, 0.09 mm tief
 Streuwert 2.81, horizontal: 3.41, vertikal: 2.05



Serie 2:
 9.3 ↗ 10.0 ↗ 8.1 ← 9.5 ↘ 9.0 ↖
 9.7 ↓ 6.6 → 10.2 * 9.8 ↗ 8.0 ↘
 beste Teiler 183.5 (18.) 229.7 (12.) 289.3 (19.)
 Trefferlage 0.31 mm rechts, 0.45 mm hoch
 Streuwert 4.07, horizontal: 5.20, vertikal: 2.45



Serie 3:
 9.3 → 10.2 * 10.1 ↘ 10.5 * 9.6 ↑
 10.1 → 9.0 → 7.8 → 9.3 ↗ 7.0 →
 beste Teiler 101.7 (24.) 180.2 (22.) 213.4 (26.)
 Trefferlage 3.24 mm rechts, 0.57 mm hoch
 Streuwert 2.73, horizontal: 3.44, vertikal: 1.75





Serie 4:
 9.9 ↘ 9.3 → 10.3 * 7.9 → 9.6 ↓
 8.3 → 8.5 ↘ 10.1 ← 9.6 ↓ 9.5 →
 beste Teiler 162.6 (33.) 221.1 (38.) 268.6 (31.)
 Trefferlage 2.33 mm rechts, 0.71 mm tief
 Streuwert 2.88, horizontal: 3.56, vertikal: 1.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (385.9)
 Serien: 91 92 94 93
 Zähler: 13 24 3 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 716 (6), 565 (32), 540 (21)
 beste Teiler 32.2 (23.) 59.9 (17.) 69.1 (1.)
 Trefferlage 0.87 mm rechts, 0.56 mm tief
 Streuwert 2.48, horizontal: 2.91, vertikal: 1.94




Serie 1:
 10.7 * 10.3 * 9.2 ↘ 9.8 ↘ 9.1 ↙
 8.1 ↘ 9.1 ↙ 9.3 ← 9.5 ↘ 9.8 ↗
 beste Teiler 69.1 (1.) 174.5 (2.) 282.3 (4.)
 Trefferlage 0.70 mm rechts, 1.60 mm tief
 Streuwert 2.73, horizontal: 3.36, vertikal: 1.89



Serie 2:
 9.5 ↘ 9.3 ↙ 9.0 ↘ 10.4 * 9.1 →
 9.5 ↘ 10.7 * 9.2 ↘ 9.5 ↘ 9.5 ↘
 beste Teiler 59.9 (17.) 140.6 (14.) 353.5 (11.)
 Trefferlage 2.07 mm rechts, 1.50 mm tief
 Streuwert 1.99, horizontal: 2.51, vertikal: 1.26



Serie 3:
 8.8 ↘ 9.9 ← 10.8 * 9.9 → 10.1 ↘
 9.2 → 10.7 * 10.2 * 10.3 * 9.0 ↙
 beste Teiler 32.2 (23.) 70.7 (27.) 172.9 (29.)
 Trefferlage 0.46 mm links, 0.38 mm hoch
 Streuwert 2.28, horizontal: 2.76, vertikal: 1.66





Serie 4:
 10.2 * 8.7 ↗ 10.1 ↓ 9.8 ↖ 10.0 ↗
 9.6 ↖ 9.3 ↘ 9.5 ↘ 10.2 * 9.0 →
 beste Teiler 182.2 (39.) 183.8 (31.) 202.0 (33.)
 Trefferlage 1.19 mm rechts, 0.47 mm hoch
 Streuwert 2.43, horizontal: 2.79, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	357	(371.1)
Serien:	90 88 88 91	
Zähler:	9 20 10 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	889 (4), 737 (15), 699 (26)	
beste Teiler	124.1 (1.) 158.5 (11.) 159.6 (7.)	
Trefferlage	1.32 mm rechts, 1.54 mm hoch	
Streuwert	2.92, horizontal: 3.57, vertikal: 2.08	




Serie 1:	10.5 *	8.5 →	10.1 ↙	7.4 →	9.3 ↗
	8.8 ↗	10.3 *	9.2 →	10.0 ↘	9.1 →
beste Teiler	124.1 (1.)	159.6 (7.)	211.3 (3.)		
Trefferlage	2.74 mm rechts, 1.29 mm hoch				
Streuwert	2.64, horizontal: 3.47, vertikal: 1.39				



Serie 2:	10.3 *	9.1 ↗	9.4 ↘	9.8 →	8.0 ↘
	8.3 →	9.9 ↘	9.6 ↘	8.3 ↖	9.0 ↑
beste Teiler	158.5 (11.)	264.6 (17.)	278.2 (14.)		
Trefferlage	0.16 mm rechts, 1.98 mm hoch				
Streuwert	3.28, horizontal: 3.71, vertikal: 2.79				



Serie 3:	9.1 ↖	8.3 →	9.2 ↗	10.2 *	8.9 ↖
	8.2 →	9.0 ↗	9.8 ↗	9.4 ↑	9.7 ↑
beste Teiler	179.2 (24.)	296.5 (28.)	305.8 (30.)		
Trefferlage	1.29 mm rechts, 1.73 mm hoch				
Streuwert	3.10, horizontal: 3.95, vertikal: 1.90				





Serie 4:	9.8 ↑	10.1 →	9.3 ↗	10.2 *	8.3 →
	8.8 ↘	9.3 →	9.5 ↘	10.1 ↘	9.0 →
beste Teiler	189.6 (34.)	205.8 (32.)	208.7 (39.)		
Trefferlage	1.07 mm rechts, 1.15 mm hoch				
Streuwert	2.74, horizontal: 3.17, vertikal: 2.24				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	360	(375.6)
Serien:	90 88 90 92	
Zähler:	13 15 11 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	852 (22), 706 (19), 688 (11)	
beste Teiler	55.0 (3.) 89.3 (32.) 127.0 (12.)	
Trefferlage	0.84 mm rechts, 0.84 mm hoch	
Streuwert	3.00, horizontal: 3.56, vertikal: 2.32	




Serie 1:	8.5 →	9.8 ↖	10.7 *	9.0 ↗	8.7 ↗
	9.4 ↗	9.7 ↙	9.3 ↙	9.3 ←	10.0 ↖
beste Teiler	55.0 (3.) 240.6 (10.) 279.4 (2.)				
Trefferlage	0.40 mm rechts, 0.76 mm hoch				
Streuwert	2.96, horizontal: 3.34, vertikal: 2.53				



Serie 2:	8.2 ↘	10.4 *	10.2 *	9.7 ↑	8.6 →
	10.2 *	8.4 →	9.3 ↘	8.1 →	8.3 ↖
beste Teiler	127.0 (12.) 189.9 (13.) 193.4 (16.)				
Trefferlage	1.75 mm rechts, 0.28 mm hoch				
Streuwert	3.51, horizontal: 4.22, vertikal: 2.63				



Serie 3:	10.0 ↑	7.5 ↗	10.2 *	10.3 *	9.9 ↓
	8.3 ↖	9.0 ↖	9.5 ↘	9.5 ↗	9.3 ↖
beste Teiler	163.3 (24.) 184.8 (23.) 241.5 (21.)				
Trefferlage	0.06 mm rechts, 1.73 mm hoch				
Streuwert	3.12, horizontal: 3.79, vertikal: 2.25				



Serie 4:	10.1 ↘	10.6 *	10.0 ↘	8.7 ↗	8.7 →
	9.4 ↗	10.1 →	8.9 ↖	10.1 ↑	9.7 ↖
beste Teiler	89.3 (32.) 205.9 (39.) 214.2 (37.)				
Trefferlage	1.16 mm rechts, 0.60 mm hoch				
Streuwert	2.56, horizontal: 3.10, vertikal: 1.88				

Unterschrift des Schützen

Meyton Elektronik