





Ergebnis:	364	(379.4)
Serien:	88 94 90 92	
Zähler:	13 19 7 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2432 (1), 2309 (21), 2265 (5)	
beste Teiler	162.9 (32.) 204.9 (23.) 327.2 (15.)	
Trefferlage	1.67 mm links, 2.19 mm hoch	
Streuwert	9.19, horizontal: 8.73, vertikal: 9.63	




Serie 1:	7.9 ↑	9.0 ↓	10.0 ↘	9.6 ↗	8.1 ↘
	8.9 ←	10.2 ↗	10.1 ↓	9.1 ←	8.3 ↓
beste Teiler	627.0 (7.) 691.7 (8.) 761.5 (3.)				
Trefferlage	0.77 mm rechts, 3.95 mm tief				
Streuwert	11.55, horizontal: 10.28, vertikal: 12.70				



Serie 2:	10.5 *	9.6 ↙	9.5 ↘	9.3 ↗	10.5 *
	9.1 ↘	9.0 ↘	9.3 ↑	10.4 *	10.2 →
beste Teiler	327.2 (15.) 352.1 (11.) 403.8 (19.)				
Trefferlage	2.21 mm links, 4.03 mm hoch				
Streuwert	7.22, horizontal: 6.95, vertikal: 7.48				



Serie 3:	8.1 ←	9.2 ↘	10.7 *	9.3 ↘	8.5 ↘
	9.7 ↗	10.1 ↗	9.7 ↑	9.7 ↗	9.5 ↗
beste Teiler	204.9 (23.) 661.3 (27.) 963.6 (26.)				
Trefferlage	1.97 mm links, 7.07 mm hoch				
Streuwert	8.24, horizontal: 10.76, vertikal: 4.47				





Serie 4:	9.9 ←	10.7 *	9.3 ↘	8.9 ↘	9.5 ↙
	10.3 ↘	8.4 ↑	9.0 ←	10.2 ↙	10.1 ↘
beste Teiler	162.9 (32.) 559.1 (36.) 623.1 (39.)				
Trefferlage	3.29 mm links, 1.62 mm hoch				
Streuwert	8.43, horizontal: 7.09, vertikal: 9.58				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (381.8)
 Serien: 89 92 93 89
 Zähler: 13 18 8 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2482 (36), 2238 (40), 1949 (3)
 beste Teiler 158.7 (12.) 170.0 (13.) 342.2 (31.)
 Trefferlage 0.58 mm rechts, 0.53 mm hoch
 Streuwert 9.04, horizontal: 7.62, vertikal: 10.26




Serie 1:
 9.5 ← 9.3 ↗ 8.5 ↘ 8.7 ↓ 9.5 ↑
 9.8 ↑ 10.1 ↗ 9.6 ↗ 9.5 ↑ 9.9 →
 beste Teiler 688.5 (7.) 840.8 (10.) 917.1 (6.)
 Trefferlage 4.29 mm rechts, 1.06 mm hoch
 Streuwert 8.89, horizontal: 7.50, vertikal: 10.10



Serie 2:
 8.7 ↓ 10.8 * 10.7 * 9.1 ↙ 8.9 →
 10.1 ↗ 8.6 ↑ 10.5 * 9.4 ↘ 10.0 ↓
 beste Teiler 158.7 (12.) 170.0 (13.) 349.8 (18.)
 Trefferlage 3.07 mm rechts, 3.03 mm tief
 Streuwert 8.38, horizontal: 6.84, vertikal: 9.68





Serie 3:
 9.2 ↑ 9.8 ↑ 9.9 ← 10.2 ← 8.6 ↑
 9.4 ← 10.2 ↓ 9.2 → 10.4 * 10.4 *
 beste Teiler 448.6 (30.) 470.4 (29.) 620.7 (24.)
 Trefferlage 1.58 mm links, 3.61 mm hoch
 Streuwert 7.50, horizontal: 7.25, vertikal: 7.74




Serie 4:
 10.5 * 9.5 ↘ 10.4 * 9.2 ↑ 9.4 ↓
 7.8 ↙ 9.2 ↘ 10.3 ↓ 8.8 ↓ 8.2 ↑
 beste Teiler 342.2 (31.) 438.2 (33.) 487.4 (38.)
 Trefferlage 3.45 mm links, 0.48 mm hoch
 Streuwert 10.63, horizontal: 7.11, vertikal: 13.25

Unterschrift des Schützen


Ergebnis: **358** (378.1)
 Serien: 93 86 88 91
 Zähler: 11 18 9 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3031 (16), 2689 (12), 2226 (14)
 beste Teiler 257.6 (1.) 366.9 (40.) 370.9 (19.)
 Trefferlage 1.16 mm rechts, 3.72 mm hoch
 Streuwert 9.37, horizontal: 9.98, vertikal: 8.73




Serie 1:
 10.6 * 9.6 ↖ 10.3 ↘ 10.3 ↖ 10.2 ←
 9.9 ↗ 9.1 ↖ 8.8 ↓ 9.6 → 9.8 ↖
 beste Teiler 257.6 (1.) 494.6 (4.) 540.9 (3.)
 Trefferlage 0.00 mm , 2.32 mm hoch
 Streuwert 7.35, horizontal: 5.68, vertikal: 8.70



Serie 2:
 10.0 ↑ 7.6 ↖ 8.6 ← 8.2 → 8.7 ↗
 7.2 → 9.5 ↑ 9.6 ↑ 10.5 * 10.2 →
 beste Teiler 370.9 (19.) 603.7 (20.) 743.1 (11.)
 Trefferlage 3.11 mm rechts, 7.09 mm hoch
 Streuwert 11.97, horizontal: 15.28, vertikal: 7.27





Serie 3:
 9.1 ← 10.2 ↑ 8.5 ↓ 9.8 → 8.9 ↑
 9.2 → 9.7 ↑ 8.4 ↑ 9.9 ↖ 9.2 →
 beste Teiler 609.5 (22.) 878.2 (29.) 930.1 (24.)
 Trefferlage 1.05 mm rechts, 5.04 mm hoch
 Streuwert 9.80, horizontal: 8.95, vertikal: 10.58




Serie 4:
 9.8 ← 9.3 ↖ 9.9 ↖ 9.9 ↓ 9.0 →
 10.3 ↓ 10.5 * 8.9 → 8.8 ↑ 10.5 *
 beste Teiler 366.9 (40.) 393.6 (37.) 537.9 (36.)
 Trefferlage 0.48 mm rechts, 0.44 mm hoch
 Streuwert 8.37, horizontal: 8.89, vertikal: 7.82

Unterschrift des Schützen


Ergebnis: **368** (383.4)
 Serien: 91 93 93 91
 Zähler: 14 20 6 0 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2038 (31), 2021 (9), 2007 (11)
 beste Teiler 402.9 (28.) 527.0 (15.) 560.4 (40.)
 Trefferlage 0.28 mm rechts, 2.43 mm tief
 Streuwert 8.22, horizontal: 7.73, vertikal: 8.69




Serie 1:
 9.6 → 10.0 ↙ 9.7 ↓ 10.1 ↓ 9.6 ↙
 10.2 ↗ 8.7 ↙ 9.2 ↑ 8.4 ↓ 9.3 ↗
 beste Teiler 615.9 (6.) 671.5 (4.) 799.9 (2.)
 Trefferlage 1.56 mm rechts, 3.37 mm tief
 Streuwert 8.96, horizontal: 8.48, vertikal: 9.41



Serie 2:
 8.4 ↖ 9.6 ↖ 10.0 ↓ 9.3 → 10.3 ↘
 10.1 → 9.0 ↑ 9.9 ↓ 9.6 ↘ 10.0 ↖
 beste Teiler 527.0 (15.) 695.2 (16.) 768.3 (20.)
 Trefferlage 0.89 mm rechts, 0.40 mm hoch
 Streuwert 8.58, horizontal: 9.37, vertikal: 7.72



Serie 3:
 9.2 ↓ 8.9 ↗ 9.2 ↓ 10.1 ← 10.2 →
 9.2 ↙ 10.0 ↓ 10.4 * 9.2 ↙ 9.5 →
 beste Teiler 402.9 (28.) 575.8 (25.) 687.1 (24.)
 Trefferlage 0.39 mm rechts, 4.42 mm tief
 Streuwert 7.92, horizontal: 6.69, vertikal: 8.99





Serie 4:
 8.4 ↙ 9.8 ↖ 9.6 ↙ 8.9 ↗ 9.8 ↙
 9.7 ↙ 10.1 ↗ 10.0 ↙ 9.9 ↓ 10.3 →
 beste Teiler 560.4 (40.) 674.4 (37.) 731.4 (38.)
 Trefferlage 1.71 mm links, 2.32 mm tief
 Streuwert 8.12, horizontal: 6.90, vertikal: 9.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (387.1)
 Serien: 94 93 88 92
 Zähler: 12 24 3 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2401 (21), 1890 (26), 1757 (4)
 beste Teiler 122.0 (5.) 311.9 (2.) 324.0 (36.)
 Trefferlage 0.54 mm links, 1.18 mm hoch
 Streuwert 8.05, horizontal: 8.27, vertikal: 7.82




Serie 1:
 9.7 ↘ 10.6 * 10.4 ↙ 8.8 ↘ 10.8 *
 10.4 * 9.0 ↗ 9.8 ← 9.9 ↑ 10.3 →
 beste Teiler 122.0 (5.) 311.9 (2.) 419.1 (6.)
 Trefferlage 0.36 mm links, 0.87 mm tief
 Streuwert 6.99, horizontal: 5.59, vertikal: 8.15



Serie 2:
 8.8 → 9.3 ↑ 10.0 ↖ 9.6 ↙ 10.2 ↙
 10.5 * 10.0 ← 9.4 → 9.3 → 9.7 ↓
 beste Teiler 336.9 (16.) 591.8 (15.) 728.7 (17.)
 Trefferlage 2.20 mm rechts, 1.25 mm tief
 Streuwert 7.89, horizontal: 8.70, vertikal: 6.99



Serie 3:
 7.9 ↗ 9.5 ← 9.8 ↑ 10.5 * 9.4 ↗
 8.6 → 9.9 ← 9.2 ↑ 9.5 ← 9.6 ↖
 beste Teiler 363.0 (24.) 839.5 (27.) 946.1 (23.)
 Trefferlage 0.72 mm rechts, 6.44 mm hoch
 Streuwert 8.93, horizontal: 10.24, vertikal: 7.39





Serie 4:
 9.0 ← 9.7 ← 9.6 ↗ 9.5 ↓ 9.9 ↓
 10.5 * 9.3 ← 9.8 ↑ 10.2 ← 9.2 ↘
 beste Teiler 324.0 (36.) 631.0 (39.) 858.6 (35.)
 Trefferlage 4.74 mm links, 0.41 mm hoch
 Streuwert 7.32, horizontal: 7.43, vertikal: 7.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (377.7)
 Serien: 92 86 91 91
 Zähler: 13 17 8 1 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3227 (20), 2742 (15), 2327 (3)
 beste Teiler 184.0 (1.) 262.2 (13.) 300.9 (12.)
 Trefferlage 1.26 mm links, 0.81 mm tief
 Streuwert 9.87, horizontal: 10.38, vertikal: 9.34




Serie 1:
 10.7 * 8.4 ↘ 8.0 ↘ 8.7 ← 10.0 ↗
 10.2 ← 8.7 → 10.1 ← 10.4 * 10.1 ↖
 beste Teiler 184.0 (1.) 433.7 (9.) 622.5 (6.)
 Trefferlage 1.60 mm links, 2.59 mm tief
 Streuwert 9.75, horizontal: 9.85, vertikal: 9.65



Serie 2:
 8.2 ↗ 10.6 * 10.6 * 8.9 → 7.5 ←
 9.4 ↗ 9.3 ↘ 9.8 → 10.4 * 6.9 ↙
 beste Teiler 262.2 (13.) 300.9 (12.) 474.0 (19.)
 Trefferlage 0.19 mm links, 1.13 mm tief
 Streuwert 12.84, horizontal: 14.13, vertikal: 11.41



Serie 3:
 9.7 ↙ 9.8 ↗ 10.3 → 10.3 ↘ 9.4 ←
 9.4 ↘ 9.3 ← 9.5 → 8.6 ↑ 9.3 ↙
 beste Teiler 513.6 (23.) 536.5 (24.) 921.2 (22.)
 Trefferlage 1.25 mm links, 0.81 mm tief
 Streuwert 8.63, horizontal: 9.19, vertikal: 8.03





Serie 4:
 8.4 ↗ 10.1 → 9.2 ← 9.5 ↖ 9.0 ↙
 9.6 ← 9.8 ↓ 9.4 → 9.7 ↑ 10.5 *
 beste Teiler 371.3 (40.) 717.7 (32.) 924.0 (37.)
 Trefferlage 1.99 mm links, 1.30 mm hoch
 Streuwert 9.09, horizontal: 9.13, vertikal: 9.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.8)
 Serien: 91 91 90 93
 Zähler: 13 19 8 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2255 (25), 2085 (10), 1922 (37)
 beste Teiler 348.4 (13.) 368.5 (33.) 400.3 (11.)
 Trefferlage 1.43 mm links, 0.93 mm tief
 Streuwert 8.34, horizontal: 8.96, vertikal: 7.68




Serie 1:
 9.7 ↖ 9.9 ↙ 9.3 ↓ 10.0 ← 10.1 ←
 8.9 ↘ 8.9 ↑ 10.2 ↑ 10.4 * 8.3 ↑
 beste Teiler 435.7 (9.) 611.2 (8.) 645.8 (5.)
 Trefferlage 4.07 mm links, 0.68 mm hoch
 Streuwert 8.47, horizontal: 4.50, vertikal: 11.11



Serie 2:
 10.5 * 9.8 → 10.5 * 9.6 ↗ 9.4 ↘
 8.8 ← 9.7 ↖ 9.8 ↘ 9.9 ↘ 9.8 ↘
 beste Teiler 348.4 (13.) 400.3 (11.) 828.1 (19.)
 Trefferlage 2.04 mm links, 1.25 mm tief
 Streuwert 7.35, horizontal: 8.13, vertikal: 6.48



Serie 3:
 9.1 ↖ 10.2 ← 9.5 ↖ 10.2 ↖ 8.1 ↖
 9.7 ↗ 9.6 ↘ 9.8 ↓ 8.8 → 9.0 ↖
 beste Teiler 585.0 (24.) 594.2 (22.) 927.4 (28.)
 Trefferlage 3.06 mm links, 4.07 mm tief
 Streuwert 9.19, horizontal: 10.64, vertikal: 7.47





Serie 4:
 10.2 ↗ 10.4 * 10.5 * 9.7 ↗ 9.5 ↘
 10.4 * 8.5 ← 9.3 → 10.1 → 8.7 →
 beste Teiler 368.5 (33.) 419.3 (36.) 459.2 (32.)
 Trefferlage 3.44 mm rechts, 0.90 mm hoch
 Streuwert 7.99, horizontal: 10.53, vertikal: 4.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384.4** (369)
 Serien: 95.4 98.4 95.8 94.8
 Zähler: 17 17 4 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2903 (27), 2554 (9), 2138 (25)
 beste Teiler 36.6 (21.) 167.6 (17.) 192.0 (37.)
 Trefferlage 2.29 mm rechts, 0.17 mm hoch
 Streuwert 8.74, horizontal: 7.94, vertikal: 9.48




Serie 1:
 8.6 ↗ 9.6 ↓ 10.3 ↓ 10.4 * 9.5 ↘
 10.2 ↓ 10.6 * 9.5 ↘ 7.8 ↘ 8.9 ←
 beste Teiler 249.3 (7.) 424.4 (4.) 552.1 (3.)
 Trefferlage 4.37 mm rechts, 5.19 mm tief
 Streuwert 8.44, horizontal: 9.55, vertikal: 7.17



Serie 2:
 10.2 ↙ 9.6 ↙ 9.1 → 9.7 ↘ 10.1 ↖
 9.2 ↓ 10.7 * 10.1 ↗ 9.4 → 10.3 ↖
 beste Teiler 167.6 (17.) 534.9 (20.) 596.6 (11.)
 Trefferlage 2.43 mm rechts, 1.89 mm tief
 Streuwert 6.86, horizontal: 7.43, vertikal: 6.24



Serie 3:
 10.9 * 10.1 ↖ 10.0 → 10.2 → 8.3 ↗
 9.0 ↑ 7.3 ↑ 9.3 ↑ 10.4 * 10.3 ↑
 beste Teiler 36.6 (21.) 420.4 (29.) 488.5 (30.)
 Trefferlage 2.29 mm rechts, 7.52 mm hoch
 Streuwert 8.42, horizontal: 6.57, vertikal: 9.93



Serie 4:
 9.6 ↗ 9.1 ↙ 9.0 → 8.5 ↓ 9.2 ↑
 9.7 ↘ 10.7 * 9.3 ↓ 9.5 ↑ 10.2 ←
 beste Teiler 192.0 (37.) 570.3 (40.) 993.9 (36.)
 Trefferlage 0.06 mm rechts, 0.28 mm hoch
 Streuwert 9.40, horizontal: 8.55, vertikal: 10.18

Unterschrift des Schützen