





Ergebnis: **291** (308.6)
 Serien: 70 77 73 71
 Zähler: 1 11 8 9 4 4 2 1 0 0
 Innenzehner: 1
 weiteste: 1906 (25), 1556 (5), 1551 (21)
 beste Teiler 98.4 (23.) 286.5 (13.) 339.6 (17.)
 Trefferlage 0.65 mm rechts, 0.27 mm tief
 Streuwert 6.43, horizontal: 7.29, vertikal: 5.45




Serie 1:
 5.6 ↗ 8.3 ↘ 9.1 ↗ 6.6 ↖ 4.7 ↘
 8.4 ← 8.4 ← 8.4 ← 7.6 ↗ 7.2 ←
 beste Teiler 468.4 (3.) 633.9 (7.) 636.8 (6.)
 Trefferlage 0.23 mm links, 0.33 mm hoch
 Streuwert 7.02, horizontal: 7.96, vertikal: 5.94



Serie 2:
 8.3 ↘ 9.2 ↗ 9.8 ↘ 7.0 ↑ 8.5 ↘
 5.9 ← 9.6 ← 8.2 ↘ 7.5 → 7.5 →
 beste Teiler 286.5 (13.) 339.6 (17.) 440.0 (12.)
 Trefferlage 0.01 mm rechts, 0.74 mm tief
 Streuwert 5.65, horizontal: 6.36, vertikal: 4.85



Serie 3:
 4.7 ↘ 8.3 ↘ 10.6 * 6.3 ↘ 3.3 →
 9.3 ↘ 9.6 ↗ 9.2 ↘ 6.3 ← 9.0 ↘
 beste Teiler 98.4 (23.) 350.6 (27.) 415.8 (26.)
 Trefferlage 0.74 mm rechts, 0.94 mm tief
 Streuwert 7.34, horizontal: 8.89, vertikal: 5.35





Serie 4:
 6.5 ← 7.7 → 7.9 → 7.6 ↑ 9.2 ←
 5.9 ↗ 7.4 ↘ 5.5 ↘ 9.2 ↘ 9.3 →
 beste Teiler 422.3 (40.) 446.8 (39.) 448.1 (35.)
 Trefferlage 2.09 mm rechts, 0.24 mm hoch
 Streuwert 6.46, horizontal: 6.61, vertikal: 6.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **292** (313.4)
 Serien: 74 72 80 66
 Zähler: 0 8 14 7 7 2 1 1 0 0
 Innenzehner: 0
 weiteste: 1757 (37), 1509 (32), 1484 (5)
 beste Teiler 274.7 (6.) 339.6 (31.) 349.0 (28.)
 Trefferlage 1.71 mm rechts, 0.62 mm tief
 Streuwert 6.01, horizontal: 6.66, vertikal: 5.28




Serie 1:
 6.5 ← 7.0 → 9.2 ← 8.8 ↓ 5.0 →
 9.9 ↓ 6.3 → 8.3 ↙ 8.9 ↓ 8.2 ↓
 beste Teiler 274.7 (6.) 443.2 (3.) 521.4 (9.)
 Trefferlage 1.74 mm rechts, 2.91 mm tief
 Streuwert 5.95, horizontal: 7.99, vertikal: 2.62



Serie 2:
 7.9 ↗ 8.8 ↗ 6.9 ↘ 6.2 → 8.9 →
 9.5 → 8.1 ↘ 5.5 ↑ 9.3 ← 6.1 →
 beste Teiler 360.7 (16.) 411.8 (19.) 524.0 (15.)
 Trefferlage 4.89 mm rechts, 0.54 mm hoch
 Streuwert 5.41, horizontal: 4.65, vertikal: 6.08



Serie 3:
 8.7 ↙ 9.2 → 8.6 ↖ 7.8 ↙ 8.9 ↑
 7.0 ↓ 8.6 ← 9.6 ← 9.1 ← 7.7 ↘
 beste Teiler 349.0 (28.) 433.5 (22.) 472.4 (29.)
 Trefferlage 1.36 mm links, 0.91 mm tief
 Streuwert 4.59, horizontal: 4.67, vertikal: 4.51





Serie 4:
 9.6 ↖ 4.9 ↖ 7.6 ↙ 8.7 ↑ 7.9 ↗
 6.6 ↘ 3.9 → 8.9 → 8.3 ↑ 6.5 ↓
 beste Teiler 339.6 (31.) 525.7 (38.) 558.4 (34.)
 Trefferlage 1.59 mm rechts, 0.76 mm hoch
 Streuwert 7.41, horizontal: 7.94, vertikal: 6.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (328.4)
 Serien: 78 73 77 85
 Zähler: 3 12 10 7 6 2 0 0 0 0
 Innenzehner: 1
 weiteste: 1442 (21), 1328 (13), 1242 (10)
 beste Teiler 71.3 (40.) 212.4 (33.) 231.0 (6.)
 Trefferlage 0.58 mm links, 0.74 mm hoch
 Streuwert 5.41, horizontal: 5.82, vertikal: 4.95




Serie 1:
 9.5 → 7.7 ↙ 7.5 ↑ 6.6 ↘ 8.8 ↗
 10.0 ↑ 8.5 → 8.3 ↑ 9.2 ↘ 6.0 ↖
 beste Teiler 231.0 (6.) 352.4 (1.) 431.6 (9.)
 Trefferlage 0.61 mm rechts, 1.06 mm hoch
 Streuwert 5.52, horizontal: 5.54, vertikal: 5.51



Serie 2:
 7.0 ↙ 7.0 → 5.6 ↙ 8.1 → 9.6 ↖
 9.0 ↖ 7.6 → 6.0 ↘ 9.9 ← 6.9 ↑
 beste Teiler 261.0 (19.) 338.3 (15.) 493.9 (16.)
 Trefferlage 1.62 mm links, 1.26 mm hoch
 Streuwert 6.46, horizontal: 7.84, vertikal: 4.70



Serie 3:
 5.2 ↓ 9.5 ↖ 9.2 ↗ 7.7 ↖ 8.0 ←
 8.8 ↖ 9.1 ↘ 8.3 ↓ 6.7 → 8.0 ←
 beste Teiler 366.8 (22.) 433.3 (23.) 474.3 (27.)
 Trefferlage 1.53 mm links, 1.83 mm tief
 Streuwert 5.63, horizontal: 5.65, vertikal: 5.61





Serie 4:
 9.4 → 9.0 ↗ 10.1 ↖ 9.1 ← 8.7 ↘
 8.6 ↘ 6.6 ↘ 9.0 ↑ 7.9 ↗ 10.7 *
 beste Teiler 71.3 (40.) 212.4 (33.) 387.0 (31.)
 Trefferlage 0.20 mm rechts, 2.49 mm hoch
 Streuwert 3.86, horizontal: 4.30, vertikal: 3.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (334.8)
 Serien: 76 80 76 88
 Zähler: 3 15 11 6 2 2 0 1 0 0
 Innenzehner: 2
 weiteste: 1819 (10), 1325 (5), 1258 (28)
 beste Teiler 181.8 (6.) 187.7 (37.) 244.1 (39.)
 Trefferlage 1.41 mm links, 0.02 mm hoch
 Streuwert 5.12, horizontal: 6.38, vertikal: 3.43




Serie 1:
 9.9 ↗ 6.1 ← 7.4 ← 9.1 → 5.7 →
 10.2 * 9.1 ↓ 9.3 ← 9.5 ← 3.7 →
 beste Teiler 181.8 (6.) 273.0 (1.) 360.2 (9.)
 Trefferlage 0.90 mm rechts, 1.82 mm tief
 Streuwert 6.55, horizontal: 8.67, vertikal: 3.27



Serie 2:
 7.1 ↘ 8.6 ← 8.2 ← 8.7 ← 9.0 ←
 9.8 → 8.7 ↑ 8.0 → 7.9 ↖ 8.5 ↘
 beste Teiler 294.0 (16.) 500.9 (15.) 569.7 (14.)
 Trefferlage 2.74 mm links, 0.52 mm hoch
 Streuwert 4.36, horizontal: 4.70, vertikal: 3.99



Serie 3:
 8.2 ↙ 9.1 ↖ 8.5 ↘ 6.6 ← 7.6 ←
 7.2 → 9.2 ↑ 5.9 ← 8.5 ← 9.9 ↘
 beste Teiler 271.5 (30.) 448.0 (27.) 473.4 (22.)
 Trefferlage 3.34 mm links, 0.20 mm tief
 Streuwert 5.25, horizontal: 6.76, vertikal: 3.10





Serie 4:
 9.0 ↗ 9.2 ↖ 9.0 ↘ 9.1 ← 8.4 ↑
 9.0 ↘ 10.2 * 8.0 → 10.0 → 7.7 ←
 beste Teiler 187.7 (37.) 244.1 (39.) 449.8 (32.)
 Trefferlage 0.49 mm links, 1.60 mm hoch
 Streuwert 3.77, horizontal: 4.53, vertikal: 2.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **318** (334.9)
 Serien: 81 75 76 86
 Zähler: 7 9 8 9 5 2 0 0 0 0
 Innenzehner: 5
 weiteste: 1403 (15), 1354 (27), 1184 (8)
 beste Teiler 103.0 (6.) 110.2 (29.) 159.1 (36.)
 Trefferlage 1.23 mm links, 0.19 mm hoch
 Streuwert 5.16, horizontal: 5.58, vertikal: 4.70




Serie 1:
 8.0 ↑ 7.6 ↓ 9.2 ↗ 10.2 * 9.7 →
 10.5 * 8.1 ← 6.2 ↑ 8.6 ↑ 6.9 ↓
 beste Teiler 103.0 (6.) 185.1 (4.) 301.9 (5.)
 Trefferlage 0.80 mm rechts, 0.69 mm hoch
 Streuwert 5.13, horizontal: 3.24, vertikal: 6.50



Serie 2:
 8.5 → 10.1 ↗ 9.5 ↘ 8.1 ← 5.3 →
 7.8 ← 7.5 ↘ 9.9 ← 6.9 ↓ 6.8 ←
 beste Teiler 207.5 (12.) 254.8 (18.) 363.6 (13.)
 Trefferlage 1.08 mm links, 1.18 mm tief
 Streuwert 5.93, horizontal: 7.30, vertikal: 4.14



Serie 3:
 8.4 → 9.1 ↘ 10.2 * 6.9 ← 7.8 ↘
 7.2 ↘ 5.5 ← 7.0 ← 10.5 * 7.2 ←
 beste Teiler 110.2 (29.) 192.8 (23.) 463.1 (22.)
 Trefferlage 3.81 mm links, 0.72 mm tief
 Streuwert 5.47, horizontal: 6.64, vertikal: 3.98





Serie 4:
 9.1 → 9.8 ↘ 9.5 ← 7.3 ↘ 8.7 →
 10.3 * 10.0 ↓ 9.2 ↘ 8.5 ↑ 7.3 ↘
 beste Teiler 159.1 (36.) 243.1 (37.) 289.0 (32.)
 Trefferlage 0.85 mm links, 1.99 mm hoch
 Streuwert 3.80, horizontal: 3.89, vertikal: 3.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **300** (317.4)
 Serien: 69 82 78 71
 Zähler: 5 11 3 10 5 3 3 0 0 0
 Innenzehner: 5
 weiteste: 1659 (4), 1602 (9), 1569 (10)
 beste Teiler 160.0 (26.) 178.3 (5.) 181.7 (14.)
 Trefferlage 0.50 mm links, 1.39 mm tief
 Streuwert 6.13, horizontal: 6.99, vertikal: 5.12




Serie 1:
 7.2 ↖ 5.4 ← 10.2 * 4.3 ↘ 10.2 *
 9.7 ↓ 9.9 ↓ 7.5 → 4.5 ↓ 4.7 ←
 beste Teiler 178.3 (5.) 192.8 (3.) 264.2 (7.)
 Trefferlage 0.36 mm links, 2.30 mm tief
 Streuwert 7.83, horizontal: 9.17, vertikal: 6.20



Serie 2:
 9.2 ↖ 7.1 ↖ 7.7 ↓ 10.2 * 7.6 ↖
 9.8 ↖ 10.2 * 8.4 ↘ 6.8 ← 9.5 ↓
 beste Teiler 181.7 (14.) 197.9 (17.) 278.4 (16.)
 Trefferlage 1.50 mm links, 0.02 mm hoch
 Streuwert 4.74, horizontal: 4.59, vertikal: 4.88



Serie 3:
 8.5 ↗ 9.4 ↘ 9.2 ↘ 7.4 ← 5.0 ↘
 10.3 * 7.2 ↓ 9.3 ↙ 9.1 ↖ 5.7 ↙
 beste Teiler 160.0 (26.) 385.5 (22.) 416.5 (28.)
 Trefferlage 0.61 mm rechts, 1.93 mm tief
 Streuwert 5.92, horizontal: 6.75, vertikal: 4.94





Serie 4:
 6.4 → 7.9 ↖ 7.4 ↘ 6.7 ↖ 8.0 ←
 9.7 ↓ 7.0 ↖ 9.3 ↘ 6.9 ↙ 6.9 ↘
 beste Teiler 313.6 (36.) 407.7 (38.) 733.0 (35.)
 Trefferlage 0.76 mm links, 1.34 mm tief
 Streuwert 6.39, horizontal: 7.64, vertikal: 4.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **322** (337.5)
 Serien: 81 82 80 79
 Zähler: 5 11 14 4 4 1 1 0 0 0
 Innenzehner: 4
 weiteste: 1638 (2), 1363 (11), 1225 (22)
 beste Teiler 121.4 (15.) 146.8 (6.) 171.3 (10.)
 Trefferlage 0.75 mm links, 0.24 mm tief
 Streuwert 5.11, horizontal: 5.81, vertikal: 4.30




Serie 1:
 9.5 → 4.4 ↗ 9.1 ↗ 9.1 ↘ 8.4 ↖
 10.4 * 8.0 ↘ 6.4 ↖ 8.3 ← 10.3 *
 beste Teiler 146.8 (6.) 171.3 (10.) 351.1 (1.)
 Trefferlage 0.55 mm rechts, 1.39 mm hoch
 Streuwert 5.64, horizontal: 6.03, vertikal: 5.24



Serie 2:
 5.5 → 6.2 ← 9.1 ← 8.6 ↑ 10.5 *
 9.5 ↖ 8.1 ← 10.2 * 9.3 → 8.8 ↖
 beste Teiler 121.4 (15.) 184.3 (18.) 360.7 (16.)
 Trefferlage 1.15 mm links, 0.69 mm hoch
 Streuwert 5.16, horizontal: 6.83, vertikal: 2.57



Serie 3:
 9.6 ← 6.1 ← 9.2 ↑ 8.8 ↘ 7.3 ↘
 8.6 ↓ 8.3 ← 9.6 ↘ 9.8 ← 7.1 ↘
 beste Teiler 299.8 (29.) 338.0 (28.) 348.7 (21.)
 Trefferlage 0.36 mm links, 2.51 mm tief
 Streuwert 4.85, horizontal: 5.89, vertikal: 3.52





Serie 4:
 9.1 ↗ 7.4 ↖ 6.5 ← 8.7 ↓ 8.3 ↖
 8.3 ← 8.8 → 8.7 ↓ 7.6 ↗ 10.0 ↖
 beste Teiler 234.5 (40.) 454.5 (31.) 532.7 (37.)
 Trefferlage 2.07 mm links, 0.53 mm tief
 Streuwert 4.93, horizontal: 4.96, vertikal: 4.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340.8** (320)
 Serien: 86.9 79.8 86.5 87.6
 Zähler: 4 12 12 7 3 1 1 0 0 0
 Innenzehner: 3
 weiteste: 1530 (18), 1308 (20), 1098 (32)
 beste Teiler 23.3 (21.) 125.8 (13.) 173.1 (23.)
 Trefferlage 1.27 mm links, 0.27 mm tief
 Streuwert 4.85, horizontal: 5.15, vertikal: 4.53




Serie 1:
 7.9 → 9.7 ↑ 8.9 ↘ 7.4 ↘ 9.9 ↙
 8.8 ← 6.9 ↑ 9.0 ↑ 9.4 ↗ 9.0 ↓
 beste Teiler 272.3 (5.) 308.3 (2.) 376.1 (9.)
 Trefferlage 1.26 mm rechts, 0.44 mm hoch
 Streuwert 4.44, horizontal: 3.63, vertikal: 5.13



Serie 2:
 8.6 ↑ 8.0 ↓ 10.5 * 9.3 ↙ 8.7 ↑
 7.9 ↙ 8.8 ↓ 4.8 ← 7.5 ↓ 5.7 ↖
 beste Teiler 125.8 (13.) 422.7 (14.) 527.3 (17.)
 Trefferlage 3.81 mm links, 1.07 mm tief
 Streuwert 5.55, horizontal: 5.80, vertikal: 5.29



Serie 3:
 10.9 * 7.1 ↘ 10.3 * 8.2 → 6.8 ←
 10.1 ↓ 9.1 ← 8.4 ↑ 8.4 ↘ 7.2 ↖
 beste Teiler 23.3 (21.) 173.1 (23.) 224.2 (26.)
 Trefferlage 0.54 mm links, 0.83 mm tief
 Streuwert 4.94, horizontal: 6.01, vertikal: 3.55



Serie 4:
 9.8 ↘ 6.6 ↘ 9.2 ↗ 8.9 ↓ 9.9 ↘
 7.2 ↘ 8.7 ↙ 8.7 ↓ 9.1 ← 9.5 ←
 beste Teiler 264.7 (35.) 291.8 (31.) 368.5 (40.)
 Trefferlage 2.01 mm links, 0.38 mm hoch
 Streuwert 4.28, horizontal: 4.07, vertikal: 4.47

Unterschrift des Schützen

Meyton Elektronik