





Ergebnis: **379** (396.5)
 Serien: 95 92 95 97
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 566 (15), 519 (28), 468 (8)
 beste Teiler 45.5 (14.) 88.3 (20.) 94.0 (36.)
 Trefferlage 0.50 mm rechts, 0.79 mm tief
 Streuwert 1.97, horizontal: 2.23, vertikal: 1.66




Serie 1:
 9.1 ↘ 9.9 → 10.2 * 9.5 ↓ 10.2 *
 10.6 * 9.7 ← 9.1 ↘ 10.3 * 10.0 →
 beste Teiler 98.0 (6.) 171.8 (9.) 194.4 (5.)
 Trefferlage 1.42 mm rechts, 0.99 mm tief
 Streuwert 1.84, horizontal: 2.07, vertikal: 1.59



Serie 2:
 9.9 → 9.6 → 9.1 ↓ 10.8 * 8.7 ↙
 9.9 ↙ 10.0 ↘ 9.6 ← 9.5 ↓ 10.6 *
 beste Teiler 45.5 (14.) 88.3 (20.) 233.3 (17.)
 Trefferlage 0.32 mm links, 1.09 mm tief
 Streuwert 2.32, horizontal: 2.41, vertikal: 2.22



Serie 3:
 9.3 → 10.4 * 10.2 * 10.2 * 10.6 *
 10.3 * 9.5 ↓ 8.9 ← 10.5 * 9.7 →
 beste Teiler 98.2 (25.) 118.6 (29.) 147.6 (22.)
 Trefferlage 0.34 mm rechts, 0.22 mm tief
 Streuwert 2.11, horizontal: 2.45, vertikal: 1.70





Serie 4:
 9.5 → 9.8 ← 10.5 * 10.0 ↘ 9.7 ↘
 10.6 * 10.0 ↓ 10.0 ↘ 10.4 * 10.1 ←
 beste Teiler 94.0 (36.) 102.2 (33.) 137.3 (39.)
 Trefferlage 0.55 mm rechts, 0.87 mm tief
 Streuwert 1.55, horizontal: 1.93, vertikal: 1.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (396.0)
 Serien: 90 96 98 97
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 614 (8), 513 (10), 480 (3)
 beste Teiler 85.2 (2.) 85.4 (5.) 95.0 (13.)
 Trefferlage 1.20 mm rechts, 0.21 mm tief
 Streuwert 1.90, horizontal: 2.28, vertikal: 1.43




Serie 1:
 9.8 ← 10.6 * 9.0 → 9.3 ↘ 10.6 *
 9.2 → 9.8 → 8.5 → 9.9 ↖ 8.9 →
 beste Teiler 85.2 (2.) 85.4 (5.) 263.5 (9.)
 Trefferlage 1.54 mm rechts, 0.30 mm hoch
 Streuwert 2.61, horizontal: 3.50, vertikal: 1.16



Serie 2:
 10.0 ↘ 10.1 ↑ 10.6 * 9.9 → 9.7 →
 9.6 → 9.3 ↘ 10.0 ↗ 10.0 ← 10.2 *
 beste Teiler 95.0 (13.) 184.6 (20.) 219.0 (12.)
 Trefferlage 1.14 mm rechts, 0.10 mm hoch
 Streuwert 1.78, horizontal: 2.15, vertikal: 1.31



Serie 3:
 9.3 → 10.3 * 10.0 ↘ 10.3 * 9.2 ↘
 10.5 * 10.5 * 10.2 * 10.2 * 10.6 *
 beste Teiler 97.2 (30.) 101.1 (26.) 124.9 (27.)
 Trefferlage 1.24 mm rechts, 0.48 mm tief
 Streuwert 1.46, horizontal: 1.55, vertikal: 1.37





Serie 4:
 10.1 ↘ 9.6 → 10.0 → 10.1 → 10.4 *
 10.2 * 9.4 ↓ 9.4 ↙ 10.2 * 10.5 *
 beste Teiler 110.4 (40.) 132.5 (35.) 179.1 (39.)
 Trefferlage 0.86 mm rechts, 0.77 mm tief
 Streuwert 1.73, horizontal: 1.70, vertikal: 1.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (393.5)
 Serien: 95 96 90 93
 Zähler: 19 17 3 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 854 (24), 570 (32), 568 (22)
 beste Teiler 9.8 (38.) 34.9 (13.) 46.1 (3.)
 Trefferlage 0.95 mm rechts, 0.04 mm hoch
 Streuwert 2.25, horizontal: 2.66, vertikal: 1.74




Serie 1:
 8.7 → 10.3 * 10.8 * 10.0 → 9.4 ←
 10.6 * 9.5 → 10.6 * 9.6 ↑ 10.5 *
 beste Teiler 46.1 (3.) 77.8 (8.) 81.2 (6.)
 Trefferlage 0.93 mm rechts, 0.30 mm hoch
 Streuwert 2.03, horizontal: 2.54, vertikal: 1.32



Serie 2:
 9.5 ← 10.2 * 10.8 * 9.7 → 10.6 *
 9.3 → 10.2 * 9.7 → 10.6 * 10.3 *
 beste Teiler 34.9 (13.) 77.8 (15.) 84.3 (19.)
 Trefferlage 0.84 mm rechts, 0.51 mm tief
 Streuwert 1.65, horizontal: 2.20, vertikal: 0.80



Serie 3:
 9.6 ← 8.7 ← 10.2 * 7.5 → 9.3 ↑
 9.4 ↘ 9.4 → 9.4 ↘ 10.6 * 10.5 *
 beste Teiler 99.1 (29.) 102.9 (30.) 189.6 (23.)
 Trefferlage 0.56 mm rechts, 0.55 mm hoch
 Streuwert 3.15, horizontal: 3.73, vertikal: 2.45





Serie 4:
 10.0 ↘ 8.7 → 10.0 → 9.8 ↓ 9.8 →
 9.8 ← 9.5 ↑ 10.9 * 9.4 → 10.1 →
 beste Teiler 9.8 (38.) 206.2 (40.) 228.1 (33.)
 Trefferlage 1.47 mm rechts, 0.17 mm tief
 Streuwert 2.11, horizontal: 2.22, vertikal: 2.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	378	(397.0)
Serien:	93 95 95 95	
Zähler:	23 12 5 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	604 (21), 599 (8), 533 (11)	
beste Teiler	3.6 (34.) 81.8 (27.) 88.2 (29.)	
Trefferlage	1.02 mm rechts, 0.37 mm hoch	
Streuwert	1.96, horizontal: 2.05, vertikal: 1.87	




Serie 1:	9.6 ↘	9.9 ↓	9.9 ↙	9.5 ↘	10.3 *
	10.0 →	10.3 *	8.6 ↑	10.4 *	9.2 ↗
beste Teiler	144.5 (9.) 151.3 (5.) 161.0 (7.)				
Trefferlage	0.59 mm rechts, 0.13 mm hoch				
Streuwert	2.40, horizontal: 1.97, vertikal: 2.77				



Serie 2:	8.8 →	9.9 ↑	10.6 *	10.3 *	10.3 *
	9.9 ↗	9.5 →	10.0 ↘	10.3 *	10.1 ↑
beste Teiler	98.9 (13.) 165.1 (19.) 165.7 (14.)				
Trefferlage	1.08 mm rechts, 1.11 mm hoch				
Streuwert	1.70, horizontal: 2.07, vertikal: 1.22				



Serie 3:	8.5 ↗	10.2 *	10.4 *	10.0 →	9.9 →
	10.0 →	10.6 *	8.9 →	10.6 *	10.2 *
beste Teiler	81.8 (27.) 88.2 (29.) 138.0 (23.)				
Trefferlage	1.69 mm rechts, 0.13 mm hoch				
Streuwert	1.87, horizontal: 2.36, vertikal: 1.19				





Serie 4:	10.4 *	9.6 →	9.9 ↓	10.9 *	9.9 ↗
	8.8 ↘	10.2 *	10.2 *	10.3 *	10.1 ↗
beste Teiler	3.6 (34.) 150.4 (31.) 166.9 (39.)				
Trefferlage	0.73 mm rechts, 0.10 mm hoch				
Streuwert	1.92, horizontal: 1.91, vertikal: 1.93				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(395.6)
Serien:	96 96 93 95	
Zähler:	22 16 2 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	692 (22), 661 (26), 471 (19)	
beste Teiler	14.7 (40.) 76.4 (3.) 89.0 (7.)	
Trefferlage	0.19 mm links, 0.29 mm hoch	
Streuwert	2.15, horizontal: 2.43, vertikal: 1.83	




Serie 1:	9.8 ↘	10.2 *	10.6 *	9.3 ↑	9.7 ↑
	10.4 *	10.6 *	10.1 ←	9.9 ←	10.0 ←
beste Teiler	76.4 (3.) 89.0 (7.) 138.1 (6.)				
Trefferlage	0.91 mm links, 0.40 mm hoch				
Streuwert	1.64, horizontal: 1.36, vertikal: 1.88				



Serie 2:	9.2 ↖	10.3 *	10.0 →	10.3 *	10.0 ↖
	9.7 ↖	9.3 →	10.6 *	9.1 ↓	10.2 *
beste Teiler	93.6 (18.) 158.8 (12.) 159.2 (14.)				
Trefferlage	0.48 mm links, 0.14 mm hoch				
Streuwert	2.18, horizontal: 2.42, vertikal: 1.92				



Serie 3:	10.2 *	8.2 ↖	10.5 *	9.9 ↙	10.3 *
	8.3 →	9.7 ↖	10.3 *	9.6 ↖	10.4 *
beste Teiler	110.7 (23.) 126.6 (30.) 154.0 (25.)				
Trefferlage	0.43 mm links, 0.67 mm hoch				
Streuwert	2.63, horizontal: 3.26, vertikal: 1.81				





Serie 4:	9.1 →	9.7 →	10.2 *	9.6 ↗	10.3 *
	9.4 ↗	9.3 ↘	10.3 *	10.1 ↖	10.9 *
beste Teiler	14.7 (40.) 153.4 (35.) 170.1 (38.)				
Trefferlage	1.04 mm rechts, 0.02 mm tief				
Streuwert	2.07, horizontal: 2.21, vertikal: 1.91				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **400.3** (383)
 Serien: 102.5 98.4 98.5 100.9
 Zähler: 25 13 2 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 561 (16), 532 (25), 492 (15)
 beste Teiler 25.0 (30.) 47.4 (9.) 49.7 (36.)
 Trefferlage 0.76 mm rechts, 0.14 mm tief
 Streuwert 1.89, horizontal: 2.18, vertikal: 1.54




Serie 1:
 10.3 * 9.6 → 10.4 * 10.0 ↘ 10.4 *
 10.3 * 10.6 * 10.1 ↗ 10.8 * 10.0 ↖
 beste Teiler 47.4 (9.) 90.0 (7.) 137.2 (3.)
 Trefferlage 0.18 mm rechts, 0.18 mm hoch
 Streuwert 1.44, horizontal: 1.80, vertikal: 0.94



Serie 2:
 10.1 ↓ 9.6 → 10.5 * 10.4 * 9.0 ↘
 8.7 ↙ 9.7 → 9.7 → 10.5 * 10.2 *
 beste Teiler 103.0 (13.) 112.4 (19.) 140.4 (14.)
 Trefferlage 0.37 mm links, 0.37 mm tief
 Streuwert 2.32, horizontal: 2.91, vertikal: 1.51



Serie 3:
 9.7 ↗ 9.1 → 9.1 ↗ 10.1 ↓ 8.8 ↓
 10.5 * 10.0 ↘ 9.6 → 10.7 * 10.9 *
 beste Teiler 25.0 (30.) 74.3 (29.) 110.8 (26.)
 Trefferlage 1.56 mm rechts, 0.26 mm tief
 Streuwert 2.07, horizontal: 1.78, vertikal: 2.32





Serie 4:
 9.6 ↘ 10.2 * 10.5 * 10.5 * 9.4 ↗
 10.8 * 9.4 → 10.2 * 10.5 * 9.8 →
 beste Teiler 49.7 (36.) 111.5 (33.) 113.6 (39.)
 Trefferlage 1.69 mm rechts, 0.12 mm tief
 Streuwert 1.37, horizontal: 1.48, vertikal: 1.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (395.0)
 Serien: 96 95 96 92
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 651 (31), 576 (40), 492 (33)
 beste Teiler 28.1 (34.) 42.0 (11.) 45.0 (4.)
 Trefferlage 0.79 mm rechts, 0.06 mm tief
 Streuwert 2.12, horizontal: 2.33, vertikal: 1.88




Serie 1:
 10.1 ↘ 9.7 ↘ 10.1 ↘ 10.8 * 10.4 *
 9.0 ↘ 9.3 ↘ 9.4 ↗ 10.1 ↑ 10.2 *
 beste Teiler 45.0 (4.) 133.8 (5.) 182.4 (10.)
 Trefferlage 0.04 mm rechts, 0.81 mm tief
 Streuwert 2.07, horizontal: 2.07, vertikal: 2.07



Serie 2:
 10.8 * 9.1 → 9.6 → 9.5 ↘ 10.8 *
 10.2 * 10.2 * 10.0 ↘ 9.8 → 9.7 ↘
 beste Teiler 42.0 (11.) 46.6 (15.) 197.5 (16.)
 Trefferlage 1.73 mm rechts, 0.68 mm tief
 Streuwert 1.57, horizontal: 1.91, vertikal: 1.13



Serie 3:
 10.6 * 10.0 ↗ 9.3 ↗ 9.6 → 10.0 ←
 10.1 ↓ 9.1 → 9.9 ← 10.1 ↘ 10.7 *
 beste Teiler 69.5 (30.) 82.7 (21.) 215.4 (29.)
 Trefferlage 0.76 mm rechts, 0.07 mm hoch
 Streuwert 2.01, horizontal: 2.45, vertikal: 1.44





Serie 4:
 8.3 ↑ 9.9 → 9.0 → 10.8 * 9.7 ←
 10.0 ↘ 9.8 ↘ 10.2 * 10.5 * 8.6 →
 beste Teiler 28.1 (34.) 112.1 (39.) 185.0 (38.)
 Trefferlage 0.64 mm rechts, 1.16 mm hoch
 Streuwert 2.55, horizontal: 2.83, vertikal: 2.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	383	(399.5)
Serien:	95 98 94 96	
Zähler:	23 17 0 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	494 (2), 442 (24), 429 (27)	
beste Teiler	52.3 (23.) 70.9 (26.) 78.7 (20.)	
Trefferlage	0.39 mm rechts, 0.63 mm tief	
Streuwert	1.84, horizontal: 1.89, vertikal: 1.78	




Serie 1:	9.3 →	9.0 ↘	9.8 ↓	10.1 ↘	9.8 ↗
	10.1 →	10.1 ←	10.4 *	9.5 ↓	10.4 *
beste Teiler	133.8 (10.) 150.7 (8.) 202.7 (4.)				
Trefferlage	0.68 mm rechts, 0.76 mm tief				
Streuwert	2.08, horizontal: 2.22, vertikal: 1.94				



Serie 2:	10.3 *	10.3 *	10.6 *	10.1 ↘	10.4 *
	9.5 →	9.7 ↘	10.4 *	10.4 *	10.6 *
beste Teiler	78.7 (20.) 81.5 (13.) 133.2 (15.)				
Trefferlage	0.79 mm rechts, 0.06 mm tief				
Streuwert	1.38, horizontal: 1.46, vertikal: 1.29				



Serie 3:	9.9 ↖	9.9 ↓	10.7 *	9.2 ↗	10.3 *
	10.7 *	9.2 ↘	9.4 ←	10.0 ↓	9.6 ↘
beste Teiler	52.3 (23.) 70.9 (26.) 165.3 (25.)				
Trefferlage	0.06 mm links, 0.81 mm tief				
Streuwert	2.12, horizontal: 2.30, vertikal: 1.92				



Serie 4:	10.1 ↖	10.2 *	9.4 ↘	10.1 ↓	9.7 ↖
	10.1 ↗	9.9 ↓	10.4 *	9.5 ↓	10.4 *
beste Teiler	136.1 (38.) 149.5 (40.) 191.0 (32.)				
Trefferlage	0.15 mm rechts, 0.90 mm tief				
Streuwert	1.83, horizontal: 1.61, vertikal: 2.02				

Unterschrift des Schützen

Meyton Elektronik