





Ergebnis: **366** (383.0)
 Serien: 91 94 91 90
 Zähler: 15 18 5 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2702 (27), 2425 (37), 1830 (8)
 beste Teiler 227.2 (10.) 289.0 (17.) 329.9 (23.)
 Trefferlage 2.09 mm rechts, 1.87 mm tief
 Streuwert 8.60, horizontal: 9.27, vertikal: 7.87




Serie 1:
 8.8 → 9.4 → 8.8 ↓ 10.2 ↘ 10.4 *
 10.1 ↗ 9.8 → 8.7 → 9.3 ↗ 10.7 *
 beste Teiler 227.2 (10.) 445.0 (5.) 609.1 (4.)
 Trefferlage 5.83 mm rechts, 0.83 mm hoch
 Streuwert 7.69, horizontal: 8.46, vertikal: 6.84



Serie 2:
 9.5 ← 10.2 ↙ 10.5 * 10.0 → 9.1 ↘
 9.0 ↓ 10.6 * 9.3 → 9.2 → 9.5 →
 beste Teiler 289.0 (17.) 372.2 (13.) 579.5 (12.)
 Trefferlage 3.25 mm rechts, 1.18 mm tief
 Streuwert 7.87, horizontal: 8.85, vertikal: 6.75



Serie 3:
 10.2 ↘ 9.7 ↙ 10.5 * 9.3 ↙ 8.8 ↗
 10.3 ↗ 7.6 ← 9.2 ↓ 9.7 ↓ 10.0 ↘
 beste Teiler 329.9 (23.) 536.8 (26.) 589.4 (21.)
 Trefferlage 3.60 mm links, 2.99 mm tief
 Streuwert 9.08, horizontal: 9.83, vertikal: 8.25





Serie 4:
 10.1 ↘ 9.5 ↘ 10.1 ↓ 9.8 ↑ 10.2 ↗
 9.8 ↗ 7.9 ↓ 9.4 ↘ 9.0 ↙ 8.8 →
 beste Teiler 582.9 (35.) 688.0 (31.) 689.2 (33.)
 Trefferlage 2.91 mm rechts, 4.17 mm tief
 Streuwert 9.06, horizontal: 8.49, vertikal: 9.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (389.0)
 Serien: 92 89 95 96
 Zähler: 18 16 6 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2174 (18), 2027 (13), 1879 (17)
 beste Teiler 294.4 (15.) 303.4 (19.) 339.0 (29.)
 Trefferlage 1.27 mm rechts, 0.55 mm hoch
 Streuwert 7.76, horizontal: 8.36, vertikal: 7.12




Serie 1:
 10.2 ↑ 10.2 ↑ 8.7 ↘ 10.5 * 9.1 ↑
 10.2 ↘ 8.9 ↗ 9.6 ↘ 9.9 ↗ 9.6 ↘
 beste Teiler 365.2 (4.) 590.3 (6.) 611.4 (1.)
 Trefferlage 0.88 mm rechts, 4.59 mm hoch
 Streuwert 7.45, horizontal: 7.47, vertikal: 7.43



Serie 2:
 9.6 ↗ 9.6 ↘ 8.4 → 9.4 ↖ 10.6 *
 9.8 ↑ 8.6 ↘ 8.2 → 10.6 * 9.6 ←
 beste Teiler 294.4 (15.) 303.4 (19.) 893.9 (16.)
 Trefferlage 2.79 mm rechts, 1.19 mm tief
 Streuwert 9.85, horizontal: 12.06, vertikal: 6.96



Serie 3:
 10.0 ↓ 10.0 ↓ 9.2 ↘ 10.2 → 9.8 →
 10.2 ↗ 10.1 ← 8.8 ↖ 10.5 * 9.8 ↘
 beste Teiler 339.0 (29.) 577.7 (26.) 632.7 (24.)
 Trefferlage 0.20 mm rechts, 1.43 mm tief
 Streuwert 7.05, horizontal: 7.09, vertikal: 7.01





Serie 4:
 10.0 ← 10.0 ← 9.0 ↗ 10.1 ↘ 9.7 ↓
 10.4 * 9.8 ↘ 9.6 ↗ 10.1 ↗ 10.4 *
 beste Teiler 434.6 (40.) 475.3 (36.) 678.4 (39.)
 Trefferlage 1.21 mm rechts, 0.25 mm hoch
 Streuwert 6.63, horizontal: 6.85, vertikal: 6.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (382.6)
 Serien: 93 91 91 89
 Zähler: 12 21 6 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2670 (35), 2004 (1), 1827 (25)
 beste Teiler 123.5 (19.) 270.1 (21.) 299.6 (30.)
 Trefferlage 0.84 mm rechts, 0.09 mm hoch
 Streuwert 8.83, horizontal: 7.84, vertikal: 9.72




Serie 1:
 8.4 ↗ 10.0 ↓ 9.4 ↘ 9.5 ↑ 9.9 ↖
 9.8 ↙ 10.4 * 10.2 ↖ 9.3 → 10.3 ↑
 beste Teiler 455.3 (7.) 512.4 (10.) 601.1 (8.)
 Trefferlage 0.85 mm rechts, 0.61 mm hoch
 Streuwert 8.07, horizontal: 8.42, vertikal: 7.70



Serie 2:
 8.9 ↘ 9.8 → 10.1 ↑ 9.8 → 8.8 →
 10.5 * 9.0 → 9.2 ↑ 10.8 * 9.2 ↘
 beste Teiler 123.5 (19.) 352.4 (16.) 677.0 (13.)
 Trefferlage 2.86 mm rechts, 3.30 mm hoch
 Streuwert 8.26, horizontal: 9.03, vertikal: 7.41



Serie 3:
 10.6 * 9.4 ↓ 9.8 ↘ 10.0 ↓ 8.7 ↗
 9.3 ↘ 9.7 ↓ 8.7 ↓ 9.7 ↑ 10.6 *
 beste Teiler 270.1 (21.) 299.6 (30.) 764.7 (24.)
 Trefferlage 2.66 mm rechts, 3.81 mm tief
 Streuwert 7.92, horizontal: 5.02, vertikal: 10.00





Serie 4:
 10.4 * 9.0 ↘ 9.6 ↘ 9.3 ↘ 7.6 ↗
 9.5 ↓ 10.4 * 8.8 ↓ 9.2 ↓ 9.0 ↑
 beste Teiler 450.2 (37.) 472.8 (31.) 1093.2 (33.)
 Trefferlage 3.00 mm links, 0.29 mm hoch
 Streuwert 10.73, horizontal: 8.01, vertikal: 12.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (377.1)
 Serien: 89 88 93 90
 Zähler: 13 18 6 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3520 (3), 3060 (18), 2738 (40)
 beste Teiler 118.7 (26.) 197.3 (15.) 445.5 (7.)
 Trefferlage 0.60 mm rechts, 0.32 mm tief
 Streuwert 10.16, horizontal: 11.10, vertikal: 9.13




Serie 1:
 9.9 ↙ 9.8 ↑ 6.6 ← 9.8 ↑ 8.7 ↗
 9.4 ↙ 10.4 * 10.3 ↗ 10.2 ← 9.3 →
 beste Teiler 445.5 (7.) 517.6 (8.) 604.0 (9.)
 Trefferlage 2.35 mm links, 0.58 mm hoch
 Streuwert 10.95, horizontal: 13.06, vertikal: 8.32



Serie 2:
 9.9 ↘ 9.4 ↗ 9.1 ↘ 9.5 ↑ 10.7 *
 8.7 ↘ 8.5 ↓ 7.1 ↙ 9.3 ↑ 10.1 ↓
 beste Teiler 197.3 (15.) 713.3 (20.) 851.9 (11.)
 Trefferlage 3.17 mm links, 0.10 mm hoch
 Streuwert 11.50, horizontal: 11.21, vertikal: 11.77



Serie 3:
 9.2 → 9.9 → 8.8 ↘ 10.1 ← 9.2 ↙
 10.8 * 10.0 ↘ 9.1 ↑ 10.2 ↗ 9.9 ↑
 beste Teiler 118.7 (26.) 629.8 (29.) 660.2 (24.)
 Trefferlage 1.75 mm rechts, 1.88 mm hoch
 Streuwert 7.90, horizontal: 8.78, vertikal: 6.91





Serie 4:
 8.2 → 9.7 ↘ 8.5 → 9.0 ← 10.2 ↘
 10.0 ↗ 10.1 ↗ 10.3 ↙ 9.7 → 7.5 ↓
 beste Teiler 509.0 (38.) 573.4 (35.) 664.9 (37.)
 Trefferlage 6.20 mm rechts, 3.86 mm tief
 Streuwert 9.59, horizontal: 9.92, vertikal: 9.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (382.2)
 Serien: 95 92 91 86
 Zähler: 17 15 4 3 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3245 (24), 2929 (11), 2849 (32)
 beste Teiler 67.1 (18.) 141.0 (28.) 241.9 (29.)
 Trefferlage 1.09 mm links, 0.12 mm hoch
 Streuwert 9.66, horizontal: 11.01, vertikal: 8.08




Serie 1:
 9.6 ↙ 8.9 ← 9.6 ↙ 10.2 ↘ 10.3 →
 10.1 ← 10.0 ↑ 10.4 * 9.8 ← 10.5 *
 beste Teiler 380.3 (10.) 422.1 (8.) 493.2 (5.)
 Trefferlage 3.93 mm links, 1.77 mm tief
 Streuwert 5.73, horizontal: 7.03, vertikal: 4.03



Serie 2:
 7.3 ↘ 9.4 → 10.4 * 9.6 ↘ 10.0 ↘
 9.7 → 9.1 ↙ 10.9 * 10.2 ↗ 9.7 ←
 beste Teiler 67.1 (18.) 412.2 (13.) 625.9 (19.)
 Trefferlage 0.41 mm links, 4.24 mm tief
 Streuwert 9.05, horizontal: 9.87, vertikal: 8.15



Serie 3:
 10.6 * 10.3 ↘ 9.3 ↑ 6.9 → 10.3 ↘
 9.4 → 9.5 ← 10.8 * 10.6 * 8.6 ←
 beste Teiler 141.0 (28.) 241.9 (29.) 270.1 (21.)
 Trefferlage 2.68 mm rechts, 1.74 mm hoch
 Streuwert 10.06, horizontal: 12.55, vertikal: 6.71





Serie 4:
 9.7 ↙ 7.4 ↗ 9.7 ↘ 9.4 ↑ 8.4 ↙
 10.1 ↑ 8.3 ↗ 10.3 ↗ 9.0 ↘ 7.9 ←
 beste Teiler 492.5 (38.) 644.3 (36.) 1018.7 (31.)
 Trefferlage 2.72 mm links, 4.78 mm hoch
 Streuwert 12.16, horizontal: 13.89, vertikal: 10.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.7** (361)
 Serien: 97.0 97.0 93.6 96.1
 Zähler: 12 19 7 2 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2998 (36), 2948 (26), 2381 (14)
 beste Teiler 80.8 (17.) 109.6 (13.) 134.9 (33.)
 Trefferlage 2.53 mm rechts, 2.19 mm hoch
 Streuwert 9.08, horizontal: 9.38, vertikal: 8.78




Serie 1:
 9.6 ↗ 10.6 * 9.2 ↘ 10.5 * 10.5 *
 9.5 → 9.0 ↖ 9.7 ← 9.8 ↑ 8.6 ↘
 beste Teiler 290.0 (2.) 328.9 (4.) 337.4 (5.)
 Trefferlage 0.60 mm links, 4.61 mm hoch
 Streuwert 7.62, horizontal: 8.70, vertikal: 6.35



Serie 2:
 9.6 ↖ 9.8 → 10.8 * 8.0 → 10.5 *
 8.2 → 10.9 * 8.8 ↗ 10.5 * 9.9 →
 beste Teiler 80.8 (17.) 109.6 (13.) 330.0 (15.)
 Trefferlage 6.47 mm rechts, 1.42 mm hoch
 Streuwert 8.14, horizontal: 10.63, vertikal: 4.42





Serie 3:
 10.7 * 10.5 * 9.9 ↙ 9.6 ↙ 9.2 ↑
 7.3 ↗ 9.3 ↓ 8.8 ↓ 9.8 ← 8.5 ↘
 beste Teiler 235.6 (21.) 342.4 (22.) 831.5 (23.)
 Trefferlage 2.00 mm rechts, 2.57 mm tief
 Streuwert 10.86, horizontal: 9.66, vertikal: 11.94



Serie 4:
 9.6 ↗ 10.7 * 10.8 * 9.5 ← 9.9 ↑
 7.2 ↑ 9.8 ↖ 10.0 ↑ 8.8 → 9.8 ↘
 beste Teiler 134.9 (33.) 208.7 (32.) 767.1 (38.)
 Trefferlage 2.28 mm rechts, 5.30 mm hoch
 Streuwert 8.93, horizontal: 8.40, vertikal: 9.42

Unterschrift des Schützen


Ergebnis:	361	(379.9)
Serien:	92 92 90 87	
Zähler:	11 21 6 2 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	3181 (38), 2499 (5), 2055 (34)	
beste Teiler	108.4 (25.) 302.8 (22.) 339.6 (13.)	
Trefferlage	0.47 mm rechts, 3.60 mm tief	
Streuwert	9.06, horizontal: 7.48, vertikal: 10.40	



Serie 1:

10.3 ←	9.7 →	9.4 ↘	9.1 ✓	7.8 ↓
9.8 ↘	10.4 *	10.3 ↘	10.5 *	9.5 ↓


beste Teiler 392.5 (9.) 431.4 (7.) 497.3 (8.)
 Trefferlage 1.31 mm rechts, 6.77 mm tief
 Streuwert 7.15, horizontal: 6.32, vertikal: 7.89



Serie 2:

10.0 ↗	9.3 ↑	10.5 *	9.9 ←	9.8 →
9.1 ✓	10.4 *	8.8 ↘	9.1 ↗	9.1 →


beste Teiler 339.6 (13.) 456.5 (17.) 733.3 (11.)
 Trefferlage 3.72 mm rechts, 0.18 mm tief
 Streuwert 8.31, horizontal: 7.43, vertikal: 9.10



Serie 3:

9.1 ✓	10.6 *	9.2 ↘	9.8 ↘	10.8 *
9.8 ↓	8.9 ←	9.5 ↗	8.5 ↓	9.4 ✓

beste Teiler 108.4 (25.) 302.8 (22.) 932.9 (26.)
 Trefferlage 1.89 mm links, 6.32 mm tief
 Streuwert 7.71, horizontal: 7.58, vertikal: 7.84





Serie 4:

8.4 ↗	10.2 ↑	9.6 ↗	8.4 ✓	9.3 ↓
9.8 ↑	10.3 ↗	7.0 ↓	9.6 ↑	8.9 ✓


beste Teiler 491.6 (37.) 610.8 (32.) 886.6 (36.)
 Trefferlage 1.25 mm links, 1.13 mm tief
 Streuwert 12.05, horizontal: 8.24, vertikal: 14.92

Unterschrift des Schützen


Ergebnis: **368** (386.4)
 Serien: 94 93 93 88
 Zähler: 16 19 2 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2789 (16), 2678 (38), 2421 (37)
 beste Teiler 33.6 (36.) 54.6 (15.) 163.9 (19.)
 Trefferlage 2.53 mm links, 0.78 mm tief
 Streuwert 8.58, horizontal: 8.55, vertikal: 8.62




Serie 1:
 10.2 → 9.4 ↙ 10.3 ↘ 9.9 ↙ 9.2 ↙
 9.6 ↘ 10.4 * 8.0 ↗ 10.2 ↖ 10.7 *
 beste Teiler 203.9 (10.) 438.4 (7.) 488.6 (3.)
 Trefferlage 4.01 mm links, 3.54 mm tief
 Streuwert 7.15, horizontal: 7.60, vertikal: 6.66



Serie 2:
 10.0 ↙ 9.1 ↖ 9.1 ↘ 9.6 ↓ 10.9 *
 7.5 ↗ 9.8 ← 10.1 ↘ 10.7 * 10.1 ↓
 beste Teiler 54.6 (15.) 163.9 (19.) 650.4 (18.)
 Trefferlage 0.43 mm links, 0.14 mm hoch
 Streuwert 9.29, horizontal: 6.49, vertikal: 11.42



Serie 3:
 9.8 → 9.7 ← 9.4 ↘ 9.1 ↗ 10.0 ↙
 8.3 ↑ 9.8 ↘ 10.2 → 10.3 → 10.6 *
 beste Teiler 254.0 (30.) 535.2 (29.) 628.5 (28.)
 Trefferlage 3.30 mm rechts, 1.46 mm hoch
 Streuwert 7.83, horizontal: 7.84, vertikal: 7.82



Serie 4:
 9.2 ↘ 9.7 ↙ 9.7 ↖ 10.3 ↓ 9.7 ↙
 10.9 * 7.9 ↗ 7.6 ← 9.8 ↙ 9.6 ↖
 beste Teiler 33.6 (36.) 489.4 (34.) 904.1 (39.)
 Trefferlage 9.00 mm links, 1.18 mm tief
 Streuwert 8.19, horizontal: 7.98, vertikal: 8.40

Unterschrift des Schützen

Meyton Elektronik