





Ergebnis: **372** (392.5)  
 Serien: 92 95 93 92  
 Zähler: 19 14 7 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2250 (27), 2095 (40), 2051 (25)  
 beste Teiler 142.1 (10.) 177.0 (30.) 245.6 (14.)  
 Trefferlage 3.99 mm links, 0.41 mm tief  
 Streuwert 7.13, horizontal: 6.72, vertikal: 7.52




Serie 1:  
 9.5 ↘ 8.6 ↙ 9.9 ↓ 10.0 ↙ 8.9 ↙  
 10.3 ↘ 8.5 ↙ 10.0 ← 10.4 \* 10.8 \*  
 beste Teiler 142.1 (10.) 431.1 (9.) 509.9 (6.)  
 Trefferlage 5.46 mm links, 5.09 mm tief  
 Streuwert 6.69, horizontal: 6.01, vertikal: 7.30



Serie 2:  
 10.6 \* 8.7 ↘ 10.4 \* 10.6 \* 9.9 ↓  
 10.3 ↙ 9.7 ← 10.2 ↙ 9.7 ↘ 10.6 \*  
 beste Teiler 245.6 (14.) 265.7 (11.) 275.4 (20.)  
 Trefferlage 0.67 mm links, 0.88 mm tief  
 Streuwert 6.18, horizontal: 7.07, vertikal: 5.14



Serie 3:  
 9.7 ↑ 10.4 \* 9.9 ↖ 10.1 ↖ 8.4 ←  
 9.4 ↑ 8.1 ↘ 10.3 ↖ 10.5 \* 10.7 \*  
 beste Teiler 177.0 (30.) 353.3 (29.) 453.0 (22.)  
 Trefferlage 4.81 mm links, 5.63 mm hoch  
 Streuwert 6.73, horizontal: 7.45, vertikal: 5.92





Serie 4:  
 9.2 ↓ 9.4 ← 10.4 \* 9.9 ↘ 9.7 ↘  
 10.6 \* 9.8 ↑ 9.8 ↘ 10.3 ↓ 8.3 ↙  
 beste Teiler 287.8 (36.) 408.8 (33.) 548.1 (39.)  
 Trefferlage 5.04 mm links, 1.33 mm tief  
 Streuwert 7.12, horizontal: 6.11, vertikal: 8.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (382.6)  
 Serien: 90 93 90 93  
 Zähler: 14 19 6 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3199 (26), 1939 (9), 1819 (1)  
 beste Teiler 257.4 (20.) 276.0 (25.) 356.8 (6.)  
 Trefferlage 3.48 mm links, 2.28 mm tief  
 Streuwert 8.43, horizontal: 8.31, vertikal: 8.55




Serie 1:  
 8.7 →                      9.9 ↙                      9.5 ↓                      8.9 ↙                      10.2 ↑  
 10.5 \*                      10.1 ↓                      9.3 ←                      8.5 ↘                      9.3 ↘  
 beste Teiler 356.8 (6.) 591.9 (5.) 675.0 (7.)  
 Trefferlage 4.29 mm links, 2.59 mm tief  
 Streuwert 8.67, horizontal: 9.86, vertikal: 7.29



Serie 2:  
 9.4 ↙                      9.7 ↗                      9.6 ↙                      10.2 ↓                      9.3 ↘  
 9.0 ↓                      9.2 ↓                      9.2 ↘                      10.5 \*                      10.6 \*  
 beste Teiler 257.4 (20.) 366.7 (19.) 608.2 (14.)  
 Trefferlage 0.04 mm rechts, 6.39 mm tief  
 Streuwert 6.68, horizontal: 7.18, vertikal: 6.14



Serie 3:  
 8.7 ←                      9.2 ↑                      10.4 \*                      9.2 ↗                      10.6 \*  
 7.0 ↘                      9.4 ↑                      10.3 ↘                      10.2 ↘                      8.8 ↙  
 beste Teiler 276.0 (25.) 414.5 (23.) 549.8 (28.)  
 Trefferlage 4.36 mm links, 0.57 mm hoch  
 Streuwert 10.74, horizontal: 10.08, vertikal: 11.37





Serie 4:  
 10.0 ↑                      10.1 ↘                      9.0 ↘                      9.5 ↘                      10.2 ←  
 9.7 ↘                      9.8 ↓                      9.7 ←                      10.4 \*                      8.8 ↘  
 beste Teiler 434.1 (39.) 607.2 (35.) 716.6 (32.)  
 Trefferlage 5.32 mm links, 0.72 mm tief  
 Streuwert 6.92, horizontal: 5.46, vertikal: 8.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (383.6)  
 Serien: 90 91 89 93  
 Zähler: 8 27 5 0 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2208 (18), 1733 (28), 1707 (38)  
 beste Teiler 88.7 (12.) 256.6 (33.) 480.3 (22.)  
 Trefferlage 5.04 mm links, 1.23 mm hoch  
 Streuwert 7.52, horizontal: 6.88, vertikal: 8.11




Serie 1:  
 9.4 ↘                      9.9 ↘                      9.3 ↙                      8.9 ←                      9.5 ↘  
 9.4 ↑                      9.8 ↗                      9.0 ↖                      10.3 ↑                      9.0 ↖  
 beste Teiler 551.4 (9.) 865.0 (2.) 931.0 (7.)  
 Trefferlage 7.35 mm links, 2.20 mm hoch  
 Streuwert 7.28, horizontal: 5.62, vertikal: 8.62



Serie 2:  
 9.3 ↗                      10.8 \*                      9.2 ↖                      10.0 →                      9.6 ↘  
 9.7 ↘                      9.9 ↘                      8.2 ←                      9.8 ↗                      9.8 ↖  
 beste Teiler 88.7 (12.) 755.7 (14.) 846.7 (17.)  
 Trefferlage 4.15 mm links, 1.06 mm hoch  
 Streuwert 8.18, horizontal: 9.03, vertikal: 7.24



Serie 3:  
 9.8 ↖                      10.4 ↗                      9.3 ↘                      9.9 →                      9.3 ↑  
 9.4 ↘                      9.6 ↖                      8.8 ↑                      9.8 ←                      8.9 ↙  
 beste Teiler 480.3 (22.) 863.0 (24.) 886.9 (29.)  
 Trefferlage 4.89 mm links, 2.28 mm hoch  
 Streuwert 7.99, horizontal: 6.51, vertikal: 9.24





Serie 4:  
 9.1 ↓                      9.3 ←                      10.6 \*                      10.3 ↗                      9.6 ↙  
 10.1 →                      9.9 ↖                      8.8 ↘                      9.9 ←                      10.0 ↑  
 beste Teiler 256.6 (33.) 550.8 (34.) 688.3 (36.)  
 Trefferlage 3.78 mm links, 0.60 mm tief  
 Streuwert 7.34, horizontal: 6.40, vertikal: 8.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.3)  
 Serien: 92 94 94 93  
 Zähler: 19 15 6 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2090 (22), 1743 (8), 1680 (3)  
 beste Teiler 219.1 (32.) 255.3 (5.) 325.0 (39.)  
 Trefferlage 3.14 mm links, 0.37 mm hoch  
 Streuwert 7.16, horizontal: 8.12, vertikal: 6.06




Serie 1:  
 9.9 ← 10.0 → 8.9 → 9.7 ↖ 10.6 \*  
 10.4 \* 10.1 ↘ 8.8 ← 9.6 ↗ 9.3 →  
 beste Teiler 255.3 (5.) 434.5 (6.) 642.6 (7.)  
 Trefferlage 0.13 mm rechts, 1.59 mm hoch  
 Streuwert 7.97, horizontal: 10.28, vertikal: 4.62



Serie 2:  
 8.9 ↘ 10.0 ↓ 10.5 \* 9.5 ↑ 10.5 \*  
 9.6 ← 10.1 ← 9.5 ↙ 10.0 ↑ 9.1 ←  
 beste Teiler 330.0 (13.) 331.4 (15.) 683.0 (17.)  
 Trefferlage 4.75 mm links, 1.56 mm hoch  
 Streuwert 6.70, horizontal: 6.77, vertikal: 6.63



Serie 3:  
 10.0 ← 8.3 ↙ 9.5 ↖ 9.7 ↑ 10.4 \*  
 10.3 ↑ 9.9 ← 10.5 \* 10.3 ↘ 9.7 ↑  
 beste Teiler 385.2 (28.) 436.6 (25.) 501.9 (29.)  
 Trefferlage 4.47 mm links, 1.13 mm hoch  
 Streuwert 6.57, horizontal: 6.49, vertikal: 6.65





Serie 4:  
 10.5 \* 10.7 \* 9.0 ↘ 8.9 ↙ 9.3 ↖  
 9.6 ← 10.2 ↘ 10.1 ↓ 10.5 \* 8.9 ←  
 beste Teiler 219.1 (32.) 325.0 (39.) 336.8 (31.)  
 Trefferlage 3.46 mm links, 2.80 mm tief  
 Streuwert 7.40, horizontal: 8.65, vertikal: 5.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.6)  
 Serien: 91 91 93 89  
 Zähler: 14 18 6 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2797 (38), 2410 (19), 1875 (8)  
 beste Teiler 226.0 (13.) 251.0 (5.) 262.9 (1.)  
 Trefferlage 0.24 mm links, 1.74 mm hoch  
 Streuwert 8.71, horizontal: 9.21, vertikal: 8.18




Serie 1:  
 10.6 \*                      10.1 ↑                      9.8 ↑                      9.2 ↘                      10.6 \*  
 9.9 ↖                      9.5 ↙                      8.6 ↙                      8.7 ↑                      9.7 ←  
 beste Teiler 251.0 (5.) 262.9 (1.) 697.9 (2.)  
 Trefferlage 2.76 mm links, 0.66 mm hoch  
 Streuwert 8.31, horizontal: 7.63, vertikal: 8.94



Serie 2:  
 9.3 →                      10.6 \*                      10.7 \*                      10.4 \*                      9.8 ↖  
 8.9 ↓                      10.2 ↖                      9.1 ↘                      7.9 ↗                      9.0 ↑  
 beste Teiler 226.0 (13.) 292.9 (12.) 410.9 (14.)  
 Trefferlage 2.66 mm rechts, 1.33 mm hoch  
 Streuwert 9.17, horizontal: 8.44, vertikal: 9.85



Serie 3:  
 8.8 ↗                      10.0 ↙                      10.5 \*                      9.3 ←                      9.9 ↖  
 10.2 ←                      10.1 ↘                      9.9 ↗                      9.5 ←                      9.2 ↑  
 beste Teiler 323.4 (23.) 596.8 (26.) 658.1 (27.)  
 Trefferlage 2.33 mm links, 1.21 mm hoch  
 Streuwert 7.50, horizontal: 7.50, vertikal: 7.50





Serie 4:  
 9.6 ↖                      9.7 ←                      10.2 ↖                      10.0 ↑                      9.2 ←  
 8.7 ↗                      9.6 ↓                      7.5 ↗                      8.9 ↗                      10.2 ↗  
 beste Teiler 572.4 (33.) 581.6 (40.) 723.3 (34.)  
 Trefferlage 1.45 mm rechts, 3.78 mm hoch  
 Streuwert 10.19, horizontal: 12.54, vertikal: 7.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.0** (371)  
 Serien: 97.3 98.4 94.9 97.4  
 Zähler: 17 18 4 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2583 (23), 2270 (24), 2240 (2)  
 beste Teiler 172.6 (40.) 251.2 (28.) 317.1 (4.)  
 Trefferlage 3.84 mm links, 0.43 mm hoch  
 Streuwert 7.76, horizontal: 7.33, vertikal: 8.17




Serie 1:  
 9.8 ↘                      8.2 ↙                      9.0 ↓                      10.6 \*                      9.5 ↗  
 9.9 ↗                      10.0 ←                      10.1 ↑                      9.8 ←                      10.4 \*  
 beste Teiler 317.1 (4.) 432.0 (10.) 718.7 (8.)  
 Trefferlage 3.56 mm links, 1.87 mm tief  
 Streuwert 7.88, horizontal: 7.95, vertikal: 7.81



Serie 2:  
 9.6 ↙                      9.6 ↘                      10.2 ↓                      9.8 ←                      10.5 \*  
 10.0 ↘                      9.7 ↙                      9.5 ↓                      9.2 ↑                      10.3 ↘  
 beste Teiler 334.0 (15.) 508.6 (20.) 595.1 (13.)  
 Trefferlage 3.37 mm links, 0.64 mm tief  
 Streuwert 6.49, horizontal: 4.98, vertikal: 7.71



Serie 3:  
 10.4 \*                      10.0 ↑                      7.7 ↓                      8.1 ↙                      9.5 ↗  
 10.0 ↑                      8.4 ↘                      10.6 \*                      10.1 ↘                      10.1 ↘  
 beste Teiler 251.2 (28.) 474.4 (21.) 654.9 (30.)  
 Trefferlage 4.61 mm links, 0.56 mm hoch  
 Streuwert 9.86, horizontal: 9.26, vertikal: 10.43





Serie 4:  
 8.4 ↙                      9.9 ↗                      9.7 ↘                      9.7 ↘                      10.0 ↗  
 9.9 ←                      10.1 ←                      9.5 ↘                      9.5 ↑                      10.7 \*  
 beste Teiler 172.6 (40.) 679.8 (37.) 773.6 (35.)  
 Trefferlage 3.82 mm links, 3.67 mm hoch  
 Streuwert 7.05, horizontal: 7.62, vertikal: 6.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.2)  
 Serien: 95 90 93 92  
 Zähler: 11 28 1 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2384 (16), 1576 (11), 1510 (23)  
 beste Teiler 92.0 (31.) 113.1 (13.) 330.6 (24.)  
 Trefferlage 1.15 mm links, 1.48 mm hoch  
 Streuwert 7.91, horizontal: 7.51, vertikal: 8.30




Serie 1:  
 9.5 ↖ 10.4 \* 9.3 ← 10.4 \* 9.5 ↑  
 10.1 ↘ 10.2 ↘ 9.2 ← 10.0 ↗ 9.9 →  
 beste Teiler 438.3 (4.) 441.0 (2.) 610.8 (7.)  
 Trefferlage 3.43 mm links, 3.16 mm hoch  
 Streuwert 6.13, horizontal: 7.48, vertikal: 4.38



Serie 2:  
 9.0 ↑ 9.1 ↓ 10.8 \* 9.2 ↓ 9.9 ↑  
 8.0 ↑ 9.4 ↙ 9.3 ↙ 9.7 ↑ 9.1 →  
 beste Teiler 113.1 (13.) 807.9 (15.) 1009.0 (19.)  
 Trefferlage 0.12 mm links, 1.34 mm hoch  
 Streuwert 10.34, horizontal: 6.99, vertikal: 12.84



Serie 3:  
 9.7 ← 9.6 ↗ 9.1 ↘ 10.5 \* 10.0 ↘  
 9.8 ↑ 9.3 ↘ 9.7 ↓ 10.3 ↖ 9.5 ↖  
 beste Teiler 330.6 (24.) 540.4 (29.) 722.7 (25.)  
 Trefferlage 0.17 mm links, 1.03 mm tief  
 Streuwert 7.58, horizontal: 7.67, vertikal: 7.48





Serie 4:  
 10.8 \* 9.2 ↙ 9.5 ↑ 9.4 → 10.0 →  
 9.6 ↖ 9.5 ← 9.4 ↙ 9.5 ↗ 9.8 ↑  
 beste Teiler 92.0 (31.) 750.6 (35.) 891.9 (40.)  
 Trefferlage 0.89 mm links, 2.44 mm hoch  
 Streuwert 7.74, horizontal: 8.51, vertikal: 6.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (388.5)  
 Serien: 90 90 94 93  
 Zähler: 14 19 7 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2197 (5), 1997 (3), 1956 (12)  
 beste Teiler 94.0 (8.) 99.8 (30.) 208.4 (1.)  
 Trefferlage 3.81 mm links, 2.07 mm hoch  
 Streuwert 7.52, horizontal: 7.62, vertikal: 7.42




Serie 1:  
 10.7 \*                      8.8 ↑                      8.5 →                      10.6 \*                      8.2 ←  
 9.9 ←                      9.9 →                      10.8 \*                      9.5 ↗                      9.8 ↓  
 beste Teiler 94.0 (8.) 208.4 (1.) 298.9 (4.)  
 Trefferlage 0.74 mm rechts, 0.89 mm hoch  
 Streuwert 9.26, horizontal: 10.48, vertikal: 7.84



Serie 2:  
 8.7 ←                      8.5 ←                      10.4 \*                      9.9 ↖                      10.5 \*  
 9.3 ↑                      8.8 ↓                      9.6 ↖                      9.5 ←                      10.2 ↖  
 beste Teiler 396.5 (15.) 419.4 (13.) 628.9 (20.)  
 Trefferlage 6.61 mm links, 0.34 mm tief  
 Streuwert 7.98, horizontal: 6.73, vertikal: 9.06



Serie 3:  
 9.9 ↘                      9.3 ↑                      9.9 ↖                      9.9 →                      10.2 ←  
 10.1 ↑                      10.5 \*                      10.2 ↖                      8.8 ↖                      10.8 \*  
 beste Teiler 99.8 (30.) 360.4 (27.) 572.0 (28.)  
 Trefferlage 2.40 mm links, 4.23 mm hoch  
 Streuwert 5.58, horizontal: 4.74, vertikal: 6.30



Serie 4:  
 9.1 ↖                      9.2 ↑                      9.7 ←                      10.1 ↑                      9.5 ←  
 9.1 ←                      10.4 \*                      9.6 ↖                      10.6 \*                      9.5 ←  
 beste Teiler 305.9 (39.) 467.0 (37.) 647.1 (34.)  
 Trefferlage 6.97 mm links, 3.49 mm hoch  
 Streuwert 5.86, horizontal: 5.34, vertikal: 6.33

Unterschrift des Schützen

Meyton Elektronik