





Ergebnis: **313** (331.9)  
 Serien: 81 78 78 76  
 Zähler: 6 10 11 7 2 1 0 3 0 0  
 Innenzehner: 2  
 weiteste: 6171 (13), 6100 (17), 5780 (24)  
 beste Teiler 182.3 (33.) 333.7 (16.) 519.8 (11.)  
 Trefferlage 6.49 mm links, 4.20 mm tief  
 Streuwert 17.52, horizontal: 17.72, vertikal: 17.31




Serie 1:  
 8.3 ↓                      8.4 ←                      7.4 →                      9.3 ↙                      8.9 ↘  
 10.3 ↘                      8.6 ↓                      8.3 ↓                      7.7 ↓                      8.8 →  
 beste Teiler 525.3 (6.) 1318.8 (4.) 1679.6 (5.)  
 Trefferlage 0.62 mm links, 9.69 mm tief  
 Streuwert 12.86, horizontal: 14.30, vertikal: 11.23



Serie 2:  
 10.3 ↙                      9.0 →                      3.2 ↓                      9.3 →                      8.5 ←  
 10.5 \*                      3.3 ←                      10.3 ↘                      9.1 ↓                      7.8 ↘  
 beste Teiler 333.7 (16.) 519.8 (11.) 538.3 (18.)  
 Trefferlage 3.08 mm links, 7.92 mm tief  
 Streuwert 21.80, horizontal: 23.12, vertikal: 20.40



Serie 3:  
 7.1 ↓                      8.8 ↙                      9.6 →                      3.7 ↘                      8.6 ↑  
 9.5 ↓                      9.5 ↓                      9.5 ↘                      9.9 ↘                      7.0 ↓  
 beste Teiler 822.0 (29.) 1095.7 (23.) 1134.3 (27.)  
 Trefferlage 4.84 mm links, 3.77 mm tief  
 Streuwert 18.53, horizontal: 17.16, vertikal: 19.81





Serie 4:  
 7.9 ←                      6.0 ←                      10.7 \*                      8.8 ↙                      10.0 ↘  
 5.8 ↘                      9.0 ↘                      6.7 ↙                      8.6 ↘                      7.9 ↘  
 beste Teiler 182.3 (33.) 768.2 (35.) 1587.9 (37.)  
 Trefferlage 17.43 mm links, 4.56 mm hoch  
 Streuwert 13.61, horizontal: 11.84, vertikal: 15.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **308** (327.6)  
 Serien: 81 70 73 84  
 Zähler: 4 7 13 8 6 1 1 0 0 0  
 Innenzehner: 1  
 weiteste: 4893 (28), 4642 (14), 3646 (32)  
 beste Teiler 320.6 (37.) 655.0 (33.) 742.4 (19.)  
 Trefferlage 5.11 mm links, 3.88 mm hoch  
 Streuwert 16.97, horizontal: 16.28, vertikal: 17.63




Serie 1:  
 8.6 ↗ 9.6 ↘ 7.6 ← 9.2 ↗ 8.8 ↗  
 9.7 ↓ 6.5 ↑ 7.9 ↘ 9.9 ↓ 9.3 ↘  
 beste Teiler 833.1 (9.) 1024.8 (6.) 1109.4 (2.)  
 Trefferlage 1.36 mm links, 8.23 mm hoch  
 Streuwert 13.36, horizontal: 12.67, vertikal: 14.01



Serie 2:  
 6.9 ↓ 7.8 ↑ 6.6 ↘ 5.1 ↖ 7.8 ↘  
 9.4 → 6.7 ← 7.2 ↘ 10.0 ↓ 7.3 ←  
 beste Teiler 742.4 (19.) 1241.0 (16.) 2491.3 (12.)  
 Trefferlage 10.04 mm links, 1.81 mm tief  
 Streuwert 20.79, horizontal: 19.25, vertikal: 22.23





Serie 3:  
 8.8 ← 7.1 ↑ 8.0 ↓ 8.9 ↑ 8.4 ↑  
 8.8 ↑ 8.1 → 4.8 ← 8.7 ↓ 6.9 ↘  
 beste Teiler 1603.3 (24.) 1747.6 (21.) 1750.0 (26.)  
 Trefferlage 6.55 mm links, 5.81 mm hoch  
 Streuwert 18.75, horizontal: 19.56, vertikal: 17.91




Serie 4:  
 7.2 ↓ 6.4 ↘ 10.1 ↘ 8.0 ↘ 10.0 ↘  
 8.4 ↘ 10.6 \* 9.9 ↑ 8.2 ↗ 8.4 ↘  
 beste Teiler 320.6 (37.) 655.0 (33.) 764.8 (35.)  
 Trefferlage 2.49 mm links, 3.31 mm hoch  
 Streuwert 15.10, horizontal: 13.51, vertikal: 16.53

Unterschrift des Schützen


Ergebnis: **309** (330.9)  
 Serien: 85 70 75 79  
 Zähler: 4 11 8 8 5 4 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4558 (34), 4240 (19), 4203 (39)  
 beste Teiler 271.0 (3.) 277.8 (31.) 578.7 (14.)  
 Trefferlage 5.77 mm links, 2.24 mm tief  
 Streuwert 17.02, horizontal: 15.89, vertikal: 18.08




Serie 1:  
 9.6 ←                      9.8 ↘                      10.6 \*                      6.4 ↓                      9.9 →  
 10.0 ↖                      8.3 ←                      8.5 ←                      9.5 ↓                      7.3 ↙  
 beste Teiler 271.0 (3.) 735.9 (6.) 852.6 (5.)  
 Trefferlage 4.59 mm links, 7.53 mm tief  
 Streuwert 12.26, horizontal: 12.57, vertikal: 11.94



Serie 2:  
 7.3 →                      7.1 ↓                      6.8 ↘                      10.2 →                      6.4 ↖  
 8.2 ↖                      8.1 ↗                      7.6 →                      5.7 ↓                      6.5 ↙  
 beste Teiler 578.7 (14.) 2175.5 (16.) 2265.8 (17.)  
 Trefferlage 0.00 mm , 8.42 mm tief  
 Streuwert 21.45, horizontal: 19.99, vertikal: 22.81



Serie 3:  
 8.2 ←                      7.5 ↖                      5.8 ↑                      9.9 ↑                      8.8 ←  
 9.9 ↙                      9.7 ↓                      7.5 ↑                      7.6 ←                      6.6 ←  
 beste Teiler 801.8 (26.) 811.5 (24.) 987.1 (27.)  
 Trefferlage 9.45 mm links, 6.44 mm hoch  
 Streuwert 16.39, horizontal: 15.54, vertikal: 17.20





Serie 4:  
 10.6 \*                      8.8 ←                      8.6 ↖                      5.3 ←                      9.9 ↑  
 9.5 ←                      9.5 ↙                      9.8 ↖                      5.7 ↓                      7.9 ↗  
 beste Teiler 277.8 (31.) 804.4 (35.) 949.3 (38.)  
 Trefferlage 9.06 mm links, 0.54 mm hoch  
 Streuwert 16.15, horizontal: 15.15, vertikal: 17.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (339.1)  
 Serien: 80 76 85 79  
 Zähler: 6 12 10 5 4 1 2 0 0 0  
 Innenzehner: 4  
 weiteste: 5497 (11), 5027 (33), 4307 (29)  
 beste Teiler 47.7 (17.) 373.4 (21.) 392.7 (30.)  
 Trefferlage 5.84 mm links, 5.30 mm hoch  
 Streuwert 15.83, horizontal: 12.77, vertikal: 18.39




Serie 1:  
 7.5 ↑                      8.7 →                      8.4 ↖                      10.4 \*                      8.1 ↘  
 8.9 ←                      9.1 ↘                      7.8 ↘                      7.4 ↘                      8.3 ↘  
 beste Teiler 436.7 (4.) 1464.9 (7.) 1667.3 (6.)  
 Trefferlage 7.37 mm links, 7.46 mm hoch  
 Streuwert 13.62, horizontal: 13.10, vertikal: 14.13



Serie 2:  
 4.1 ↘                      7.8 ↘                      6.3 ↓                      6.9 ↓                      6.5 ↘  
 9.0 ↘                      10.9 \*                      9.8 ←                      10.2 ↘                      9.6 ↑  
 beste Teiler 47.7 (17.) 579.9 (19.) 909.0 (18.)  
 Trefferlage 5.71 mm links, 4.44 mm hoch  
 Streuwert 20.17, horizontal: 13.72, vertikal: 25.00



Serie 3:  
 10.5 \*                      8.5 ↖                      8.2 ↓                      9.2 ←                      9.1 ↓  
 9.4 →                      8.7 ←                      9.7 ↘                      5.6 ↘                      10.5 \*  
 beste Teiler 373.4 (21.) 392.7 (30.) 1039.4 (28.)  
 Trefferlage 3.85 mm links, 0.36 mm hoch  
 Streuwert 14.20, horizontal: 11.53, vertikal: 16.43





Serie 4:  
 10.2 ↖                      9.7 ↓                      4.7 ↘                      9.1 ↖                      6.4 ↑  
 9.8 ↘                      9.7 ↘                      8.7 ←                      8.1 ←                      7.6 ↘  
 beste Teiler 622.3 (31.) 945.8 (36.) 997.7 (37.)  
 Trefferlage 6.43 mm links, 8.95 mm hoch  
 Streuwert 16.26, horizontal: 14.36, vertikal: 17.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **302** (319.0)  
 Serien: 70 82 69 81  
 Zähler: 6 9 11 5 2 3 2 1 0 0  
 Innenzehner: 1  
 weiteste: 8372 (4), 5625 (21), 5310 (29)  
 beste Teiler 437.0 (39.) 562.9 (13.) 580.8 (9.)  
 Trefferlage 10.48 mm links, 5.90 mm tief  
 Streuwert 18.96, horizontal: 16.72, vertikal: 20.97




Serie 1:  
 6.5 ↙ 8.3 ↑ 4.6 ↘ 0.0 ↓ 5.3 ↗  
 8.1 ↓ 10.0 ↖ 10.0 ↓ 10.2 ↘ 9.6 ↓  
 beste Teiler 580.8 (9.) 744.2 (7.) 788.3 (8.)  
 Trefferlage 5.18 mm links, 4.74 mm tief  
 Streuwert 27.48, horizontal: 20.66, vertikal: 32.92



Serie 2:  
 9.5 ↓ 9.5 → 10.2 ↑ 9.9 ↓ 8.4 ↖  
 7.9 ↙ 8.9 ↓ 7.6 ↘ 6.0 ↓ 9.6 ↖  
 beste Teiler 562.9 (13.) 855.5 (14.) 1105.0 (20.)  
 Trefferlage 4.33 mm links, 4.65 mm tief  
 Streuwert 14.30, horizontal: 9.61, vertikal: 17.80



Serie 3:  
 3.9 ↓ 8.2 ↓ 9.6 ↖ 9.2 ↓ 8.2 ↗  
 8.3 ↙ 7.2 ← 5.3 ← 4.3 ← 8.6 ↙  
 beste Teiler 1070.8 (23.) 1438.0 (24.) 1883.8 (30.)  
 Trefferlage 17.61 mm links, 10.16 mm tief  
 Streuwert 19.58, horizontal: 19.07, vertikal: 20.09





Serie 4:  
 8.4 ← 9.6 ↑ 5.7 ↙ 9.8 ↖ 10.1 ↓  
 8.1 ← 7.9 ← 8.3 ← 10.4 \* 7.8 ←  
 beste Teiler 437.0 (39.) 700.7 (35.) 889.1 (34.)  
 Trefferlage 14.79 mm links, 4.03 mm tief  
 Streuwert 11.22, horizontal: 13.36, vertikal: 8.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346.8** (328)  
 Serien: 83.7 89.0 88.3 85.8  
 Zähler: 7 9 14 7 1 2 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4587 (37), 4322 (14), 3357 (40)  
 beste Teiler 44.5 (36.) 114.9 (34.) 183.8 (16.)  
 Trefferlage 2.93 mm links, 5.36 mm hoch  
 Streuwert 14.28, horizontal: 12.48, vertikal: 15.88




Serie 1:  
 9.8 ↘                      8.0 ←                      7.4 ↙                      7.6 ↗                      9.1 ↓  
 7.8 ↗                      8.1 ↖                      7.7 ↘                      9.6 ↓                      8.6 ↗  
 beste Teiler 956.5 (1.) 1066.0 (9.) 1488.3 (5.)  
 Trefferlage 6.65 mm links, 6.26 mm hoch  
 Streuwert 14.72, horizontal: 13.73, vertikal: 15.65



Serie 2:  
 9.7 ↗                      8.7 ↗                      10.1 ↓                      5.5 ↓                      7.8 ↖  
 10.7 \*                      8.9 →                      8.4 ↓                      10.0 ←                      9.2 ↗  
 beste Teiler 183.8 (16.) 674.1 (13.) 751.4 (19.)  
 Trefferlage 0.18 mm rechts, 1.13 mm tief  
 Streuwert 14.70, horizontal: 10.73, vertikal: 17.81



Serie 3:  
 8.2 ↘                      9.7 ↖                      8.5 ↖                      10.0 ↓                      8.8 ↘  
 7.6 ↘                      9.4 ↗                      8.0 →                      9.7 ←                      8.4 ↗  
 beste Teiler 744.1 (24.) 1004.0 (29.) 1017.9 (22.)  
 Trefferlage 0.21 mm rechts, 7.54 mm hoch  
 Streuwert 12.17, horizontal: 13.01, vertikal: 11.26





Serie 4:  
 8.7 ↗                      8.5 ↗                      8.5 ↙                      10.8 \*                      10.2 ↙  
 10.9 \*                      5.2 ↘                      9.1 ↙                      7.1 ↘                      6.8 ↘  
 beste Teiler 44.5 (36.) 114.9 (34.) 568.8 (35.)  
 Trefferlage 5.45 mm links, 8.78 mm hoch  
 Streuwert 15.74, horizontal: 12.55, vertikal: 18.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311** (328.0)  
 Serien: 80 76 79 76  
 Zähler: 1 12 13 10 1 2 0 1 0 0  
 Innenzehner: 0  
 weiteste: 5758 (15), 4760 (39), 4314 (22)  
 beste Teiler 591.5 (3.) 824.2 (38.) 940.2 (28.)  
 Trefferlage 7.24 mm links, 4.99 mm hoch  
 Streuwert 16.29, horizontal: 14.37, vertikal: 18.01




Serie 1:  
 8.1 ↘                      7.1 ↘                      10.2 ↓                      8.3 ↑                      9.6 ↗  
 7.8 ↘                      9.5 ↗                      8.1 ↘                      7.4 ↘                      7.2 ↑  
 beste Teiler 591.5 (3.) 1050.9 (5.) 1127.0 (7.)  
 Trefferlage 6.31 mm links, 11.45 mm hoch  
 Streuwert 13.50, horizontal: 14.05, vertikal: 12.93



Serie 2:  
 9.0 ↘                      8.4 ↑                      8.7 ←                      7.0 ↘                      3.8 ↑  
 9.3 ↘                      9.6 ↘                      8.2 ↓                      7.8 ↘                      8.3 ↖  
 beste Teiler 1067.4 (17.) 1311.6 (16.) 1529.9 (11.)  
 Trefferlage 9.62 mm links, 8.74 mm hoch  
 Streuwert 17.42, horizontal: 10.43, vertikal: 22.32



Serie 3:  
 7.9 ↓                      5.6 ↖                      8.6 ↗                      8.5 ↘                      9.2 ↑  
 8.6 ↘                      9.7 ↖                      9.8 ↖                      9.2 ↖                      7.2 →  
 beste Teiler 940.2 (28.) 1006.5 (27.) 1411.2 (25.)  
 Trefferlage 5.49 mm links, 1.57 mm tief  
 Streuwert 16.11, horizontal: 16.94, vertikal: 15.24





Serie 4:  
 6.9 ↖                      8.0 ←                      8.8 ↘                      9.6 ↗                      7.5 →  
 9.2 ↖                      8.1 ↘                      9.9 ↘                      5.0 ↑                      7.3 ↖  
 beste Teiler 824.2 (38.) 1062.1 (34.) 1411.4 (36.)  
 Trefferlage 7.56 mm links, 1.33 mm hoch  
 Streuwert 18.35, horizontal: 17.05, vertikal: 19.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (347.3)  
 Serien: 83 86 76 84  
 Zähler: 6 14 9 7 3 0 1 0 0 0  
 Innenzehner: 2  
 weiteste: 5372 (30), 3988 (23), 3419 (16)  
 beste Teiler 278.6 (32.) 427.0 (20.) 615.5 (29.)  
 Trefferlage 3.03 mm links, 2.15 mm tief  
 Streuwert 14.78, horizontal: 13.09, vertikal: 16.29




Serie 1:  
 9.9 ↘                      7.7 ←                      10.0 ↖                      8.0 ↗                      7.7 ↖  
 7.9 ↓                      9.8 ↑                      9.2 ←                      9.3 →                      8.9 ↓  
 beste Teiler 791.4 (3.) 864.8 (1.) 885.8 (7.)  
 Trefferlage 5.28 mm links, 0.01 mm hoch  
 Streuwert 13.02, horizontal: 12.01, vertikal: 13.95



Serie 2:  
 8.6 ↓                      8.3 ↓                      9.5 ↖                      10.0 ↗                      9.0 ↑  
 6.7 ↖                      9.9 ←                      9.8 ↓                      8.1 ←                      10.4 \*  
 beste Teiler 427.0 (20.) 725.8 (14.) 851.4 (17.)  
 Trefferlage 7.01 mm links, 0.38 mm tief  
 Streuwert 12.02, horizontal: 11.93, vertikal: 12.11



Serie 3:  
 7.6 →                      9.1 ↓                      6.0 ↑                      9.8 →                      8.5 ↓  
 9.0 ↓                      7.9 ↓                      7.2 ↓                      10.2 ↗                      4.2 ↓  
 beste Teiler 615.5 (29.) 916.1 (24.) 1507.9 (22.)  
 Trefferlage 9.01 mm rechts, 10.41 mm tief  
 Streuwert 17.85, horizontal: 10.36, vertikal: 23.02



Serie 4:  
 9.7 ↙                      10.6 \*                      9.4 ↙                      9.8 ↑                      6.8 ↖  
 8.4 ↑                      10.0 ↓                      7.4 ←                      8.4 ↖                      8.6 ↓  
 beste Teiler 278.6 (32.) 763.7 (37.) 949.1 (34.)  
 Trefferlage 8.85 mm links, 2.16 mm hoch  
 Streuwert 12.24, horizontal: 11.23, vertikal: 13.17

Unterschrift des Schützen

Meyton Elektronik