





Ergebnis: **327** (346.0)
 Serien: 79 84 82 82
 Zähler: 6 10 13 8 2 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4268 (3), 3561 (1), 3337 (35)
 beste Teiler 251.5 (14.) 438.6 (2.) 450.8 (24.)
 Trefferlage 3.76 mm links, 1.33 mm tief
 Streuwert 14.34, horizontal: 15.48, vertikal: 13.10




Serie 1:
 6.5 ← 10.4 * 5.6 ↖ 9.2 ↓ 9.3 ↗
 9.7 ← 8.8 ↓ 7.1 ← 9.9 ↓ 7.7 ↗
 beste Teiler 438.6 (2.) 810.1 (9.) 1002.4 (6.)
 Trefferlage 12.82 mm links, 1.41 mm tief
 Streuwert 14.65, horizontal: 16.04, vertikal: 13.12



Serie 2:
 8.1 ↗ 7.5 ↓ 8.6 ↑ 10.6 * 8.9 ↗
 10.3 ↑ 8.2 ← 8.9 ↓ 10.1 ↗ 7.4 ↘
 beste Teiler 251.5 (14.) 532.0 (16.) 675.4 (19.)
 Trefferlage 1.03 mm links, 5.58 mm tief
 Streuwert 13.31, horizontal: 13.43, vertikal: 13.19



Serie 3:
 7.8 ← 7.3 ↗ 8.2 ↗ 10.4 * 9.3 ←
 8.3 ← 7.9 ← 9.3 ↘ 8.3 → 9.4 ↓
 beste Teiler 450.8 (24.) 1218.5 (30.) 1310.7 (28.)
 Trefferlage 1.00 mm links, 0.43 mm hoch
 Streuwert 14.82, horizontal: 18.40, vertikal: 10.02





Serie 4:
 9.3 ↘ 9.2 ↑ 7.8 ↗ 9.2 ↑ 6.8 ↓
 8.8 ↖ 10.0 ↘ 8.8 ← 8.8 ↓ 8.3 ↑
 beste Teiler 750.5 (37.) 1306.9 (31.) 1390.4 (34.)
 Trefferlage 0.19 mm links, 1.24 mm hoch
 Streuwert 14.25, horizontal: 11.83, vertikal: 16.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (349.4)
 Serien: 79 81 83 87
 Zähler: 7 13 10 5 3 2 0 0 0 0
 Innenzehner: 4
 weiteste: 4317 (4), 4111 (17), 3793 (34)
 beste Teiler 230.6 (24.) 297.9 (32.) 314.0 (23.)
 Trefferlage 0.01 mm links, 2.27 mm tief
 Streuwert 14.65, horizontal: 15.30, vertikal: 13.98




Serie 1:
 7.8 ↘ 7.3 ↖ 8.0 ← 5.6 ↗ 9.3 ↓
 9.2 ↖ 7.4 ← 9.1 → 9.0 ↓ 9.8 ↓
 beste Teiler 899.9 (10.) 1350.2 (5.) 1379.7 (6.)
 Trefferlage 6.07 mm links, 1.54 mm hoch
 Streuwert 17.07, horizontal: 15.29, vertikal: 18.68



Serie 2:
 10.5 * 8.9 ↗ 6.9 ↓ 9.6 ↓ 8.8 ↓
 9.1 ↗ 5.8 ↘ 10.1 ↘ 8.9 ↓ 8.1 ↖
 beste Teiler 358.7 (11.) 675.3 (18.) 1067.8 (14.)
 Trefferlage 0.97 mm rechts, 8.39 mm tief
 Streuwert 14.48, horizontal: 15.31, vertikal: 13.60



Serie 3:
 8.8 ↘ 8.0 ↘ 10.6 * 10.7 * 6.4 ↖
 7.9 ← 8.6 ↗ 9.4 ↓ 8.9 ↗ 9.5 →
 beste Teiler 230.6 (24.) 314.0 (23.) 1132.4 (30.)
 Trefferlage 1.37 mm links, 0.82 mm tief
 Streuwert 14.37, horizontal: 15.38, vertikal: 13.28





Serie 4:
 10.2 → 10.6 * 9.1 ↘ 6.2 → 9.6 ↓
 8.7 → 9.1 ↓ 10.2 ↓ 7.9 ↖ 9.8 ↗
 beste Teiler 297.9 (32.) 573.2 (31.) 587.8 (38.)
 Trefferlage 6.43 mm rechts, 1.42 mm tief
 Streuwert 12.14, horizontal: 14.81, vertikal: 8.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297** (314.7)
 Serien: 78 78 72 69
 Zähler: 3 8 12 8 4 3 1 0 0 0
 Innenzehner: 1
 weiteste: 8029 (32), 5367 (28), 4170 (6)
 beste Teiler 321.0 (14.) 525.9 (36.) 588.1 (13.)
 Trefferlage 0.02 mm links, 5.81 mm tief
 Streuwert 19.81, horizontal: 20.97, vertikal: 18.57




Serie 1:
 8.0 ↑ 7.9 ← 9.3 ↘ 5.8 ↖ 9.3 ↓
 5.7 → 9.6 ↙ 8.6 ↓ 9.4 ↘ 9.3 ↘
 beste Teiler 1047.2 (7.) 1218.3 (9.) 1309.6 (5.)
 Trefferlage 0.04 mm rechts, 0.73 mm hoch
 Streuwert 17.89, horizontal: 19.06, vertikal: 16.65



Serie 2:
 8.3 ↘ 8.8 ↓ 10.2 ← 10.5 * 6.5 ←
 8.1 ↓ 6.3 → 6.9 ↗ 8.6 ↖ 8.0 ←
 beste Teiler 321.0 (14.) 588.1 (13.) 1686.8 (12.)
 Trefferlage 5.40 mm links, 6.07 mm tief
 Streuwert 17.08, horizontal: 20.86, vertikal: 12.18





Serie 3:
 8.0 → 8.5 ↓ 9.9 → 8.0 ↗ 6.5 →
 7.8 ↗ 8.4 ↘ 4.2 ↖ 7.6 ↓ 7.8 ↘
 beste Teiler 814.3 (23.) 2000.8 (22.) 2005.8 (27.)
 Trefferlage 5.62 mm rechts, 11.89 mm tief
 Streuwert 18.85, horizontal: 22.25, vertikal: 14.68




Serie 4:
 7.8 ↘ 0.0 ↖ 7.0 ↓ 5.8 ← 7.1 ↓
 10.3 ↙ 9.0 ↓ 8.9 ↓ 9.5 ↓ 7.5 ↘
 beste Teiler 525.9 (36.) 1174.9 (39.) 1576.6 (37.)
 Trefferlage 0.35 mm links, 6.02 mm tief
 Streuwert 25.59, horizontal: 23.33, vertikal: 27.66

Unterschrift des Schützen


Ergebnis: **320** (336.8)
 Serien: 78 84 81 77
 Zähler: 5 11 11 8 2 3 0 0 0 0
 Innenzehner: 2
 weiteste: 4696 (6), 4310 (39), 4020 (26)
 beste Teiler 353.6 (24.) 446.2 (18.) 639.2 (27.)
 Trefferlage 1.14 mm rechts, 2.73 mm hoch
 Streuwert 16.24, horizontal: 16.83, vertikal: 15.63




Serie 1:
 8.9 ↘ 9.1 ↗ 9.0 → 8.5 ↖ 8.8 ↑
 5.1 → 8.7 ↖ 7.1 → 9.7 ↘ 7.8 ↓
 beste Teiler 996.2 (9.) 1486.6 (2.) 1534.5 (3.)
 Trefferlage 7.87 mm rechts, 6.22 mm hoch
 Streuwert 15.96, horizontal: 18.67, vertikal: 12.67



Serie 2:
 7.6 ↗ 7.5 ↓ 8.3 ← 9.2 → 7.1 ↓
 9.7 ↗ 10.0 ↖ 10.4 * 9.1 ↗ 8.1 ↓
 beste Teiler 446.2 (18.) 770.6 (17.) 1038.6 (16.)
 Trefferlage 1.22 mm rechts, 3.69 mm tief
 Streuwert 14.63, horizontal: 10.55, vertikal: 17.79





Serie 3:
 8.6 ↖ 9.8 ← 7.6 ↓ 10.5 * 6.8 ←
 5.9 ↗ 10.2 ↖ 9.0 ↘ 8.7 ← 9.8 ←
 beste Teiler 353.6 (24.) 639.2 (27.) 904.6 (30.)
 Trefferlage 4.78 mm links, 1.01 mm hoch
 Streuwert 15.54, horizontal: 16.73, vertikal: 14.25




Serie 4:
 7.5 ↓ 10.0 ↖ 9.1 ↖ 7.0 → 6.5 ↑
 9.9 ↑ 8.6 ↖ 8.0 → 5.6 ← 8.0 ↑
 beste Teiler 729.1 (32.) 878.7 (36.) 1498.2 (33.)
 Trefferlage 0.25 mm rechts, 7.38 mm hoch
 Streuwert 18.55, horizontal: 19.91, vertikal: 17.07

Unterschrift des Schützen


Ergebnis: **323** (342.0)
 Serien: 70 84 86 83
 Zähler: 6 10 14 7 1 1 0 0 0 1
 Innenzehner: 2
 weiteste: 7386 (6), 4591 (3), 3488 (4)
 beste Teiler 199.9 (24.) 256.0 (17.) 481.6 (9.)
 Trefferlage 5.39 mm links, 5.79 mm hoch
 Streuwert 15.49, horizontal: 14.70, vertikal: 16.24




Serie 1:
 8.3 ↑ 9.3 ↗ 5.2 ↖ 6.6 ← 8.4 ↘
 1.7 ↑ 8.0 ↘ 8.4 ↘ 10.3 ↓ 7.7 ↖
 beste Teiler 481.6 (9.) 1343.5 (2.) 2017.8 (8.)
 Trefferlage 11.29 mm links, 14.05 mm hoch
 Streuwert 21.40, horizontal: 18.04, vertikal: 24.31



Serie 2:
 7.9 ↙ 8.8 ↖ 10.1 ↗ 8.4 ↑ 7.6 ↗
 8.8 ↖ 10.6 * 9.3 ← 9.9 ↑ 8.8 ↘
 beste Teiler 256.0 (17.) 717.2 (13.) 858.2 (19.)
 Trefferlage 5.89 mm links, 5.79 mm hoch
 Streuwert 11.20, horizontal: 11.29, vertikal: 11.11



Serie 3:
 9.5 ↓ 9.9 ← 7.7 ↑ 10.7 * 8.7 ↘
 9.0 ← 10.1 ↗ 8.4 ↘ 8.5 ← 8.7 ↓
 beste Teiler 199.9 (24.) 702.1 (27.) 838.1 (22.)
 Trefferlage 1.23 mm links, 2.60 mm tief
 Streuwert 11.91, horizontal: 12.43, vertikal: 11.38





Serie 4:
 9.4 ↙ 9.5 ↗ 7.4 ↖ 9.9 ↘ 10.3 ↑
 9.2 ↘ 8.6 ↘ 8.2 ↘ 7.1 ← 7.1 ↗
 beste Teiler 516.6 (35.) 804.0 (34.) 1183.4 (32.)
 Trefferlage 3.16 mm links, 5.94 mm hoch
 Streuwert 14.32, horizontal: 16.31, vertikal: 12.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **310** (329.5)
 Serien: 84 75 75 76
 Zähler: 5 9 11 7 4 3 0 1 0 0
 Innenzehner: 1
 weiteste: 6201 (24), 4421 (19), 4257 (17)
 beste Teiler 347.1 (1.) 571.6 (9.) 591.6 (30.)
 Trefferlage 0.29 mm links, 0.55 mm tief
 Streuwert 17.94, horizontal: 17.18, vertikal: 18.68




Serie 1:
 10.5 * 6.9 ↖ 8.9 ↙ 7.7 ↗ 9.6 ↘
 8.2 → 8.6 ↗ 8.6 ↘ 10.2 ← 10.1 ↘
 beste Teiler 347.1 (1.) 571.6 (9.) 646.7 (10.)
 Trefferlage 0.85 mm rechts, 3.10 mm hoch
 Streuwert 13.53, horizontal: 12.83, vertikal: 14.20



Serie 2:
 8.9 ↖ 9.8 ↓ 7.9 ↓ 9.8 ← 9.4 ←
 6.5 ↓ 5.6 ← 9.4 → 5.4 ↖ 8.8 ↘
 beste Teiler 902.1 (12.) 944.2 (14.) 1229.2 (15.)
 Trefferlage 10.44 mm links, 6.21 mm tief
 Streuwert 17.01, horizontal: 17.58, vertikal: 16.43



Serie 3:
 10.0 ↘ 8.4 ↗ 6.1 ↓ 3.2 ↗ 8.7 ↘
 7.6 ↙ 9.1 → 7.4 ↘ 7.2 ↖ 10.2 ←
 beste Teiler 591.6 (30.) 749.0 (21.) 1459.3 (27.)
 Trefferlage 6.88 mm rechts, 0.37 mm tief
 Streuwert 21.50, horizontal: 17.11, vertikal: 25.13





Serie 4:
 8.5 ← 8.7 ↖ 7.2 ↓ 5.9 ↑ 9.2 →
 7.2 ← 6.5 → 9.3 ↘ 8.6 ↘ 9.7 ↖
 beste Teiler 1001.8 (40.) 1316.3 (38.) 1381.1 (35.)
 Trefferlage 1.53 mm rechts, 1.25 mm hoch
 Streuwert 18.57, horizontal: 18.30, vertikal: 18.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **316** (336.1)
 Serien: 71 82 82 81
 Zähler: 6 9 13 7 2 2 0 0 0 0
 Innenzehner: 1
 weiteste: 8255 (1), 4584 (2), 4003 (8)
 beste Teiler 104.7 (16.) 531.7 (22.) 551.8 (38.)
 Trefferlage 1.44 mm links, 2.25 mm hoch
 Streuwert 17.69, horizontal: 18.76, vertikal: 16.56




Serie 1:
 0.0 ↖ 5.2 ↗ 10.2 ↗ 9.9 ↓ 9.9 ↓
 7.6 ↙ 10.2 ↙ 5.9 ← 9.4 → 7.9 ↑
 beste Teiler 618.0 (3.) 640.6 (7.) 834.0 (4.)
 Trefferlage 3.95 mm links, 10.42 mm hoch
 Streuwert 24.68, horizontal: 23.10, vertikal: 26.16



Serie 2:
 8.3 ↙ 8.9 ↗ 8.4 ← 9.9 ↓ 8.8 ↗
 10.8 * 7.1 ↓ 8.4 → 8.9 ↖ 8.3 →
 beste Teiler 104.7 (16.) 862.7 (14.) 1619.7 (12.)
 Trefferlage 0.58 mm links, 2.55 mm tief
 Streuwert 13.95, horizontal: 14.96, vertikal: 12.86



Serie 3:
 8.6 → 10.3 ↗ 9.7 ↓ 7.5 ← 9.1 ↖
 6.1 → 7.3 ↗ 7.6 ↖ 10.1 → 9.9 ↖
 beste Teiler 531.7 (22.) 669.8 (29.) 861.1 (30.)
 Trefferlage 1.63 mm rechts, 4.59 mm hoch
 Streuwert 15.72, horizontal: 18.98, vertikal: 11.58





Serie 4:
 8.7 ← 8.5 ↓ 8.0 ← 9.9 ↑ 6.8 →
 8.4 ← 8.3 ← 10.3 ↑ 9.4 ← 7.6 →
 beste Teiler 551.8 (38.) 808.8 (34.) 1220.3 (39.)
 Trefferlage 2.89 mm links, 3.43 mm tief
 Streuwert 14.97, horizontal: 19.65, vertikal: 7.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337.7** (324)
 Serien: 84.1 87.3 86.3 80.0
 Zähler: 8 12 8 4 5 2 1 0 0 0
 Innenzehner: 4
 weiteste: 5523 (6), 4673 (8), 4276 (19)
 beste Teiler 252.8 (24.) 379.2 (39.) 406.0 (16.)
 Trefferlage 0.09 mm links, 0.51 mm hoch
 Streuwert 17.09, horizontal: 17.31, vertikal: 16.87




Serie 1:
 8.2 ↑ 9.0 ↓ 10.2 ↓ 8.3 → 10.4 *
 4.0 ↗ 10.1 ← 5.1 ← 9.7 ↓ 9.1 ↓
 beste Teiler 440.1 (5.) 576.5 (3.) 681.1 (7.)
 Trefferlage 0.24 mm links, 1.54 mm hoch
 Streuwert 19.46, horizontal: 19.81, vertikal: 19.09



Serie 2:
 6.1 ↗ 9.8 ↑ 9.1 ← 9.0 ↘ 9.5 ↗
 10.4 * 9.6 ↓ 8.3 ↑ 5.6 ← 9.9 ↓
 beste Teiler 406.0 (16.) 842.7 (20.) 943.2 (12.)
 Trefferlage 3.20 mm links, 5.57 mm hoch
 Streuwert 15.34, horizontal: 15.81, vertikal: 14.86



Serie 3:
 10.2 ← 10.0 → 8.9 ↓ 10.6 * 8.4 ↘
 9.2 ↙ 7.8 ← 6.4 ↘ 6.3 ↘ 8.5 ↓
 beste Teiler 252.8 (24.) 636.0 (21.) 758.9 (22.)
 Trefferlage 2.45 mm links, 5.25 mm tief
 Streuwert 15.59, horizontal: 14.74, vertikal: 16.39



Serie 4:
 7.3 ↗ 8.1 ↘ 8.1 ↓ 7.1 ↑ 6.6 ↘
 6.3 ← 7.6 → 9.3 → 10.5 * 9.1 ↘
 beste Teiler 379.2 (39.) 1299.9 (38.) 1484.1 (40.)
 Trefferlage 5.51 mm rechts, 0.17 mm hoch
 Streuwert 18.70, horizontal: 19.65, vertikal: 17.69

Unterschrift des Schützen

Meyton Elektronik