





Ergebnis: **252** (270.3)
 Serien: 60 69 64 59
 Zähler: 1 5 5 10 7 6 1 2 2 1
 Innenzehner: 0
 weiteste: 7628 (6), 6908 (21), 6708 (33)
 beste Teiler 622.0 (26.) 837.4 (18.) 1008.2 (37.)
 Trefferlage 6.72 mm rechts, 12.40 mm tief
 Streuwert 24.82, horizontal: 27.97, vertikal: 21.21




Serie 1:
 3.5 → 7.6 ← 9.7 ↙ 5.3 ↘ 7.5 →
 1.4 ↘ 8.1 → 8.7 ← 5.4 ↘ 7.7 ↘
 beste Teiler 1009.2 (3.) 1766.8 (8.) 2317.3 (7.)
 Trefferlage 11.17 mm rechts, 15.80 mm tief
 Streuwert 26.57, horizontal: 28.98, vertikal: 23.91



Serie 2:
 9.2 ↑ 9.0 ↘ 7.6 ↘ 6.8 ↘ 6.6 ←
 6.9 ↓ 6.8 ↓ 9.9 ↖ 6.1 ↖ 5.1 ←
 beste Teiler 837.4 (18.) 1362.9 (11.) 1581.8 (12.)
 Trefferlage 6.51 mm links, 8.38 mm tief
 Streuwert 21.42, horizontal: 23.18, vertikal: 19.50



Serie 3:
 2.3 → 7.3 ← 8.4 ↘ 8.2 ↘ 7.0 ↘
 10.2 → 4.8 ↓ 3.4 → 7.7 ↙ 8.2 →
 beste Teiler 622.0 (26.) 2016.1 (23.) 2205.8 (24.)
 Trefferlage 14.67 mm rechts, 8.53 mm tief
 Streuwert 25.69, horizontal: 30.34, vertikal: 20.00





Serie 4:
 7.0 → 5.1 ↘ 2.6 ↙ 5.7 → 6.7 ↘
 7.5 → 9.7 ↗ 5.1 ↓ 6.6 ↘ 7.9 ←
 beste Teiler 1008.2 (37.) 2469.0 (40.) 2775.6 (36.)
 Trefferlage 7.55 mm rechts, 16.89 mm tief
 Streuwert 25.80, horizontal: 28.35, vertikal: 22.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **289** (305.1)
 Serien: 76 75 60 78
 Zähler: 6 5 12 6 2 3 3 2 0 1
 Innenzehner: 2
 weiteste: 7969 (22), 6259 (25), 5732 (37)
 beste Teiler 281.1 (40.) 415.0 (9.) 619.8 (23.)
 Trefferlage 1.01 mm rechts, 2.77 mm tief
 Streuwert 22.68, horizontal: 19.63, vertikal: 25.36




Serie 1:
 5.4 ↖ 8.2 ↓ 10.1 ↘ 7.0 ↓ 8.5 ←
 5.4 ↘ 7.5 ↗ 9.4 ↙ 10.4 * 7.7 ↗
 beste Teiler 415.0 (9.) 704.8 (3.) 1268.5 (8.)
 Trefferlage 2.69 mm links, 4.33 mm tief
 Streuwert 20.05, horizontal: 19.48, vertikal: 20.60



Serie 2:
 9.5 ↖ 6.2 → 5.3 ↙ 8.6 ↗ 10.1 ↗
 7.2 ↗ 8.4 ↗ 4.7 ← 10.0 ↖ 8.6 →
 beste Teiler 718.8 (15.) 781.1 (19.) 1164.9 (11.)
 Trefferlage 2.33 mm links, 5.31 mm hoch
 Streuwert 20.92, horizontal: 25.63, vertikal: 14.79



Serie 3:
 8.0 ↗ 1.0 ↓ 10.2 ↓ 8.8 ↖ 3.1 ↓
 4.9 ↗ 6.0 → 8.3 ↑ 8.8 ↓ 4.8 ↑
 beste Teiler 619.8 (23.) 1681.5 (29.) 1723.1 (24.)
 Trefferlage 4.64 mm rechts, 3.99 mm tief
 Streuwert 31.49, horizontal: 20.11, vertikal: 39.73





Serie 4:
 7.7 ↘ 8.6 ↖ 9.0 ↓ 8.9 ↗ 9.7 →
 9.4 ← 3.8 ↓ 7.2 ↗ 8.1 ↓ 10.6 *
 beste Teiler 281.1 (40.) 963.7 (35.) 1263.5 (36.)
 Trefferlage 4.46 mm rechts, 8.07 mm tief
 Streuwert 17.76, horizontal: 13.19, vertikal: 21.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **273** (289.4)
 Serien: 60 74 63 76
 Zähler: 3 5 7 12 4 2 4 2 1 0
 Innenzehner: 0
 weiteste: 7096 (2), 6044 (6), 5793 (30)
 beste Teiler 527.0 (36.) 574.5 (27.) 784.8 (16.)
 Trefferlage 7.16 mm links, 3.56 mm tief
 Streuwert 23.36, horizontal: 24.85, vertikal: 21.78




Serie 1:
 9.8 → 2.1 ← 8.2 ↖ 5.4 ↑ 7.0 ↘
 3.4 ↙ 7.8 ↗ 4.9 ↓ 8.8 ↘ 7.1 ↘
 beste Teiler 955.6 (1.) 1713.2 (9.) 2190.4 (3.)
 Trefferlage 12.55 mm links, 10.98 mm tief
 Streuwert 27.53, horizontal: 26.42, vertikal: 28.60



Serie 2:
 7.2 ↑ 9.9 → 7.1 ← 6.6 ↘ 9.0 ↖
 10.0 ↓ 8.4 ↘ 8.0 ↖ 6.5 ← 4.2 →
 beste Teiler 784.8 (16.) 857.9 (12.) 1526.4 (15.)
 Trefferlage 0.49 mm links, 1.78 mm tief
 Streuwert 21.80, horizontal: 27.33, vertikal: 14.26



Serie 3:
 6.8 ← 8.0 ↘ 4.8 ↙ 4.3 ↘ 7.9 ↖
 7.2 ↖ 10.2 ↘ 7.5 ↓ 7.7 ↘ 3.7 ↖
 beste Teiler 574.5 (27.) 2398.6 (22.) 2447.2 (25.)
 Trefferlage 7.11 mm links, 6.48 mm tief
 Streuwert 26.23, horizontal: 27.93, vertikal: 24.40





Serie 4:
 7.5 → 9.4 ↙ 8.2 ← 8.9 ↑ 9.2 ↑
 10.3 ↓ 7.5 ↑ 7.0 ↑ 5.5 ← 6.4 ↙
 beste Teiler 527.0 (36.) 1245.5 (32.) 1436.3 (35.)
 Trefferlage 8.51 mm links, 5.01 mm hoch
 Streuwert 18.02, horizontal: 19.15, vertikal: 16.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291** (311.4)
 Serien: 71 70 73 77
 Zähler: 3 7 11 8 4 5 1 0 0 1
 Innenzehner: 0
 weiteste: 7334 (8), 5426 (30), 4404 (12)
 beste Teiler 594.8 (1.) 696.3 (31.) 713.7 (24.)
 Trefferlage 5.76 mm links, 8.20 mm tief
 Streuwert 19.41, horizontal: 18.81, vertikal: 19.99




Serie 1:
 10.2 ← 8.5 ↙ 7.8 → 7.7 ↗ 7.3 ↘
 5.8 ↖ 8.8 ↓ 1.8 ↖ 9.7 → 9.5 →
 beste Teiler 594.8 (1.) 1036.9 (9.) 1139.0 (10.)
 Trefferlage 3.51 mm links, 0.32 mm tief
 Streuwert 23.58, horizontal: 27.66, vertikal: 18.62



Serie 2:
 8.1 ↓ 5.4 ↓ 7.2 ↙ 7.5 ↑ 7.8 ↙
 9.0 ↙ 5.6 ↙ 8.5 ← 6.7 ↖ 8.0 ↓
 beste Teiler 1526.2 (16.) 1935.6 (18.) 2318.1 (11.)
 Trefferlage 10.07 mm links, 17.04 mm tief
 Streuwert 16.77, horizontal: 15.16, vertikal: 18.23



Serie 3:
 6.6 ↙ 9.9 ↗ 7.7 ↑ 10.1 ↖ 5.7 ↖
 8.5 ↓ 8.9 → 7.5 ↓ 9.3 ↑ 4.2 ↓
 beste Teiler 713.7 (24.) 875.3 (22.) 1285.9 (29.)
 Trefferlage 6.24 mm links, 3.80 mm tief
 Streuwert 20.79, horizontal: 16.36, vertikal: 24.43





Serie 4:
 10.1 ← 8.9 ↓ 9.4 ↓ 8.2 ↓ 6.8 ↙
 8.0 ↙ 6.5 ↖ 9.5 ↓ 5.8 ↓ 8.9 →
 beste Teiler 696.3 (31.) 1194.0 (38.) 1234.0 (33.)
 Trefferlage 3.24 mm links, 11.63 mm tief
 Streuwert 15.84, horizontal: 15.38, vertikal: 16.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291** (310.2)
 Serien: 74 78 72 67
 Zähler: 1 9 13 6 7 0 2 0 2 0
 Innenzehner: 0
 weiteste: 6658 (35), 6425 (21), 5550 (5)
 beste Teiler 568.7 (13.) 849.0 (22.) 879.9 (28.)
 Trefferlage 4.83 mm links, 5.89 mm tief
 Streuwert 20.22, horizontal: 20.60, vertikal: 19.83




Serie 1:
 9.2 ↙ 8.4 ↓ 9.2 ↘ 7.2 ↖ 4.0 ←
 6.4 ↘ 9.6 ↑ 8.3 ↙ 7.9 ↓ 7.4 →
 beste Teiler 1042.1 (7.) 1369.8 (3.) 1385.8 (1.)
 Trefferlage 4.64 mm links, 8.49 mm tief
 Streuwert 19.94, horizontal: 22.27, vertikal: 17.30



Serie 2:
 8.8 ↓ 6.1 ↘ 10.2 ↗ 9.4 ↓ 6.7 ↙
 8.2 ↘ 6.6 ← 8.8 ↑ 9.5 ↘ 8.1 ↘
 beste Teiler 568.7 (13.) 1131.5 (19.) 1238.7 (14.)
 Trefferlage 1.68 mm rechts, 10.76 mm tief
 Streuwert 16.11, horizontal: 18.63, vertikal: 13.10





Serie 3:
 2.9 ↓ 9.9 ↖ 8.7 → 6.7 → 7.4 ↖
 6.2 ↙ 8.5 ↖ 9.9 ↗ 8.4 ↖ 9.1 ↘
 beste Teiler 849.0 (22.) 879.9 (28.) 1463.0 (30.)
 Trefferlage 2.06 mm links, 6.01 mm tief
 Streuwert 21.87, horizontal: 18.39, vertikal: 24.86




Serie 4:
 9.2 ↖ 8.7 ↗ 8.1 ↑ 8.3 ↓ 2.6 ↙
 6.9 ↖ 7.8 ↑ 4.5 ← 7.9 ↙ 8.5 ↖
 beste Teiler 1435.7 (31.) 1813.2 (32.) 1921.5 (40.)
 Trefferlage 14.33 mm links, 1.69 mm hoch
 Streuwert 22.57, horizontal: 22.41, vertikal: 22.72

Unterschrift des Schützen


Ergebnis: **293** (315.5)
 Serien: 67 79 68 79
 Zähler: 3 9 6 10 8 2 1 0 1 0
 Innenzehner: 1
 weiteste: 7028 (4), 4848 (30), 4782 (10)
 beste Teiler 365.3 (40.) 513.1 (20.) 705.3 (31.)
 Trefferlage 2.57 mm links, 1.08 mm hoch
 Streuwert 19.94, horizontal: 18.00, vertikal: 21.70




Serie 1:
 8.3 ↖ 6.5 ← 8.6 ↑ 2.2 ↓ 6.7 ↗
 6.6 ↘ 8.2 ↘ 9.7 → 9.8 → 5.0 →
 beste Teiler 949.4 (9.) 999.9 (8.) 1872.0 (3.)
 Trefferlage 5.46 mm links, 5.46 mm hoch
 Streuwert 25.56, horizontal: 21.28, vertikal: 29.22



Serie 2:
 7.5 ↗ 5.5 ← 9.1 ↑ 6.6 ↑ 8.5 →
 7.9 ↘ 9.6 ↘ 9.5 ↘ 9.6 ↗ 10.3 ↘
 beste Teiler 513.1 (20.) 1050.9 (19.) 1087.3 (17.)
 Trefferlage 1.84 mm rechts, 9.08 mm hoch
 Streuwert 15.97, horizontal: 18.06, vertikal: 13.56



Serie 3:
 7.6 ← 9.7 ↘ 7.6 ↘ 7.9 ← 8.8 ↘
 6.8 ↘ 7.7 ↗ 7.9 ↘ 6.9 → 4.9 ↓
 beste Teiler 974.9 (22.) 1727.7 (25.) 2414.9 (28.)
 Trefferlage 9.37 mm links, 11.80 mm tief
 Streuwert 18.12, horizontal: 18.99, vertikal: 17.19





Serie 4:
 10.1 ↖ 9.3 ↘ 6.1 ↓ 8.5 ↓ 7.9 ↖
 6.9 ↑ 7.6 ↑ 9.7 ↗ 7.4 ↘ 10.5 *
 beste Teiler 365.3 (40.) 705.3 (31.) 970.9 (38.)
 Trefferlage 2.68 mm rechts, 1.59 mm hoch
 Streuwert 17.05, horizontal: 12.32, vertikal: 20.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **264** (282.7)
 Serien: 70 61 61 72
 Zähler: 1 6 8 8 5 6 4 1 0 1
 Innenzehner: 1
 weiteste: 7729 (27), 5835 (29), 5524 (4)
 beste Teiler 303.2 (5.) 807.7 (22.) 1299.5 (10.)
 Trefferlage 1.09 mm rechts, 9.17 mm tief
 Streuwert 24.01, horizontal: 26.65, vertikal: 21.04




Serie 1:
 7.5 ↗ 5.7 ↘ 6.3 ↘ 4.0 ↙ 10.6 *
 5.4 ↘ 7.6 ↘ 8.7 ↗ 9.0 → 9.3 ↓
 beste Teiler 303.2 (5.) 1299.5 (10.) 1541.0 (9.)
 Trefferlage 1.45 mm rechts, 2.17 mm tief
 Streuwert 23.94, horizontal: 26.09, vertikal: 21.57



Serie 2:
 7.0 ↘ 7.3 ↘ 4.7 ↓ 5.7 ↗ 6.4 ↓
 6.5 ↗ 7.9 ← 8.6 ↙ 7.5 ↗ 4.5 ←
 beste Teiler 1859.0 (18.) 2468.4 (17.) 2726.7 (19.)
 Trefferlage 3.38 mm links, 12.47 mm tief
 Streuwert 25.08, horizontal: 26.74, vertikal: 23.30



Serie 3:
 8.7 ↗ 9.9 ↘ 4.6 ↖ 9.2 ↘ 8.1 ↙
 6.2 ↘ 1.3 ↓ 8.9 ↙ 3.7 ← 5.4 ↘
 beste Teiler 807.7 (22.) 1400.6 (24.) 1666.7 (28.)
 Trefferlage 6.05 mm links, 14.84 mm tief
 Streuwert 28.13, horizontal: 30.55, vertikal: 25.48





Serie 4:
 7.1 → 5.5 → 9.2 ↘ 9.0 ↘ 5.1 ↘
 8.7 ← 8.5 ↘ 8.8 ↖ 7.8 ↘ 6.8 →
 beste Teiler 1429.4 (33.) 1552.2 (34.) 1740.9 (38.)
 Trefferlage 12.36 mm rechts, 7.22 mm tief
 Streuwert 18.46, horizontal: 22.98, vertikal: 12.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **298.4** (279)
 Serien: 67.4 73.1 76.1 81.8
 Zähler: 3 8 8 9 4 2 2 2 1 0
 Innenzehner: 2
 weiteste: 8133 (8), 6716 (21), 6074 (16)
 beste Teiler 173.1 (11.) 464.8 (31.) 765.4 (7.)
 Trefferlage 8.55 mm links, 10.45 mm tief
 Streuwert 21.49, horizontal: 20.44, vertikal: 22.48




Serie 1:
 7.3 ↓ 7.8 ↙ 3.8 ↘ 8.1 ← 8.1 ←
 6.8 ↘ 10.0 ↘ 0.0 ↙ 8.0 ↑ 7.5 ↓
 beste Teiler 765.4 (7.) 2256.6 (4.) 2289.2 (5.)
 Trefferlage 14.19 mm links, 12.13 mm tief
 Streuwert 25.14, horizontal: 22.61, vertikal: 27.43



Serie 2:
 10.7 * 7.8 ← 8.6 ↓ 9.0 ← 9.5 →
 3.4 ↓ 6.7 ↓ 5.2 ↑ 7.5 ↙ 4.7 ↘
 beste Teiler 173.1 (11.) 1191.4 (15.) 1546.5 (14.)
 Trefferlage 7.51 mm links, 7.19 mm tief
 Streuwert 24.12, horizontal: 18.27, vertikal: 28.80



Serie 3:
 2.6 ↓ 9.1 ↓ 7.2 ↙ 5.9 ← 7.1 ←
 6.0 ↙ 9.5 ↓ 8.9 ← 9.9 ↑ 9.9 ↙
 beste Teiler 819.6 (30.) 848.7 (29.) 1190.8 (27.)
 Trefferlage 11.22 mm links, 14.57 mm tief
 Streuwert 19.59, horizontal: 19.38, vertikal: 19.80



Serie 4:
 10.4 * 7.8 ← 6.6 ↗ 9.9 ↓ 9.0 ←
 4.5 ↘ 8.6 ↓ 8.8 ↙ 7.7 ↙ 8.5 ↙
 beste Teiler 464.8 (31.) 833.4 (34.) 1537.5 (35.)
 Trefferlage 1.26 mm links, 7.92 mm tief
 Streuwert 18.19, horizontal: 22.07, vertikal: 13.23

Unterschrift des Schützen

Meyton Elektronik