





Ergebnis: **327** (344.8)
 Serien: 80 79 80 88
 Zähler: 5 9 17 7 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4453 (12), 3891 (21), 2922 (1)
 beste Teiler 258.4 (24.) 407.7 (36.) 529.0 (15.)
 Trefferlage 0.43 mm links, 6.44 mm hoch
 Streuwert 14.04, horizontal: 14.42, vertikal: 13.65




Serie 1:
 7.3 ↘ 7.9 ↖ 8.5 → 7.3 ↑ 8.6 ↗
 9.1 ← 8.3 ↑ 9.4 ↑ 9.4 ↓ 8.5 ↙
 beste Teiler 1237.1 (9.) 1274.1 (8.) 1510.2 (6.)
 Trefferlage 1.47 mm rechts, 5.14 mm hoch
 Streuwert 15.18, horizontal: 14.36, vertikal: 15.96



Serie 2:
 7.6 ↖ 5.4 → 8.4 ↖ 8.5 ↖ 10.3 ↑
 8.1 ↗ 7.6 ← 9.8 → 8.4 ↗ 9.5 ↖
 beste Teiler 529.0 (15.) 917.1 (18.) 1192.8 (20.)
 Trefferlage 0.83 mm rechts, 12.39 mm hoch
 Streuwert 14.76, horizontal: 19.66, vertikal: 7.00



Serie 3:
 6.1 ↑ 8.8 ↑ 8.0 ↖ 10.6 * 9.2 ↗
 8.6 ↖ 8.8 ↓ 7.7 ← 7.5 ↙ 9.1 ↗
 beste Teiler 258.4 (24.) 1414.9 (25.) 1477.2 (30.)
 Trefferlage 4.51 mm links, 7.02 mm hoch
 Streuwert 15.25, horizontal: 12.10, vertikal: 17.85





Serie 4:
 8.2 ↘ 9.8 ↖ 8.9 ↖ 9.4 → 8.3 ↑
 10.4 * 8.7 → 10.1 ↙ 10.3 ↑ 8.4 ↙
 beste Teiler 407.7 (36.) 540.2 (39.) 647.2 (38.)
 Trefferlage 0.45 mm rechts, 1.23 mm hoch
 Streuwert 11.18, horizontal: 11.70, vertikal: 10.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (349.9)
 Serien: 87 83 85 82
 Zähler: 6 12 17 3 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3899 (22), 3450 (37), 2993 (25)
 beste Teiler 339.4 (30.) 349.7 (3.) 417.8 (26.)
 Trefferlage 1.99 mm rechts, 0.21 mm hoch
 Streuwert 13.82, horizontal: 12.68, vertikal: 14.86




Serie 1:
 8.2 ↓ 9.4 ↗ 10.5 * 10.4 * 8.2 ↗
 9.5 ↘ 9.1 ↖ 8.2 ↓ 8.3 ↙ 8.0 ←
 beste Teiler 349.7 (3.) 424.1 (4.) 1190.4 (6.)
 Trefferlage 0.92 mm links, 2.52 mm tief
 Streuwert 12.76, horizontal: 10.60, vertikal: 14.60



Serie 2:
 9.2 ↓ 8.2 ↖ 8.7 → 8.1 ↙ 9.4 →
 7.8 ↗ 9.1 ↘ 8.3 ↑ 7.3 ↓ 10.2 ←
 beste Teiler 583.1 (20.) 1260.4 (15.) 1398.2 (11.)
 Trefferlage 1.96 mm rechts, 1.94 mm tief
 Streuwert 14.46, horizontal: 13.90, vertikal: 15.00



Serie 3:
 8.2 ↑ 6.1 ↓ 8.9 ↗ 8.3 ↑ 7.2 ↑
 10.4 * 9.1 ↙ 9.8 → 10.2 ↘ 10.5 *
 beste Teiler 339.4 (30.) 417.8 (26.) 622.8 (29.)
 Trefferlage 3.25 mm rechts, 2.49 mm hoch
 Streuwert 14.54, horizontal: 5.61, vertikal: 19.78





Serie 4:
 8.0 ← 8.6 ↗ 9.2 → 9.4 ↘ 9.3 ↖
 8.9 → 6.6 ← 8.0 → 8.0 ↗ 9.1 →
 beste Teiler 1273.9 (34.) 1312.5 (35.) 1366.2 (33.)
 Trefferlage 3.66 mm rechts, 2.83 mm hoch
 Streuwert 14.94, horizontal: 18.59, vertikal: 10.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (352.7)
 Serien: 82 87 83 84
 Zähler: 5 15 13 5 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3702 (34), 3311 (7), 3037 (5)
 beste Teiler 323.1 (9.) 522.0 (2.) 563.5 (22.)
 Trefferlage 1.82 mm links, 2.83 mm tief
 Streuwert 13.33, horizontal: 15.52, vertikal: 10.69




Serie 1:
 8.2 ← 10.3 ↓ 7.3 ← 9.1 ↓ 7.2 →
 9.4 ↘ 6.8 ← 7.9 ↗ 10.5 * 9.7 ↘
 beste Teiler 323.1 (9.) 522.0 (2.) 1008.6 (10.)
 Trefferlage 4.64 mm links, 1.09 mm tief
 Streuwert 15.33, horizontal: 18.63, vertikal: 11.08



Serie 2:
 8.0 ↗ 8.5 ↘ 9.6 ↑ 8.2 ↑ 9.6 ↑
 9.7 ↑ 10.2 ↘ 8.2 ← 9.7 ↘ 9.4 ↘
 beste Teiler 601.8 (17.) 981.4 (19.) 1033.0 (16.)
 Trefferlage 2.42 mm links, 3.66 mm hoch
 Streuwert 11.42, horizontal: 11.03, vertikal: 11.79



Serie 3:
 8.3 ↗ 10.2 ↗ 9.3 ↘ 8.7 ← 8.8 →
 8.9 ↘ 9.7 ← 7.3 ↘ 8.0 ↗ 8.3 ↓
 beste Teiler 563.5 (22.) 997.1 (27.) 1360.1 (23.)
 Trefferlage 2.87 mm links, 9.00 mm tief
 Streuwert 12.05, horizontal: 14.70, vertikal: 8.61





Serie 4:
 9.2 ↘ 10.1 ↓ 7.6 ↘ 6.3 → 8.5 ←
 8.1 ↓ 9.1 ← 9.6 ← 9.7 → 9.5 ↓
 beste Teiler 650.9 (32.) 1039.8 (39.) 1117.9 (38.)
 Trefferlage 2.62 mm rechts, 4.88 mm tief
 Streuwert 13.96, horizontal: 18.09, vertikal: 7.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (351.8)
 Serien: 85 85 83 81
 Zähler: 8 13 10 4 4 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4539 (28), 3832 (17), 3763 (34)
 beste Teiler 266.5 (23.) 342.1 (6.) 398.5 (22.)
 Trefferlage 5.97 mm links, 6.13 mm tief
 Streuwert 13.22, horizontal: 13.20, vertikal: 13.24




Serie 1:
 8.7 ↗ 10.1 ↘ 7.6 ← 9.9 ↘ 6.7 ↘
 10.5 * 9.8 ↗ 9.6 ↑ 9.8 → 8.0 ↓
 beste Teiler 342.1 (6.) 679.1 (2.) 833.0 (4.)
 Trefferlage 0.15 mm rechts, 1.04 mm tief
 Streuwert 13.23, horizontal: 12.81, vertikal: 13.64



Serie 2:
 8.6 ← 9.9 ↗ 7.2 ↓ 9.5 ↑ 10.3 ←
 8.6 ↑ 6.2 ↓ 10.1 ↘ 9.2 ↓ 9.0 ↘
 beste Teiler 555.8 (15.) 646.1 (18.) 847.0 (12.)
 Trefferlage 3.39 mm links, 5.48 mm tief
 Streuwert 13.76, horizontal: 9.32, vertikal: 17.09



Serie 3:
 8.6 ↗ 10.5 * 10.6 * 7.4 ← 9.9 ←
 8.3 ↘ 8.1 ↓ 5.3 ↘ 10.2 ↓ 8.5 ↘
 beste Teiler 266.5 (23.) 398.5 (22.) 606.2 (29.)
 Trefferlage 10.51 mm links, 6.16 mm tief
 Streuwert 13.39, horizontal: 15.21, vertikal: 11.27





Serie 4:
 9.5 ↘ 9.4 ← 8.4 ↓ 6.2 ↘ 6.5 ↘
 9.5 ↓ 7.6 ↘ 9.1 ↓ 10.3 ↑ 8.6 ←
 beste Teiler 554.7 (39.) 1170.5 (31.) 1199.5 (36.)
 Trefferlage 10.13 mm links, 11.84 mm tief
 Streuwert 11.64, horizontal: 13.47, vertikal: 9.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (350.5)
 Serien: 86 82 90 75
 Zähler: 9 12 11 4 2 1 0 0 1 0
 Innenzehner: 3
 weiteste: 6447 (31), 4357 (7), 3903 (38)
 beste Teiler 25.4 (34.) 353.3 (1.) 367.4 (24.)
 Trefferlage 2.61 mm links, 4.68 mm tief
 Streuwert 14.83, horizontal: 14.00, vertikal: 15.62




Serie 1:
 10.5 * 9.5 ↙ 9.4 ↙ 8.3 ↗ 7.4 ←
 8.3 ↙ 5.5 ↙ 10.3 ↖ 10.0 ↖ 10.2 ↘
 beste Teiler 353.3 (1.) 491.5 (8.) 595.2 (10.)
 Trefferlage 7.33 mm links, 4.46 mm tief
 Streuwert 13.48, horizontal: 13.05, vertikal: 13.89



Serie 2:
 9.0 ← 8.7 ↖ 9.6 → 9.3 ↓ 8.2 ↓
 8.5 ↘ 8.7 ↘ 7.5 → 7.9 ← 9.8 →
 beste Teiler 921.2 (20.) 1081.4 (13.) 1356.5 (14.)
 Trefferlage 2.05 mm rechts, 4.28 mm tief
 Streuwert 13.50, horizontal: 15.78, vertikal: 10.74



Serie 3:
 9.4 ↘ 10.1 ↘ 9.4 ↙ 10.5 * 7.1 ←
 8.9 ↓ 10.3 ↓ 8.5 ↓ 10.2 ↗ 9.1 ↓
 beste Teiler 367.4 (24.) 487.2 (27.) 606.0 (29.)
 Trefferlage 2.32 mm links, 6.48 mm tief
 Streuwert 9.91, horizontal: 11.33, vertikal: 8.25





Serie 4:
 2.9 ↗ 9.4 ↘ 8.8 ← 10.9 * 6.2 ↓
 9.6 ↙ 8.9 ↓ 6.1 ↙ 9.0 ↗ 8.6 ←
 beste Teiler 25.4 (34.) 1044.5 (36.) 1206.4 (32.)
 Trefferlage 2.86 mm links, 3.48 mm tief
 Streuwert 21.54, horizontal: 15.91, vertikal: 25.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358.3** (342)
 Serien: 90.8 85.7 88.4 93.4
 Zähler: 7 19 6 5 3 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3763 (16), 3576 (4), 3206 (14)
 beste Teiler 165.9 (27.) 297.9 (37.) 419.7 (19.)
 Trefferlage 4.25 mm links, 8.75 mm tief
 Streuwert 11.05, horizontal: 11.00, vertikal: 11.10




Serie 1:
 9.3 ← 9.1 ↘ 9.4 ← 6.5 ↓ 9.8 ↗
 8.1 ↓ 9.0 ↓ 9.6 → 9.8 ← 10.2 ←
 beste Teiler 597.5 (10.) 891.6 (9.) 938.1 (5.)
 Trefferlage 3.42 mm links, 8.03 mm tief
 Streuwert 10.90, horizontal: 8.41, vertikal: 12.93



Serie 2:
 7.3 ↘ 8.2 ↓ 9.4 ← 6.9 ← 9.4 ↗
 6.2 ↓ 9.7 → 8.0 ← 10.4 * 10.2 ↓
 beste Teiler 419.7 (19.) 585.0 (20.) 966.9 (17.)
 Trefferlage 6.20 mm links, 12.44 mm tief
 Streuwert 12.61, horizontal: 13.79, vertikal: 11.31



Serie 3:
 7.6 ← 9.0 ↘ 9.0 ← 7.5 ↓ 9.0 ↗
 9.2 ← 10.7 * 9.5 ↘ 9.3 ↗ 7.6 ←
 beste Teiler 165.9 (27.) 1190.7 (28.) 1303.3 (29.)
 Trefferlage 5.87 mm links, 5.63 mm tief
 Streuwert 12.43, horizontal: 13.35, vertikal: 11.43





Serie 4:
 9.5 ↓ 8.3 ↓ 7.8 ↘ 10.4 * 9.7 ←
 9.9 ↓ 10.6 * 8.4 ↓ 8.7 ← 10.1 ↗
 beste Teiler 297.9 (37.) 436.8 (34.) 681.1 (40.)
 Trefferlage 1.51 mm links, 8.91 mm tief
 Streuwert 8.69, horizontal: 8.33, vertikal: 9.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (351.7)
 Serien: 84 79 84 86
 Zähler: 4 19 6 9 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4733 (29), 3248 (11), 3153 (28)
 beste Teiler 180.4 (14.) 263.6 (25.) 417.7 (40.)
 Trefferlage 0.50 mm links, 3.53 mm tief
 Streuwert 13.80, horizontal: 14.49, vertikal: 13.08




Serie 1:
 9.9 ↗ 8.9 ↘ 8.3 ↘ 9.0 ↗ 9.8 ↗
 8.9 → 9.1 ↙ 8.4 ↓ 7.5 ↓ 9.0 ↙
 beste Teiler 863.7 (1.) 892.7 (5.) 1444.9 (7.)
 Trefferlage 0.75 mm rechts, 7.29 mm tief
 Streuwert 11.76, horizontal: 9.23, vertikal: 13.83



Serie 2:
 6.9 ↖ 7.8 ↗ 8.2 ↖ 10.7 * 9.0 ←
 7.5 → 9.3 ↘ 7.8 ↑ 7.7 ↗ 9.6 ←
 beste Teiler 180.4 (14.) 1073.9 (20.) 1327.0 (17.)
 Trefferlage 2.14 mm rechts, 7.82 mm hoch
 Streuwert 15.18, horizontal: 18.77, vertikal: 10.43



Serie 3:
 9.9 ↖ 9.0 → 8.6 ↙ 9.7 ↘ 10.6 *
 9.7 ↓ 9.4 ↖ 7.0 ↘ 5.0 ↙ 9.4 →
 beste Teiler 263.6 (25.) 830.6 (21.) 1017.6 (26.)
 Trefferlage 1.00 mm links, 6.54 mm tief
 Streuwert 14.88, horizontal: 17.18, vertikal: 12.14





Serie 4:
 9.6 ↙ 9.3 ↙ 7.7 ↓ 7.2 ← 9.5 →
 9.1 ↙ 7.9 ↓ 9.1 ↘ 10.3 → 10.4 *
 beste Teiler 417.7 (40.) 531.3 (39.) 1067.9 (31.)
 Trefferlage 3.89 mm links, 8.10 mm tief
 Streuwert 11.32, horizontal: 12.45, vertikal: 10.06

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **337** (355.9)
 Serien: 84 85 88 80
 Zähler: 5 16 13 4 1 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4073 (34), 3309 (12), 3012 (9)
 beste Teiler 161.0 (19.) 490.0 (11.) 580.5 (14.)
 Trefferlage 4.43 mm links, 5.15 mm tief
 Streuwert 12.18, horizontal: 13.01, vertikal: 11.29




Serie 1:
 9.9 ← 9.5 ↖ 9.1 ↓ 9.2 ↘ 8.0 ↙
 8.4 ↗ 9.4 ↙ 9.6 ↑ 7.2 ↘ 7.6 →

beste Teiler 877.1 (1.) 1059.6 (8.) 1147.2 (2.)
 Trefferlage 1.90 mm links, 5.17 mm tief
 Streuwert 13.33, horizontal: 12.41, vertikal: 14.20




Serie 2:
 10.3 ↙ 6.8 ↖ 8.1 ↙ 10.2 → 9.2 →
 9.3 ↓ 7.7 → 8.3 ↙ 10.7 * 8.6 ↓

beste Teiler 161.0 (19.) 490.0 (11.) 580.5 (14.)
 Trefferlage 2.77 mm links, 4.33 mm tief
 Streuwert 13.39, horizontal: 16.34, vertikal: 9.58



Serie 3:
 10.0 ↖ 9.7 ↖ 8.9 ↘ 9.1 ↘ 8.9 ↙
 9.8 ↘ 8.2 ↙ 10.0 ↘ 9.7 ↖ 8.7 ↑

beste Teiler 731.8 (28.) 763.0 (21.) 949.6 (26.)
 Trefferlage 2.00 mm links, 2.76 mm tief
 Streuwert 10.09, horizontal: 9.91, vertikal: 10.27



Serie 4:
 8.4 ↓ 8.5 ↖ 7.4 ↙ 5.9 ↙ 9.5 ↓
 9.7 ↗ 8.7 ↙ 8.5 ← 9.8 ↙ 9.4 ↙

beste Teiler 905.2 (39.) 1015.4 (36.) 1123.0 (35.)
 Trefferlage 11.04 mm links, 8.33 mm tief
 Streuwert 11.93, horizontal: 12.21, vertikal: 11.64

Unterschrift des Schützen

Meyton Elektronik