





Ergebnis: **349** (366.4)
 Serien: 85 86 90 88
 Zähler: 12 12 9 7 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3066 (10), 3065 (22), 2926 (12)
 beste Teiler 99.4 (31.) 177.7 (24.) 274.5 (25.)
 Trefferlage 3.24 mm links, 4.95 mm hoch
 Streuwert 11.18, horizontal: 11.32, vertikal: 11.05




Serie 1:
 9.1 ↑ 8.6 ↙ 9.3 ↓ 8.3 ↗ 9.0 ↗
 9.8 ↑ 8.6 ↙ 8.5 ↗ 10.5 * 7.1 ↘
 beste Teiler 357.8 (9.) 883.3 (6.) 1294.9 (3.)
 Trefferlage 0.84 mm links, 5.91 mm hoch
 Streuwert 12.54, horizontal: 12.82, vertikal: 12.25



Serie 2:
 10.2 ↑ 7.3 ↘ 10.4 * 8.7 → 9.8 ↗
 7.4 ↙ 9.8 ↙ 9.5 → 7.9 ↗ 10.0 ←
 beste Teiler 467.1 (13.) 639.0 (11.) 750.0 (20.)
 Trefferlage 0.39 mm rechts, 3.29 mm hoch
 Streuwert 12.66, horizontal: 13.08, vertikal: 12.23



Serie 3:
 7.4 ↘ 7.1 ↑ 9.6 ↘ 10.7 * 10.6 *
 9.5 ← 8.5 ← 10.0 ↑ 10.0 ↓ 10.0 ↑
 beste Teiler 177.7 (24.) 274.5 (25.) 746.4 (30.)
 Trefferlage 5.04 mm links, 6.03 mm hoch
 Streuwert 10.50, horizontal: 9.24, vertikal: 11.63





Serie 4:
 10.8 * 8.2 ↘ 8.2 ↙ 9.8 ↘ 7.9 ↘
 9.6 ← 8.5 ↑ 9.6 ↘ 10.5 * 10.1 ←
 beste Teiler 99.4 (31.) 389.0 (39.) 649.0 (40.)
 Trefferlage 7.48 mm links, 4.56 mm hoch
 Streuwert 9.43, horizontal: 9.45, vertikal: 9.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (361.8)
 Serien: 79 84 88 91
 Zähler: 7 17 10 4 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4058 (9), 3327 (8), 3016 (10)
 beste Teiler 165.1 (2.) 279.4 (32.) 311.5 (35.)
 Trefferlage 1.15 mm rechts, 6.98 mm hoch
 Streuwert 11.50, horizontal: 12.20, vertikal: 10.75




Serie 1:
 9.6 ↗ 10.7 * 9.4 ← 9.8 ↑ 7.7 ↑
 9.6 ↗ 8.1 ↑ 6.8 → 5.9 ↘ 7.2 ↖
 beste Teiler 165.1 (2.) 941.6 (4.) 1078.7 (1.)
 Trefferlage 0.66 mm rechts, 11.37 mm hoch
 Streuwert 15.07, horizontal: 17.14, vertikal: 12.67



Serie 2:
 8.8 ↖ 10.4 * 9.1 ↑ 8.2 ↘ 9.3 ↖
 7.6 ↗ 8.7 ← 9.0 ↘ 8.7 ↑ 8.9 ↑
 beste Teiler 450.9 (12.) 1360.2 (15.) 1442.0 (13.)
 Trefferlage 0.59 mm links, 7.21 mm hoch
 Streuwert 11.93, horizontal: 14.45, vertikal: 8.73



Serie 3:
 9.9 ↙ 7.3 ↑ 9.5 ↑ 9.5 → 9.0 ↑
 10.2 ← 9.7 → 8.3 ↗ 10.2 ↙ 8.9 ↘
 beste Teiler 580.0 (26.) 590.2 (29.) 858.1 (21.)
 Trefferlage 2.79 mm rechts, 5.34 mm hoch
 Streuwert 10.43, horizontal: 8.05, vertikal: 12.37





Serie 4:
 9.1 ↙ 10.6 * 9.8 ↗ 9.7 ↑ 10.6 *
 9.3 ← 8.8 ↑ 9.1 → 10.1 ↑ 8.7 ↗
 beste Teiler 279.4 (32.) 311.5 (35.) 717.9 (39.)
 Trefferlage 1.76 mm rechts, 3.99 mm hoch
 Streuwert 8.58, horizontal: 8.42, vertikal: 8.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (356.7)
 Serien: 87 84 85 84
 Zähler: 5 20 10 4 0 0 0 0 1 0
 Innenzehner: 1
 weiteste: 6949 (19), 2986 (39), 2824 (17)
 beste Teiler 180.1 (16.) 539.0 (2.) 573.0 (21.)
 Trefferlage 1.28 mm rechts, 4.54 mm hoch
 Streuwert 13.51, horizontal: 11.34, vertikal: 15.37




Serie 1:
 9.2 ↗ 10.3 ↘ 8.4 ↙ 9.3 ↑ 8.1 ↘
 9.0 ↖ 9.2 ↑ 8.9 ↘ 9.4 ↓ 8.7 ↗
 beste Teiler 539.0 (2.) 1278.1 (9.) 1357.9 (4.)
 Trefferlage 2.60 mm rechts, 0.53 mm hoch
 Streuwert 11.67, horizontal: 10.20, vertikal: 12.97



Serie 2:
 9.2 ↖ 10.1 ↓ 10.1 ↗ 9.0 ↓ 9.2 ↑
 10.7 * 7.4 ↖ 9.4 ↙ 2.3 ↑ 9.3 ↘
 beste Teiler 180.1 (16.) 671.6 (12.) 707.0 (13.)
 Trefferlage 5.36 mm links, 8.06 mm hoch
 Streuwert 17.88, horizontal: 10.27, vertikal: 23.10





Serie 3:
 10.2 ↗ 9.4 ↘ 9.9 ↗ 9.8 ↑ 9.8 →
 7.8 ↗ 7.5 ↗ 9.9 ↓ 8.6 ↙ 8.4 ↓
 beste Teiler 573.0 (21.) 853.1 (28.) 862.2 (23.)
 Trefferlage 1.23 mm rechts, 3.83 mm hoch
 Streuwert 11.89, horizontal: 11.07, vertikal: 12.65




Serie 4:
 8.7 ↘ 9.4 ↑ 9.0 ↓ 8.0 ↘ 9.9 →
 8.7 ↑ 9.3 ↘ 9.3 ↑ 7.2 → 8.7 ↗
 beste Teiler 821.8 (35.) 1261.0 (32.) 1297.4 (37.)
 Trefferlage 6.68 mm rechts, 5.73 mm hoch
 Streuwert 11.62, horizontal: 11.90, vertikal: 11.34

Unterschrift des Schützen


Ergebnis: **348** (362.9)
 Serien: 86 92 83 87
 Zähler: 9 16 11 2 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3603 (7), 3235 (28), 2813 (4)
 beste Teiler 351.6 (12.) 410.9 (3.) 478.2 (29.)
 Trefferlage 1.26 mm rechts, 2.51 mm tief
 Streuwert 11.88, horizontal: 12.77, vertikal: 10.90




Serie 1:
 8.9 ↘ 10.1 ↓ 10.4 * 7.4 → 9.8 ↑
 9.2 ↙ 6.4 ↗ 8.5 ↓ 9.0 ↖ 10.3 ↗
 beste Teiler 410.9 (3.) 505.1 (10.) 674.4 (2.)
 Trefferlage 4.61 mm rechts, 1.02 mm hoch
 Streuwert 13.20, horizontal: 11.48, vertikal: 14.72



Serie 2:
 8.2 → 10.5 * 9.9 → 10.1 ↘ 9.1 ↙
 10.0 ← 8.3 ↙ 9.3 ↘ 10.2 ↑ 9.2 →
 beste Teiler 351.6 (12.) 571.1 (19.) 682.3 (14.)
 Trefferlage 1.09 mm rechts, 2.57 mm tief
 Streuwert 9.56, horizontal: 11.19, vertikal: 7.59



Serie 3:
 8.4 ↗ 8.8 ↗ 9.0 ← 8.7 ↘ 9.1 ↙
 8.6 ↗ 9.8 ↘ 6.9 ↙ 10.4 ↓ 8.2 ↘
 beste Teiler 478.2 (29.) 886.4 (27.) 1473.7 (25.)
 Trefferlage 2.17 mm rechts, 2.24 mm tief
 Streuwert 13.69, horizontal: 15.15, vertikal: 12.04





Serie 4:
 7.4 ← 9.7 ↘ 9.4 ↘ 9.3 ↗ 10.2 ↓
 9.0 ↓ 8.1 ← 8.6 ↓ 9.3 ↙ 9.2 ↘
 beste Teiler 637.5 (35.) 1016.4 (32.) 1274.0 (33.)
 Trefferlage 2.82 mm links, 6.24 mm tief
 Streuwert 11.29, horizontal: 13.73, vertikal: 8.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (342.0)
 Serien: 81 83 84 75
 Zähler: 3 15 12 6 1 2 1 0 0 0
 Innenzehner: 1
 weiteste: 4887 (32), 4543 (19), 4103 (37)
 beste Teiler 246.2 (16.) 666.8 (14.) 782.4 (2.)
 Trefferlage 7.64 mm rechts, 6.90 mm hoch
 Streuwert 13.77, horizontal: 14.35, vertikal: 13.16




Serie 1:
 7.3 ↗ 10.0 ← 7.7 → 9.5 ↗ 8.8 ↘
 7.6 ↗ 8.0 ↘ 8.4 → 8.6 ↘ 9.9 ←
 beste Teiler 782.4 (2.) 812.2 (10.) 1149.0 (4.)
 Trefferlage 9.13 mm rechts, 5.42 mm hoch
 Streuwert 12.93, horizontal: 14.15, vertikal: 11.59



Serie 2:
 9.6 ↘ 8.8 ↗ 8.1 → 10.1 ↘ 9.6 →
 10.6 * 9.1 → 7.3 → 5.3 → 8.4 ↑
 beste Teiler 246.2 (16.) 666.8 (14.) 1081.6 (15.)
 Trefferlage 12.12 mm rechts, 7.03 mm hoch
 Streuwert 12.30, horizontal: 15.95, vertikal: 6.94



Serie 3:
 8.7 ↑ 9.9 ↓ 9.4 ↗ 8.8 ↘ 9.3 ↑
 8.6 → 9.6 ↘ 9.3 ↓ 6.4 ↑ 9.1 ↗
 beste Teiler 879.5 (22.) 1080.5 (27.) 1246.8 (23.)
 Trefferlage 6.99 mm rechts, 5.85 mm hoch
 Streuwert 11.53, horizontal: 8.74, vertikal: 13.77





Serie 4:
 7.4 ↗ 4.8 ↙ 8.7 ↑ 7.7 ↘ 9.0 ↑
 9.9 → 5.8 ↗ 9.2 ↑ 8.4 ↗ 9.3 →
 beste Teiler 834.7 (36.) 1321.8 (40.) 1378.1 (38.)
 Trefferlage 2.35 mm rechts, 9.28 mm hoch
 Streuwert 18.34, horizontal: 17.45, vertikal: 19.19

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	366	(383.3)
Serien:	92 92 94 88	
Zähler:	13 21 5 1 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2853 (40), 1894 (12), 1878 (33)	
beste Teiler	332.9 (16.) 342.2 (21.) 354.2 (20.)	
Trefferlage	0.80 mm rechts, 1.29 mm hoch	
Streuwert	8.63, horizontal: 9.69, vertikal: 7.42	




Serie 1:

10.0 ↗	9.2 ↓	9.6 →	9.4 →	10.1 →
9.6 →	10.1 ↑	9.0 →	9.8 ↘	8.6 ↑
beste Teiler	663.9 (7.) 681.9 (5.) 787.1 (1.)			
Trefferlage	6.79 mm rechts, 1.08 mm hoch			
Streuwert	7.33, horizontal: 5.92, vertikal: 8.50			




Serie 2:

9.8 ↗	8.6 ↗	9.1 →	9.8 →	9.6 ↗
10.5 *	9.2 ↘	10.3 ↑	9.5 ↑	10.5 *
beste Teiler	332.9 (16.) 354.2 (20.) 486.1 (18.)			
Trefferlage	6.08 mm rechts, 2.64 mm hoch			
Streuwert	6.82, horizontal: 6.64, vertikal: 7.00			



Serie 3:

10.5 *	9.9 →	9.8 ↑	10.1 ↙	9.3 ←
9.5 ←	9.0 →	9.9 ↑	10.0 ←	10.1 ←
beste Teiler	342.2 (21.) 682.8 (30.) 698.8 (24.)			
Trefferlage	1.93 mm links, 1.13 mm hoch			
Streuwert	7.11, horizontal: 8.40, vertikal: 5.51			





Serie 4:


10.1 ←	8.8 ↘	8.6 ←	10.1 ↘	8.8 ↓
9.4 ↑	10.0 ↘	9.8 ←	9.9 ←	7.4 ←
beste Teiler	678.1 (31.) 712.6 (34.) 793.8 (37.)			
Trefferlage	7.71 mm links, 0.29 mm hoch			
Streuwert	9.52, horizontal: 9.86, vertikal: 9.16			

Unterschrift des Schützen


Ergebnis: **346** (366.4)
 Serien: 86 87 91 82
 Zähler: 10 17 6 4 2 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4530 (33), 3530 (35), 3215 (34)
 beste Teiler 236.2 (31.) 313.9 (24.) 342.2 (1.)
 Trefferlage 2.44 mm links, 2.44 mm hoch
 Streuwert 12.11, horizontal: 11.46, vertikal: 12.72




Serie 1:
 10.5 * 7.9 ↖ 9.2 ↘ 9.9 ↙ 8.6 ↗
 9.0 → 9.1 ↖ 7.4 ↗ 9.1 ← 9.9 ↖
 beste Teiler 342.2 (1.) 865.6 (10.) 873.1 (4.)
 Trefferlage 4.96 mm links, 6.03 mm hoch
 Streuwert 11.08, horizontal: 13.01, vertikal: 8.72



Serie 2:
 9.5 ↗ 9.4 ↘ 9.2 ↘ 9.9 ↑ 9.6 ←
 9.8 → 9.7 ← 9.9 → 8.7 ↙ 7.6 ↗
 beste Teiler 812.2 (18.) 813.2 (14.) 947.8 (16.)
 Trefferlage 1.91 mm rechts, 0.02 mm tief
 Streuwert 10.35, horizontal: 9.23, vertikal: 11.36



Serie 3:
 10.5 * 7.5 ↖ 10.1 ↖ 10.6 * 10.1 ↓
 8.8 ↗ 9.6 ← 8.9 ↓ 9.9 ← 10.4 *
 beste Teiler 313.9 (24.) 393.0 (21.) 427.5 (30.)
 Trefferlage 3.74 mm links, 1.87 mm hoch
 Streuwert 9.02, horizontal: 9.03, vertikal: 9.01





Serie 4:
 10.7 * 10.1 → 5.3 ↑ 6.9 ↙ 6.5 ←
 8.4 ↑ 10.3 ↗ 9.1 ↘ 10.4 * 8.4 ↓
 beste Teiler 236.2 (31.) 475.9 (39.) 558.9 (37.)
 Trefferlage 3.01 mm links, 1.89 mm hoch
 Streuwert 17.27, horizontal: 14.25, vertikal: 19.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353.5** (337)
 Serien: 84.2 91.3 88.3 89.7
 Zähler: 9 15 6 5 4 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4050 (10), 3902 (27), 3785 (1)
 beste Teiler 342.2 (18.) 403.8 (40.) 446.5 (2.)
 Trefferlage 3.73 mm rechts, 7.60 mm hoch
 Streuwert 12.69, horizontal: 13.81, vertikal: 11.48




Serie 1:
 6.2 ↗ 10.4 * 8.8 ↘ 9.2 ↗ 7.3 ↗
 7.8 ← 9.4 ← 10.3 ↘ 8.9 ← 5.9 ↑
 beste Teiler 446.5 (2.) 548.6 (8.) 1229.4 (7.)
 Trefferlage 2.01 mm links, 11.41 mm hoch
 Streuwert 15.24, horizontal: 15.57, vertikal: 14.90



Serie 2:
 7.9 ↗ 9.1 → 9.5 → 7.9 ↑ 8.0 →
 9.4 ↑ 10.0 → 10.5 * 10.1 ↘ 8.9 ↑
 beste Teiler 342.2 (18.) 684.2 (19.) 781.7 (17.)
 Trefferlage 9.37 mm rechts, 6.61 mm hoch
 Streuwert 8.50, horizontal: 7.00, vertikal: 9.77



Serie 3:
 9.1 ↘ 8.1 ↗ 10.2 ← 7.5 ↗ 9.8 ↘
 9.0 ↗ 6.1 → 9.2 ↗ 9.6 ↗ 9.7 ↘
 beste Teiler 569.0 (23.) 901.6 (25.) 1020.4 (30.)
 Trefferlage 7.09 mm rechts, 5.89 mm hoch
 Streuwert 12.83, horizontal: 14.31, vertikal: 11.16



Serie 4:
 10.3 ↙ 6.9 ↑ 9.1 ↗ 8.2 → 6.8 ←
 9.0 ↗ 9.2 ← 9.7 ↑ 10.1 ↑ 10.4 *
 beste Teiler 403.8 (40.) 537.8 (31.) 711.5 (39.)
 Trefferlage 0.50 mm rechts, 6.50 mm hoch
 Streuwert 13.04, horizontal: 15.28, vertikal: 10.34

Unterschrift des Schützen

Meyton Elektronik