





Ergebnis: **325** (343.6)
 Serien: 84 83 77 81
 Zähler: 4 14 12 8 1 0 0 0 0 1
 Innenzehner: 1
 weiteste: 7445 (24), 3807 (36), 2732 (2)
 beste Teiler 291.9 (9.) 522.6 (16.) 683.7 (26.)
 Trefferlage 8.24 mm links, 9.43 mm tief
 Streuwert 13.03, horizontal: 12.74, vertikal: 13.31




Serie 1:
 9.0 ↙ 7.5 ↖ 8.9 ↖ 8.3 ↘ 9.3 ↘
 8.3 ↙ 8.4 ↖ 8.5 ↓ 10.6 * 9.2 ↗
 beste Teiler 291.9 (9.) 1289.6 (5.) 1396.0 (10.)
 Trefferlage 8.84 mm links, 7.60 mm tief
 Streuwert 10.40, horizontal: 8.77, vertikal: 11.81



Serie 2:
 8.4 ↙ 7.8 ↖ 9.6 ↗ 10.1 ↖ 7.6 ↗
 10.3 ↖ 9.8 ↙ 8.4 ↖ 7.9 ↙ 8.1 ↙
 beste Teiler 522.6 (16.) 706.3 (14.) 898.7 (17.)
 Trefferlage 6.95 mm links, 7.24 mm tief
 Streuwert 11.92, horizontal: 7.40, vertikal: 15.15



Serie 3:
 9.7 ↙ 7.6 ↙ 9.5 ↙ 1.6 ↖ 8.6 ↘
 10.1 ↙ 9.6 ↓ 7.8 ↗ 9.0 ↖ 8.1 ↖
 beste Teiler 683.7 (26.) 1029.0 (21.) 1117.0 (27.)
 Trefferlage 8.56 mm links, 11.27 mm tief
 Streuwert 18.95, horizontal: 23.15, vertikal: 13.50





Serie 4:
 7.8 ↙ 7.8 ↖ 9.7 ↖ 9.2 ↖ 9.6 ↘
 6.2 ↙ 9.1 ↙ 8.7 ↖ 8.8 ↓ 9.1 ↗
 beste Teiler 981.9 (33.) 1059.6 (35.) 1368.5 (34.)
 Trefferlage 8.62 mm links, 11.62 mm tief
 Streuwert 10.75, horizontal: 5.76, vertikal: 14.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (355.0)
 Serien: 79 89 87 83
 Zähler: 11 11 7 8 2 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4774 (1), 3630 (38), 3460 (34)
 beste Teiler 217.1 (31.) 314.3 (30.) 343.6 (12.)
 Trefferlage 3.00 mm links, 2.50 mm tief
 Streuwert 13.85, horizontal: 11.47, vertikal: 15.87




Serie 1:
 5.0 ↓ 8.4 ↙ 7.4 ↓ 9.7 ↑ 10.2 ↗
 7.6 ↙ 10.4 * 8.8 ↙ 8.7 ↙ 7.9 ↙
 beste Teiler 444.2 (7.) 622.1 (5.) 970.5 (4.)
 Trefferlage 8.59 mm links, 12.60 mm tief
 Streuwert 13.48, horizontal: 9.79, vertikal: 16.36



Serie 2:
 10.1 ↖ 10.5 * 7.6 ↑ 9.1 ↗ 8.6 →
 9.8 ↙ 10.0 ↗ 8.3 ↘ 8.8 ↓ 10.0 ↙
 beste Teiler 343.6 (12.) 651.0 (11.) 744.9 (17.)
 Trefferlage 0.30 mm rechts, 2.91 mm hoch
 Streuwert 11.10, horizontal: 10.15, vertikal: 11.98



Serie 3:
 7.0 ← 10.0 ↓ 9.5 → 10.1 ← 9.4 ↙
 7.2 ↑ 7.6 ↓ 9.8 ← 9.3 ↘ 10.6 *
 beste Teiler 314.3 (30.) 700.3 (24.) 732.5 (22.)
 Trefferlage 4.04 mm links, 2.53 mm tief
 Streuwert 12.94, horizontal: 12.24, vertikal: 13.61





Serie 4:
 10.7 * 7.0 ↗ 9.5 ↓ 6.6 ↑ 9.6 ↗
 9.8 ↘ 9.4 → 6.4 ↓ 10.1 ↓ 8.5 ↖
 beste Teiler 217.1 (31.) 653.6 (39.) 901.3 (36.)
 Trefferlage 0.31 mm rechts, 2.22 mm hoch
 Streuwert 15.60, horizontal: 12.71, vertikal: 18.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (346.5)
 Serien: 81 85 84 80
 Zähler: 8 12 8 8 3 0 1 0 0 0
 Innenzehner: 1
 weiteste: 5545 (9), 3799 (12), 3760 (38)
 beste Teiler 417.1 (5.) 568.6 (10.) 586.9 (30.)
 Trefferlage 5.17 mm links, 10.35 mm tief
 Streuwert 12.79, horizontal: 12.00, vertikal: 13.53




Serie 1:
 9.6 ↙ 7.9 ↘ 9.5 ↓ 8.1 ↓ 10.4 *
 9.5 ↗ 7.5 ↓ 8.3 ↘ 4.0 ↘ 10.2 ←
 beste Teiler 417.1 (5.) 568.6 (10.) 1077.1 (1.)
 Trefferlage 2.42 mm rechts, 9.41 mm tief
 Streuwert 16.48, horizontal: 16.24, vertikal: 16.72



Serie 2:
 7.7 ↓ 6.2 ↓ 9.3 ↙ 8.8 ↙ 9.5 ↘
 10.1 ↘ 10.0 ↑ 9.9 ↙ 10.1 ↗ 7.8 ↓
 beste Teiler 672.0 (19.) 707.9 (16.) 778.1 (17.)
 Trefferlage 4.94 mm links, 9.52 mm tief
 Streuwert 11.61, horizontal: 7.21, vertikal: 14.75



Serie 3:
 10.1 ↗ 7.3 ↙ 7.2 ↙ 7.7 ↙ 9.6 ←
 9.2 ↓ 8.2 ↓ 9.7 ↓ 8.6 ↓ 10.2 ←
 beste Teiler 586.9 (30.) 643.4 (21.) 965.9 (28.)
 Trefferlage 6.52 mm links, 13.49 mm tief
 Streuwert 9.09, horizontal: 8.04, vertikal: 10.04





Serie 4:
 8.5 ↙ 8.5 ← 10.1 ↗ 9.1 ↓ 9.4 ↓
 8.4 ↙ 9.5 ↙ 6.3 ↓ 6.7 ← 7.8 ↘
 beste Teiler 702.4 (33.) 1141.1 (37.) 1210.0 (35.)
 Trefferlage 11.64 mm links, 8.99 mm tief
 Streuwert 12.47, horizontal: 11.43, vertikal: 13.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (363.1)
 Serien: 84 84 89 87
 Zähler: 10 14 9 4 3 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3798 (17), 3554 (1), 3398 (9)
 beste Teiler 153.0 (27.) 197.6 (7.) 267.7 (21.)
 Trefferlage 6.04 mm links, 1.29 mm tief
 Streuwert 11.94, horizontal: 9.91, vertikal: 13.68




Serie 1:
 6.5 ↙ 8.3 ↑ 9.2 ↓ 9.5 ↓ 10.4 *
 10.5 * 10.7 * 8.6 ← 6.7 ↘ 8.2 ↖
 beste Teiler 197.6 (7.) 381.9 (6.) 412.5 (5.)
 Trefferlage 9.84 mm links, 4.25 mm tief
 Streuwert 12.72, horizontal: 11.30, vertikal: 13.99



Serie 2:
 8.4 ↙ 9.8 ↘ 9.7 ↙ 10.5 * 8.4 ↑
 9.1 ↓ 6.2 ↑ 9.5 ↙ 7.5 ↘ 9.5 →
 beste Teiler 351.5 (14.) 911.7 (12.) 1024.0 (13.)
 Trefferlage 1.88 mm links, 1.63 mm tief
 Streuwert 14.30, horizontal: 10.40, vertikal: 17.34



Serie 3:
 10.6 * 8.9 ↓ 7.0 ↙ 10.4 * 10.0 ↑
 9.8 ↙ 10.8 * 9.9 ↑ 7.7 ↑ 9.0 ←
 beste Teiler 153.0 (27.) 267.7 (21.) 423.8 (24.)
 Trefferlage 5.07 mm links, 0.44 mm hoch
 Streuwert 10.99, horizontal: 9.58, vertikal: 12.25





Serie 4:
 9.9 ↓ 7.4 ↙ 8.9 ↙ 8.9 ← 9.2 ↖
 10.1 ↙ 8.5 ↑ 9.6 ↖ 10.2 ↓ 9.1 ↖
 beste Teiler 600.1 (39.) 701.2 (36.) 835.0 (31.)
 Trefferlage 7.39 mm links, 0.27 mm hoch
 Streuwert 10.19, horizontal: 7.72, vertikal: 12.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (352.6)
 Serien: 85 80 88 83
 Zähler: 8 14 9 5 3 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4082 (19), 3698 (38), 3552 (36)
 beste Teiler 335.0 (4.) 497.8 (2.) 500.1 (23.)
 Trefferlage 6.24 mm links, 0.88 mm hoch
 Streuwert 13.20, horizontal: 12.88, vertikal: 13.52




Serie 1:
 7.9 ↙ 10.3 ↘ 8.3 ↗ 10.5 * 9.9 ↑
 7.7 ↑ 8.5 ← 8.0 ↘ 9.2 ↑ 9.3 ←
 beste Teiler 335.0 (4.) 497.8 (2.) 855.4 (5.)
 Trefferlage 5.83 mm links, 4.48 mm hoch
 Streuwert 12.04, horizontal: 10.85, vertikal: 13.12



Serie 2:
 9.8 ↗ 7.8 ↓ 9.4 ↖ 8.1 ↘ 8.5 ↑
 9.1 ↗ 6.7 ↖ 9.2 ↗ 5.8 ↙ 10.1 ←
 beste Teiler 650.3 (20.) 888.0 (11.) 1260.5 (13.)
 Trefferlage 7.74 mm links, 3.87 mm tief
 Streuwert 15.50, horizontal: 13.03, vertikal: 17.63



Serie 3:
 8.4 ← 10.0 ↙ 10.3 ↓ 7.4 ← 8.6 ↙
 8.1 ↑ 10.1 ↘ 10.1 ↖ 8.7 ← 9.3 ↙
 beste Teiler 500.1 (23.) 673.5 (28.) 691.9 (27.)
 Trefferlage 9.63 mm links, 1.03 mm tief
 Streuwert 10.13, horizontal: 9.39, vertikal: 10.82





Serie 4:
 9.0 ↘ 9.4 ↘ 7.8 ↑ 10.0 ↑ 9.6 ↓
 6.5 ↗ 9.3 ← 6.3 ← 9.9 ↖ 9.7 →
 beste Teiler 759.5 (34.) 862.0 (39.) 998.5 (40.)
 Trefferlage 1.75 mm links, 3.97 mm hoch
 Streuwert 14.89, horizontal: 17.46, vertikal: 11.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350.2** (334)
 Serien: 87.1 92.7 86.5 83.9
 Zähler: 7 15 9 7 0 1 0 1 0 0
 Innenzehner: 1
 weiteste: 5918 (9), 4767 (40), 3137 (21)
 beste Teiler 222.1 (2.) 482.0 (37.) 514.4 (29.)
 Trefferlage 2.61 mm links, 1.42 mm tief
 Streuwert 14.82, horizontal: 14.27, vertikal: 15.36




Serie 1:
 9.8 ↗ 10.7 * 9.8 ↙ 10.0 ← 8.9 ↓
 9.1 ↘ 8.1 ↗ 9.2 ↘ 3.6 ↑ 7.9 ←
 beste Teiler 222.1 (2.) 760.9 (4.) 896.2 (3.)
 Trefferlage 1.32 mm links, 4.87 mm hoch
 Streuwert 17.15, horizontal: 11.33, vertikal: 21.45



Serie 2:
 7.9 ↓ 9.5 ↗ 8.1 ↙ 10.1 ↑ 10.2 ←
 9.7 ↘ 8.6 → 9.8 ↗ 8.9 ↓ 9.9 ↑
 beste Teiler 611.1 (15.) 664.5 (14.) 828.0 (20.)
 Trefferlage 0.60 mm links, 2.02 mm tief
 Streuwert 11.06, horizontal: 9.33, vertikal: 12.56



Serie 3:
 7.0 ← 8.6 ↓ 9.9 ↓ 7.3 ↓ 9.0 ↗
 8.0 ← 9.7 ↙ 7.6 ↓ 10.3 ↘ 9.1 →
 beste Teiler 514.4 (29.) 817.0 (23.) 990.8 (27.)
 Trefferlage 3.79 mm links, 6.83 mm tief
 Streuwert 13.90, horizontal: 14.34, vertikal: 13.46





Serie 4:
 9.6 ↘ 10.0 → 7.4 → 7.4 ← 9.0 ↙
 8.1 ← 10.3 ↑ 9.0 ↑ 8.1 ↓ 5.0 ↘
 beste Teiler 482.0 (37.) 774.8 (32.) 1080.1 (31.)
 Trefferlage 4.73 mm links, 1.69 mm tief
 Streuwert 17.23, horizontal: 21.18, vertikal: 12.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (345.4)
 Serien: 88 81 74 84
 Zähler: 7 14 8 7 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 8731 (24), 3950 (21), 3683 (13)
 beste Teiler 212.8 (3.) 271.6 (19.) 458.7 (6.)
 Trefferlage 4.55 mm links, 1.34 mm tief
 Streuwert 16.51, horizontal: 14.27, vertikal: 18.48




Serie 1:
 9.7 ↙ 7.7 ↙ 10.7 * 8.1 ↙ 9.2 ↗
 10.4 * 9.9 ↓ 9.3 ↑ 9.1 ↘ 8.0 ↑
 beste Teiler 212.8 (3.) 458.7 (6.) 811.8 (7.)
 Trefferlage 4.88 mm links, 0.46 mm hoch
 Streuwert 11.30, horizontal: 9.08, vertikal: 13.15



Serie 2:
 8.8 ↖ 7.7 ↓ 6.3 ↖ 9.7 ↙ 10.0 ↓
 6.5 ↙ 9.2 ↙ 8.5 ↙ 10.6 * 8.5 ↓
 beste Teiler 271.6 (19.) 743.8 (15.) 1026.0 (14.)
 Trefferlage 8.02 mm links, 6.66 mm tief
 Streuwert 14.29, horizontal: 9.32, vertikal: 17.93



Serie 3:
 6.0 ↑ 9.8 → 9.8 ↙ 0.0 ↙ 7.0 ←
 9.8 ↑ 7.8 ↑ 9.3 ↓ 10.1 ↘ 8.7 →
 beste Teiler 675.4 (29.) 885.6 (22.) 958.1 (23.)
 Trefferlage 5.71 mm links, 1.30 mm tief
 Streuwert 25.04, horizontal: 23.27, vertikal: 26.69





Serie 4:
 9.9 ↙ 7.3 ↑ 9.3 ↖ 9.6 ↑ 8.3 ←
 7.9 ↗ 10.1 ↓ 10.0 ← 7.9 ↓ 8.9 →
 beste Teiler 671.8 (37.) 777.4 (38.) 876.5 (31.)
 Trefferlage 0.40 mm rechts, 2.14 mm hoch
 Streuwert 13.31, horizontal: 11.41, vertikal: 14.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (357.3)
 Serien: 87 80 87 85
 Zähler: 4 18 13 3 2 0 0 0 0 0
 Innenzehner: 0
 weiteste: 3936 (14), 3897 (25), 2870 (36)
 beste Teiler 581.3 (34.) 600.7 (23.) 609.8 (9.)
 Trefferlage 3.39 mm links, 2.78 mm hoch
 Streuwert 12.31, horizontal: 12.08, vertikal: 12.54




Serie 1:
 9.5 ↙ 9.4 ↘ 9.0 ↘ 9.4 ↑ 9.1 ↙
 8.8 ↑ 9.0 ↘ 8.8 ← 10.2 ↘ 7.9 ←
 beste Teiler 609.8 (9.) 1178.8 (1.) 1205.9 (2.)
 Trefferlage 6.94 mm links, 2.32 mm hoch
 Streuwert 10.03, horizontal: 10.88, vertikal: 9.11



Serie 2:
 8.5 ↘ 8.9 → 8.1 ↙ 6.0 ↗ 8.7 ↑
 7.8 ↗ 9.7 ↘ 8.4 ↘ 9.9 ← 9.1 ↑
 beste Teiler 820.6 (19.) 963.4 (17.) 1515.1 (20.)
 Trefferlage 0.55 mm rechts, 8.61 mm hoch
 Streuwert 14.36, horizontal: 15.55, vertikal: 13.08



Serie 3:
 8.4 ↘ 10.0 ↑ 10.2 ↙ 9.4 ↙ 6.1 ↑
 9.9 ↘ 9.2 ← 9.5 ↙ 8.9 ↙ 9.2 ↓
 beste Teiler 600.7 (23.) 759.6 (22.) 857.3 (26.)
 Trefferlage 5.32 mm links, 1.35 mm tief
 Streuwert 12.34, horizontal: 5.77, vertikal: 16.47



Serie 4:
 8.5 ↙ 9.6 ↗ 9.6 ↙ 10.2 ↙ 8.7 ↘
 7.4 → 8.7 ↗ 9.0 ↙ 8.8 ↑ 9.8 ↙
 beste Teiler 581.3 (34.) 911.0 (40.) 1064.8 (33.)
 Trefferlage 1.86 mm links, 1.54 mm hoch
 Streuwert 12.21, horizontal: 14.17, vertikal: 9.86

Unterschrift des Schützen

Meyton Elektronik