





Ergebnis: **316** (336.0)
 Serien: 76 75 80 85
 Zähler: 1 14 15 4 3 2 1 0 0 0
 Innenzehner: 0
 weiteste: 4870 (2), 4778 (18), 4175 (25)
 beste Teiler 782.7 (26.) 900.6 (28.) 905.8 (32.)
 Trefferlage 5.09 mm links, 6.33 mm hoch
 Streuwert 15.28, horizontal: 17.12, vertikal: 13.17




Serie 1:
 8.8 ↗ 4.9 ↖ 8.9 ↖ 9.7 ↗ 8.5 ←
 8.4 ↑ 9.7 ↑ 7.7 ↗ 9.6 ↗ 6.1 ↘
 beste Teiler 987.5 (4.) 1036.0 (7.) 1054.1 (9.)
 Trefferlage 5.16 mm links, 11.93 mm hoch
 Streuwert 15.83, horizontal: 20.30, vertikal: 9.42



Serie 2:
 8.3 ↑ 8.2 ↖ 9.7 → 8.9 ↖ 6.9 ↑
 8.3 ← 8.6 ↘ 5.0 ← 6.7 → 9.1 ←
 beste Teiler 965.1 (13.) 1449.2 (20.) 1663.4 (14.)
 Trefferlage 8.84 mm links, 8.02 mm hoch
 Streuwert 17.24, horizontal: 21.37, vertikal: 11.75





Serie 3:
 7.8 ↘ 7.1 ↑ 8.2 ↑ 9.4 ↗ 5.7 ←
 10.0 ↘ 9.5 ↖ 9.8 ↓ 8.8 ↓ 8.8 ↑
 beste Teiler 782.7 (26.) 900.6 (28.) 1193.2 (27.)
 Trefferlage 7.13 mm links, 8.35 mm hoch
 Streuwert 14.18, horizontal: 14.27, vertikal: 14.08




Serie 4:
 7.3 ↓ 9.8 ↘ 9.7 ↗ 8.2 ↘ 8.4 ↘
 9.3 ↗ 9.1 ↗ 9.4 ↓ 8.7 ↗ 9.0 ←
 beste Teiler 905.8 (32.) 972.7 (33.) 1260.4 (38.)
 Trefferlage 0.75 mm rechts, 2.99 mm tief
 Streuwert 12.80, horizontal: 11.82, vertikal: 13.71

Unterschrift des Schützen


Ergebnis: **307** (324.0)
 Serien: 77 71 81 78
 Zähler: 6 5 14 7 4 2 1 1 0 0
 Innenzehner: 1
 weiteste: 5840 (7), 4834 (11), 4421 (16)
 beste Teiler 439.2 (14.) 624.9 (8.) 628.4 (39.)
 Trefferlage 2.73 mm links, 1.62 mm tief
 Streuwert 18.34, horizontal: 15.60, vertikal: 20.72




Serie 1:
 7.5 ↙ 10.1 ↘ 7.8 ↓ 8.2 ← 7.8 ↗
 8.0 ↗ 3.7 ↑ 10.2 ↘ 9.1 ↑ 8.0 ↘
 beste Teiler 624.9 (8.) 710.0 (2.) 1510.7 (9.)
 Trefferlage 4.31 mm links, 7.05 mm hoch
 Streuwert 19.28, horizontal: 12.95, vertikal: 24.00



Serie 2:
 4.9 ↘ 8.2 ↗ 6.4 ↗ 10.4 * 7.0 ↙
 5.4 ↗ 8.1 ↙ 8.2 ↓ 6.6 ↓ 9.4 ↘
 beste Teiler 439.2 (14.) 1265.2 (20.) 2178.9 (12.)
 Trefferlage 5.14 mm links, 3.63 mm hoch
 Streuwert 22.50, horizontal: 21.77, vertikal: 23.20





Serie 3:
 7.7 ↙ 8.9 ↓ 10.1 ↑ 10.2 ↘ 9.8 ↘
 8.4 ↗ 7.8 ↙ 8.9 ↓ 9.2 ↙ 5.6 ↘
 beste Teiler 635.9 (24.) 672.9 (23.) 941.9 (25.)
 Trefferlage 7.83 mm links, 5.87 mm tief
 Streuwert 13.96, horizontal: 11.92, vertikal: 15.74




Serie 4:
 8.9 ↑ 8.0 ↓ 9.3 ↘ 7.6 → 8.0 ↘
 8.5 ↓ 6.9 ↘ 8.1 ↓ 10.2 ↗ 6.9 ↘
 beste Teiler 628.4 (39.) 1337.9 (33.) 1622.2 (31.)
 Trefferlage 6.35 mm rechts, 11.30 mm tief
 Streuwert 14.14, horizontal: 11.85, vertikal: 16.11

Unterschrift des Schützen


Ergebnis: **311** (329.3)
 Serien: 72 78 79 82
 Zähler: 4 10 8 11 6 0 1 0 0 0
 Innenzehner: 2
 weiteste: 5079 (8), 3942 (7), 3783 (25)
 beste Teiler 234.7 (17.) 247.3 (9.) 490.7 (10.)
 Trefferlage 2.14 mm links, 3.73 mm tief
 Streuwert 17.13, horizontal: 17.56, vertikal: 16.69




Serie 1:
 7.7 ← 7.8 ← 6.7 ↙ 6.3 ↓ 8.9 ←
 8.6 ↓ 6.0 ← 4.6 ↗ 10.6 * 10.3 ↘
 beste Teiler 247.3 (9.) 490.7 (10.) 1635.4 (5.)
 Trefferlage 8.08 mm links, 7.46 mm tief
 Streuwert 20.34, horizontal: 20.73, vertikal: 19.94



Serie 2:
 8.3 ↓ 8.5 ↘ 7.5 → 9.8 ← 7.2 ↓
 7.6 ← 10.7 * 7.3 ↖ 8.3 ↗ 7.8 ↗
 beste Teiler 234.7 (17.) 930.2 (14.) 1965.9 (12.)
 Trefferlage 0.46 mm links, 0.02 mm hoch
 Streuwert 17.05, horizontal: 16.79, vertikal: 17.30



Serie 3:
 8.0 → 6.8 ↙ 10.0 ↗ 9.7 ↘ 6.2 ↙
 7.7 ↓ 8.1 → 7.8 ↑ 9.0 → 9.6 ↖
 beste Teiler 796.3 (23.) 980.7 (24.) 1059.7 (30.)
 Trefferlage 1.99 mm rechts, 5.40 mm tief
 Streuwert 16.88, horizontal: 15.96, vertikal: 17.75





Serie 4:
 7.2 → 7.6 ↙ 9.2 ↑ 6.4 ← 9.0 ↘
 9.9 ↑ 9.4 ↘ 8.3 ↖ 9.6 ↓ 9.3 ↑
 beste Teiler 804.1 (36.) 1085.5 (39.) 1214.8 (37.)
 Trefferlage 2.03 mm links, 2.08 mm tief
 Streuwert 15.26, horizontal: 17.57, vertikal: 12.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **306** (323.0)
 Serien: 82 74 72 78
 Zähler: 4 13 9 3 6 3 0 1 1 0
 Innenzehner: 1
 weiteste: 6573 (16), 6027 (23), 4708 (38)
 beste Teiler 340.4 (30.) 510.9 (20.) 750.7 (34.)
 Trefferlage 6.22 mm links, 3.11 mm tief
 Streuwert 18.74, horizontal: 17.33, vertikal: 20.05




Serie 1:
 8.0 ← 9.2 ↓ 6.3 ↙ 9.5 ↘ 9.3 ←
 9.6 ↘ 9.3 ← 6.5 ↘ 8.8 → 9.3 ↓
 beste Teiler 1051.4 (6.) 1123.4 (4.) 1299.1 (10.)
 Trefferlage 1.55 mm links, 8.14 mm tief
 Streuwert 14.39, horizontal: 18.47, vertikal: 8.55



Serie 2:
 9.3 ← 10.0 ← 5.7 ↑ 8.6 ← 7.9 ↙
 2.7 ↗ 6.4 ↙ 8.2 ↘ 9.3 ← 10.3 ↘
 beste Teiler 510.9 (20.) 769.3 (12.) 1303.0 (19.)
 Trefferlage 6.06 mm links, 7.28 mm hoch
 Streuwert 21.57, horizontal: 19.39, vertikal: 23.55



Serie 3:
 6.2 ↓ 8.4 ↘ 3.4 ↙ 8.7 → 8.5 ↘
 9.0 ↙ 7.3 ↓ 5.9 ← 8.2 ↓ 10.5 *
 beste Teiler 340.4 (30.) 1578.2 (26.) 1809.5 (24.)
 Trefferlage 6.52 mm links, 16.52 mm tief
 Streuwert 18.68, horizontal: 16.43, vertikal: 20.69





Serie 4:
 8.7 ↗ 9.2 ← 6.6 ↙ 10.0 ↗ 9.4 ←
 9.8 ← 7.6 ↘ 5.1 ← 9.4 ↓ 6.9 ↑
 beste Teiler 750.7 (34.) 945.8 (36.) 1245.9 (39.)
 Trefferlage 10.73 mm links, 4.91 mm hoch
 Streuwert 16.33, horizontal: 16.34, vertikal: 16.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (354.3)
 Serien: 85 87 82 84
 Zähler: 11 11 9 3 6 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3899 (17), 3709 (30), 3656 (24)
 beste Teiler 127.3 (5.) 294.0 (27.) 391.0 (18.)
 Trefferlage 7.71 mm links, 1.70 mm hoch
 Streuwert 13.01, horizontal: 13.06, vertikal: 12.97




Serie 1:
 9.7 ← 8.6 ← 8.2 ↘ 9.5 ↘ 10.8 *
 8.7 ← 6.6 ↙ 10.0 ↙ 8.0 ← 9.1 ↑
 beste Teiler 127.3 (5.) 781.2 (8.) 1028.3 (1.)
 Trefferlage 11.35 mm links, 1.75 mm tief
 Streuwert 10.82, horizontal: 10.98, vertikal: 10.67



Serie 2:
 9.3 ← 9.2 → 8.0 ← 10.1 ↓ 10.2 ↙
 7.3 ↘ 6.1 ↙ 10.5 * 9.9 ↙ 9.3 →
 beste Teiler 391.0 (18.) 624.7 (15.) 671.4 (14.)
 Trefferlage 7.75 mm links, 2.19 mm tief
 Streuwert 12.82, horizontal: 14.16, vertikal: 11.33



Serie 3:
 8.5 ← 10.3 ↘ 9.7 ↗ 6.4 ↘ 10.1 ←
 9.2 ← 10.6 * 8.5 → 6.8 ← 6.3 ↑
 beste Teiler 294.0 (27.) 531.5 (22.) 711.8 (25.)
 Trefferlage 7.19 mm links, 5.07 mm hoch
 Streuwert 15.25, horizontal: 15.33, vertikal: 15.17





Serie 4:
 7.7 ↑ 6.8 ← 9.9 ↗ 9.4 ↓ 8.8 ↓
 10.0 ↘ 8.8 ↑ 10.3 ↑ 7.1 ↘ 10.0 ↗
 beste Teiler 485.7 (38.) 767.1 (40.) 787.1 (36.)
 Trefferlage 4.55 mm links, 5.69 mm hoch
 Streuwert 13.28, horizontal: 12.51, vertikal: 14.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **302** (319.5)
 Serien: 74 76 82 70
 Zähler: 3 9 11 8 5 2 1 1 0 0
 Innenzehner: 2
 weiteste: 5965 (39), 5472 (33), 4775 (1)
 beste Teiler 378.4 (19.) 382.5 (12.) 486.7 (35.)
 Trefferlage 6.05 mm links, 6.27 mm hoch
 Streuwert 18.40, horizontal: 17.53, vertikal: 19.22




Serie 1:
 5.0 ↑ 8.5 ← 9.7 ↗ 6.2 ↑ 9.1 ↑
 8.0 ← 9.0 ↘ 7.1 ↘ 8.6 ↗ 5.7 ↑
 beste Teiler 1005.9 (3.) 1464.2 (5.) 1559.7 (7.)
 Trefferlage 2.58 mm links, 19.35 mm hoch
 Streuwert 15.84, horizontal: 15.83, vertikal: 15.84



Serie 2:
 7.6 ↑ 10.5 * 6.3 ← 8.5 ↓ 6.7 ←
 9.3 ↑ 6.3 ↗ 6.1 ↗ 10.5 * 8.7 ↘
 beste Teiler 378.4 (19.) 382.5 (12.) 1304.5 (16.)
 Trefferlage 3.27 mm links, 6.36 mm hoch
 Streuwert 19.01, horizontal: 20.72, vertikal: 17.12



Serie 3:
 9.7 ↗ 9.8 ↓ 8.3 ← 8.5 ← 8.7 ↘
 8.9 ↙ 7.6 ↓ 9.9 ↓ 9.9 ↘ 7.0 ↙
 beste Teiler 813.7 (29.) 832.0 (28.) 953.7 (22.)
 Trefferlage 4.74 mm links, 6.56 mm tief
 Streuwert 12.50, horizontal: 13.50, vertikal: 11.41





Serie 4:
 7.7 ↙ 8.5 ↘ 4.1 ← 7.7 ↘ 10.3 →
 9.0 ← 8.1 ↓ 7.4 ↑ 3.5 ↑ 7.5 ↙
 beste Teiler 486.7 (35.) 1569.4 (36.) 1930.4 (32.)
 Trefferlage 13.63 mm links, 5.94 mm hoch
 Streuwert 21.62, horizontal: 19.53, vertikal: 23.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **308** (326.4)
 Serien: 72 82 77 77
 Zähler: 4 10 14 2 5 3 1 1 0 0
 Innenzehner: 1
 weiteste: 6237 (24), 5017 (38), 4746 (25)
 beste Teiler 474.3 (22.) 524.8 (35.) 545.7 (23.)
 Trefferlage 7.44 mm links, 0.91 mm tief
 Streuwert 17.95, horizontal: 18.73, vertikal: 17.13




Serie 1:
 7.1 ↖ 6.0 ↖ 10.0 → 9.9 ← 6.8 ↓
 8.0 ← 5.8 ↙ 6.2 ↖ 9.2 ↖ 6.3 ↗
 beste Teiler 782.5 (3.) 833.8 (4.) 1423.7 (9.)
 Trefferlage 14.98 mm links, 2.03 mm hoch
 Streuwert 19.36, horizontal: 19.97, vertikal: 18.72



Serie 2:
 8.7 ↓ 8.7 ↓ 8.2 ← 9.9 ↖ 8.9 ↖
 8.9 → 8.8 ↙ 9.5 ↓ 8.7 ↖ 8.4 →
 beste Teiler 832.8 (14.) 1184.6 (18.) 1620.0 (16.)
 Trefferlage 4.42 mm links, 5.70 mm tief
 Streuwert 11.53, horizontal: 13.78, vertikal: 8.72



Serie 3:
 9.9 ↑ 10.4 * 10.3 ↘ 3.2 ↙ 5.0 ↓
 8.1 → 8.7 ↖ 8.3 ← 7.8 ↗ 9.7 ↑
 beste Teiler 474.3 (22.) 545.7 (23.) 869.7 (21.)
 Trefferlage 3.56 mm links, 3.86 mm tief
 Streuwert 21.11, horizontal: 20.02, vertikal: 22.15





Serie 4:
 5.7 ↗ 9.0 ↘ 6.7 ↖ 9.4 ↙ 10.3 ↖
 8.6 ↖ 9.3 ↙ 4.7 ↙ 8.0 ↑ 9.3 ↑
 beste Teiler 524.8 (35.) 1258.2 (34.) 1295.7 (37.)
 Trefferlage 6.79 mm links, 3.88 mm hoch
 Streuwert 19.03, horizontal: 20.98, vertikal: 16.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341.2** (325)
 Serien: 89.3 82.4 82.7 86.8
 Zähler: 5 11 13 7 3 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4603 (24), 3557 (15), 3499 (19)
 beste Teiler 106.9 (5.) 380.3 (29.) 691.2 (27.)
 Trefferlage 5.46 mm links, 1.48 mm tief
 Streuwert 14.90, horizontal: 14.21, vertikal: 15.55




Serie 1:
 9.4 ↗ 8.1 ↖ 9.6 ↓ 10.0 ↗ 10.8 *
 7.8 ↖ 8.5 ↖ 9.3 ↖ 7.1 ↘ 8.7 →
 beste Teiler 106.9 (5.) 792.3 (4.) 1051.0 (3.)
 Trefferlage 1.12 mm links, 3.72 mm hoch
 Streuwert 13.22, horizontal: 13.34, vertikal: 13.10



Serie 2:
 9.3 ← 8.3 ↓ 10.0 ↗ 7.1 ↓ 6.5 ↓
 7.8 ↗ 8.6 → 8.6 ↓ 6.6 ↑ 9.6 ↖
 beste Teiler 766.6 (13.) 1061.3 (20.) 1293.6 (11.)
 Trefferlage 0.61 mm links, 5.80 mm tief
 Streuwert 17.09, horizontal: 12.08, vertikal: 20.92



Serie 3:
 6.8 ↖ 8.0 ↖ 8.9 ← 5.2 ↙ 9.1 ←
 7.8 ↗ 10.1 ↖ 9.1 ← 10.5 * 7.2 ↓
 beste Teiler 380.3 (29.) 691.2 (27.) 1443.4 (25.)
 Trefferlage 15.94 mm links, 4.41 mm tief
 Streuwert 13.64, horizontal: 12.11, vertikal: 15.01



Serie 4:
 9.6 ← 8.9 ← 8.2 ← 7.4 ↗ 8.0 ↙
 9.6 ↖ 9.3 ← 8.2 ↑ 8.5 ↘ 9.1 ↘
 beste Teiler 1074.6 (36.) 1101.7 (31.) 1295.3 (37.)
 Trefferlage 4.17 mm links, 0.56 mm hoch
 Streuwert 13.82, horizontal: 15.30, vertikal: 12.17

Unterschrift des Schützen

Meyton Elektronik