





Ergebnis:	375	(392.0)
Serien:	96 93 94 92	
Zähler:	18 19 3 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	553 (18), 518 (27), 504 (33)	
beste Teiler	91.0 (10.) 129.7 (11.) 136.8 (28.)	
Trefferlage	1.15 mm rechts, 0.01 mm tief	
Streuwert	2.03, horizontal: 1.89, vertikal: 2.17	




Serie 1:	9.8 ↑	10.3 *	9.7 ↘	10.2 *	10.3 *
	9.4 ↗	10.1 ↘	9.9 ↑	10.2 *	10.6 *
beste Teiler	91.0 (10.)	169.0 (2.)	172.7 (5.)		
Trefferlage	1.00 mm rechts, 0.74 mm hoch				
Streuwert	1.53, horizontal: 1.50, vertikal: 1.56				



Serie 2:	10.4 *	9.9 →	10.1 ↘	9.7 ←	10.0 ↗
	9.8 ↙	10.1 ↘	8.7 →	9.4 ↓	9.9 ↓
beste Teiler	129.7 (11.)	205.2 (13.)	208.7 (17.)		
Trefferlage	0.28 mm rechts, 1.01 mm tief				
Streuwert	2.13, horizontal: 2.51, vertikal: 1.65				



Serie 3:	10.1 ↓	10.0 ↘	9.0 ↗	9.8 ↓	9.4 ↘
	10.0 ↓	8.9 ↑	10.4 *	10.0 →	9.7 ↘
beste Teiler	136.8 (28.)	207.2 (21.)	232.8 (29.)		
Trefferlage	1.15 mm rechts, 0.64 mm tief				
Streuwert	2.24, horizontal: 1.77, vertikal: 2.63				





Serie 4:	9.7 ↓	9.6 ↗	8.9 →	9.4 ↘	9.6 ↗
	10.2 *	10.0 →	9.6 ↑	9.1 ↗	10.1 →
beste Teiler	176.3 (36.)	206.8 (40.)	236.5 (37.)		
Trefferlage	2.18 mm rechts, 0.86 mm hoch				
Streuwert	1.87, horizontal: 1.33, vertikal: 2.29				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (396.8)
 Serien: 97 97 91 95
 Zähler: 22 16 2 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 557 (21), 523 (30), 499 (7)
 beste Teiler 36.0 (4.) 43.4 (2.) 66.2 (27.)
 Trefferlage 1.18 mm rechts, 0.80 mm tief
 Streuwert 1.84, horizontal: 1.83, vertikal: 1.85




Serie 1:
 10.1 → 10.8 * 10.4 * 10.8 * 9.8 ←
 9.9 ↑ 9.0 ↖ 10.3 * 10.4 * 10.3 *
 beste Teiler 36.0 (4.) 43.4 (2.) 128.1 (3.)
 Trefferlage 0.14 mm links, 0.62 mm hoch
 Streuwert 1.69, horizontal: 1.59, vertikal: 1.78



Serie 2:
 9.6 ↘ 10.2 * 10.4 * 9.4 → 9.4 →
 10.3 * 10.4 * 10.0 ↓ 10.1 → 10.1 ↓
 beste Teiler 126.0 (17.) 150.3 (13.) 153.3 (16.)
 Trefferlage 1.55 mm rechts, 0.59 mm tief
 Streuwert 1.46, horizontal: 1.57, vertikal: 1.35



Serie 3:
 8.7 ↘ 10.5 * 9.3 ↘ 9.4 ↓ 9.7 ↓
 10.4 * 10.7 * 9.9 ↓ 9.6 → 8.9 ↘
 beste Teiler 66.2 (27.) 120.8 (22.) 150.2 (26.)
 Trefferlage 1.58 mm rechts, 1.77 mm tief
 Streuwert 1.92, horizontal: 2.17, vertikal: 1.64





Serie 4:
 10.2 * 10.3 * 9.0 ↘ 10.2 * 10.7 *
 10.1 ↓ 9.4 ↘ 9.3 → 9.3 ↘ 9.5 →
 beste Teiler 71.0 (35.) 168.0 (32.) 189.1 (34.)
 Trefferlage 1.73 mm rechts, 1.46 mm tief
 Streuwert 1.68, horizontal: 1.50, vertikal: 1.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (399.9)
 Serien: 97 96 94 96
 Zähler: 26 11 3 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 694 (37), 538 (12), 536 (27)
 beste Teiler 51.7 (32.) 60.8 (34.) 87.6 (13.)
 Trefferlage 0.13 mm rechts, 0.25 mm hoch
 Streuwert 1.96, horizontal: 2.14, vertikal: 1.76




Serie 1:
 10.3 * 10.4 * 9.6 ↗ 10.2 * 10.1 ↓
 10.3 * 9.5 ↘ 9.3 ↑ 10.1 ↓ 10.2 *
 beste Teiler 147.3 (2.) 165.6 (1.) 167.2 (6.)
 Trefferlage 1.02 mm rechts, 0.00 mm
 Streuwert 1.72, horizontal: 1.24, vertikal: 2.10



Serie 2:
 9.8 ↘ 8.8 ← 10.6 * 10.5 * 10.3 *
 9.8 ↘ 10.0 ↓ 10.2 * 10.3 * 10.6 *
 beste Teiler 87.6 (13.) 91.9 (20.) 114.5 (14.)
 Trefferlage 0.07 mm links, 0.64 mm tief
 Streuwert 1.80, horizontal: 2.12, vertikal: 1.41



Serie 3:
 9.8 ↓ 9.8 ↘ 10.4 * 10.3 * 10.3 *
 10.1 ↘ 8.8 ↗ 9.5 ← 10.2 * 9.9 ↗
 beste Teiler 137.7 (23.) 167.2 (25.) 171.4 (24.)
 Trefferlage 0.69 mm rechts, 0.11 mm hoch
 Streuwert 2.07, horizontal: 2.38, vertikal: 1.71





Serie 4:
 10.6 * 10.7 * 10.3 * 10.7 * 9.4 ↖
 10.3 * 8.2 ↖ 10.2 * 10.0 ↖ 9.5 ↑
 beste Teiler 51.7 (32.) 60.8 (34.) 97.6 (31.)
 Trefferlage 1.09 mm links, 1.55 mm hoch
 Streuwert 1.80, horizontal: 2.27, vertikal: 1.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (403.3)
 Serien: 96 98 96 96
 Zähler: 26 14 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 462 (19), 435 (27), 429 (30)
 beste Teiler 27.2 (33.) 29.5 (29.) 33.9 (36.)
 Trefferlage 0.65 mm links, 0.27 mm tief
 Streuwert 1.64, horizontal: 1.75, vertikal: 1.53




Serie 1:
 10.5 * 10.3 * 9.5 ← 10.3 * 9.5 ←
 9.9 ↑ 10.2 * 9.8 ↙ 10.4 * 10.4 *
 beste Teiler 109.0 (1.) 143.5 (10.) 149.6 (9.)
 Trefferlage 1.14 mm links, 0.33 mm hoch
 Streuwert 1.53, horizontal: 1.58, vertikal: 1.48



Serie 2:
 9.9 ↘ 10.4 * 10.5 * 10.1 ↙ 10.1 ↙
 10.3 * 10.1 ↘ 10.4 * 9.1 ← 10.2 *
 beste Teiler 117.8 (13.) 137.4 (18.) 139.5 (12.)
 Trefferlage 0.61 mm links, 0.48 mm tief
 Streuwert 1.63, horizontal: 1.76, vertikal: 1.48



Serie 3:
 9.8 ↙ 10.6 * 10.3 * 10.4 * 9.8 ↙
 10.2 * 9.2 ↘ 10.2 * 10.8 * 9.2 ↓
 beste Teiler 29.5 (29.) 89.1 (22.) 130.9 (24.)
 Trefferlage 0.27 mm links, 0.30 mm tief
 Streuwert 1.87, horizontal: 1.85, vertikal: 1.90





Serie 4:
 10.0 ↙ 9.9 ← 10.8 * 9.6 ↘ 9.7 ←
 10.8 * 10.2 * 9.5 ↘ 10.2 * 10.2 *
 beste Teiler 27.2 (33.) 33.9 (36.) 186.5 (40.)
 Trefferlage 0.59 mm links, 0.63 mm tief
 Streuwert 1.64, horizontal: 1.96, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	377	(394.4)
Serien:	91 97 93 96	
Zähler:	20 17 3 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	583 (4), 526 (36), 507 (3)	
beste Teiler	70.8 (13.) 72.9 (34.) 117.3 (38.)	
Trefferlage	0.88 mm rechts, 0.05 mm hoch	
Streuwert	2.04, horizontal: 2.02, vertikal: 2.06	




Serie 1:				
9.9 ↘	9.5 ↘	8.9 →	8.6 →	9.8 ↗
10.2 *	9.5 →	10.2 *	9.3 ↖	10.2 *
beste Teiler	186.6 (6.)	195.6 (10.)	198.7 (8.)	
Trefferlage	1.58 mm rechts, 0.00 mm			
Streuwert	2.41, horizontal: 2.88, vertikal: 1.83			



Serie 2:				
9.9 →	10.2 *	10.7 *	10.0 ↓	10.0 ↗
9.3 ↖	10.1 ↘	9.5 ↓	10.1 ↑	10.2 *
beste Teiler	70.8 (13.)	177.5 (12.)	200.1 (20.)	
Trefferlage	0.09 mm rechts, 0.11 mm hoch			
Streuwert	1.90, horizontal: 1.52, vertikal: 2.22			



Serie 3:				
10.4 *	9.9 ↘	9.3 ↖	9.5 ↘	10.0 ↗
9.9 ↗	9.6 ↓	9.9 ↗	10.4 *	9.3 ↘
beste Teiler	144.2 (21.)	144.3 (29.)	249.6 (25.)	
Trefferlage	0.80 mm rechts, 0.66 mm tief			
Streuwert	2.08, horizontal: 1.73, vertikal: 2.38			





Serie 4:				
10.0 ↘	9.7 ↑	10.3 *	10.7 *	9.5 →
8.8 ↗	10.2 *	10.5 *	10.4 *	10.0 ↘
beste Teiler	72.9 (34.)	117.3 (38.)	129.0 (39.)	
Trefferlage	1.08 mm rechts, 0.75 mm hoch			
Streuwert	1.75, horizontal: 1.66, vertikal: 1.84			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.7** (384)
 Serien: 101.7 101.1 102.0 97.9
 Zähler: 26 12 2 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 614 (35), 514 (11), 440 (38)
 beste Teiler 44.6 (17.) 52.7 (6.) 57.0 (8.)
 Trefferlage 0.19 mm rechts, 0.37 mm tief
 Streuwert 1.79, horizontal: 1.71, vertikal: 1.87




Serie 1:
 9.6 ↗ 10.5 * 10.2 * 9.7 ↙ 10.1 ↙
 10.7 * 9.9 → 10.7 * 10.4 * 9.9 ↙
 beste Teiler 52.7 (6.) 57.0 (8.) 103.0 (2.)
 Trefferlage 0.02 mm rechts, 0.40 mm tief
 Streuwert 1.58, horizontal: 1.81, vertikal: 1.32



Serie 2:
 8.9 ↘ 10.1 ↗ 10.1 ↗ 10.6 * 10.5 *
 10.1 ↓ 10.8 * 10.1 ↘ 10.1 ↑ 9.8 ↘
 beste Teiler 44.6 (17.) 92.0 (14.) 105.3 (15.)
 Trefferlage 0.08 mm rechts, 0.34 mm hoch
 Streuwert 1.80, horizontal: 1.46, vertikal: 2.07



Serie 3:
 10.0 → 10.2 * 10.4 * 10.3 * 10.5 *
 10.6 * 9.3 ↙ 10.4 * 10.5 * 9.8 ↘
 beste Teiler 93.5 (26.) 101.1 (29.) 106.7 (25.)
 Trefferlage 0.39 mm rechts, 0.14 mm hoch
 Streuwert 1.53, horizontal: 1.65, vertikal: 1.41





Serie 4:
 9.9 ↘ 10.2 * 10.6 * 10.4 * 8.5 ↓
 10.1 → 9.6 ↗ 9.2 ↘ 9.9 ↙ 9.5 ↙
 beste Teiler 88.7 (33.) 143.9 (34.) 194.9 (32.)
 Trefferlage 0.28 mm rechts, 1.58 mm tief
 Streuwert 2.13, horizontal: 2.12, vertikal: 2.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (397.2)
 Serien: 96 98 92 95
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 531 (33), 523 (27), 451 (36)
 beste Teiler 63.8 (1.) 77.8 (14.) 105.4 (7.)
 Trefferlage 0.05 mm rechts, 0.81 mm hoch
 Streuwert 1.91, horizontal: 2.09, vertikal: 1.72




Serie 1:
 10.7 * 10.5 * 10.3 * 9.4 ↘ 9.7 ↑
 10.1 ↘ 10.5 * 9.3 ↘ 9.3 ↙ 10.3 *
 beste Teiler 63.8 (1.) 105.4 (7.) 110.8 (2.)
 Trefferlage 0.68 mm links, 0.60 mm hoch
 Streuwert 1.84, horizontal: 2.08, vertikal: 1.56



Serie 2:
 10.0 ↙ 10.0 ↘ 10.4 * 10.6 * 10.0 ↘
 10.3 * 9.7 ↘ 9.5 ← 10.0 ↑ 10.3 *
 beste Teiler 77.8 (14.) 148.4 (13.) 151.9 (16.)
 Trefferlage 0.86 mm links, 0.10 mm hoch
 Streuwert 1.62, horizontal: 1.69, vertikal: 1.54





Serie 3:
 9.9 ← 9.6 ↘ 10.3 * 9.6 ↑ 9.8 ↘
 10.3 * 8.9 ↑ 9.5 ↑ 10.3 * 9.9 ↗
 beste Teiler 153.3 (29.) 167.8 (23.) 173.4 (26.)
 Trefferlage 0.21 mm rechts, 1.42 mm hoch
 Streuwert 2.00, horizontal: 1.77, vertikal: 2.20




Serie 4:
 9.6 ↗ 9.6 ↑ 8.8 ↗ 10.0 ↑ 10.0 ←
 9.1 → 10.3 * 10.1 → 10.4 * 10.3 *
 beste Teiler 135.5 (39.) 173.2 (40.) 173.9 (37.)
 Trefferlage 1.55 mm rechts, 1.12 mm hoch
 Streuwert 1.81, horizontal: 2.15, vertikal: 1.40

Unterschrift des Schützen


Ergebnis: **375** (394.2)
 Serien: 93 94 94 94
 Zähler: 18 20 1 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 798 (27), 625 (9), 483 (36)
 beste Teiler 33.0 (33.) 46.5 (5.) 57.9 (37.)
 Trefferlage 0.67 mm rechts, 0.00 mm
 Streuwert 2.24, horizontal: 2.12, vertikal: 2.36




Serie 1:
 9.7 ← 9.1 ↑ 9.2 ↘ 10.3 * 10.8 *
 9.8 ↑ 9.8 ← 10.0 ↗ 8.5 ↗ 10.4 *
 beste Teiler 46.5 (5.) 137.2 (10.) 152.5 (4.)
 Trefferlage 0.44 mm rechts, 1.03 mm hoch
 Streuwert 2.41, horizontal: 2.37, vertikal: 2.45



Serie 2:
 10.6 * 9.1 → 9.7 ↙ 9.7 ↘ 9.2 ↘
 10.5 * 10.4 * 9.4 → 10.0 ↓ 9.3 →
 beste Teiler 86.3 (11.) 125.7 (16.) 148.5 (17.)
 Trefferlage 1.49 mm rechts, 1.10 mm tief
 Streuwert 1.95, horizontal: 2.17, vertikal: 1.69



Serie 3:
 10.5 * 10.3 * 10.7 * 10.6 * 10.0 ↓
 10.5 * 7.8 ↖ 9.7 ↙ 9.6 ↑ 9.8 ↑
 beste Teiler 67.1 (23.) 78.2 (24.) 106.4 (26.)
 Trefferlage 0.00 mm , 0.86 mm hoch
 Streuwert 2.33, horizontal: 1.37, vertikal: 3.00



Serie 4:
 10.0 ↘ 10.5 * 10.8 * 9.8 ↓ 9.6 →
 9.0 → 10.7 * 9.8 → 9.6 ↘ 9.4 ←
 beste Teiler 33.0 (33.) 57.9 (37.) 116.1 (32.)
 Trefferlage 0.75 mm rechts, 0.81 mm tief
 Streuwert 2.01, horizontal: 2.43, vertikal: 1.49

Unterschrift des Schützen

Meyton Elektronik