





Ergebnis: **347** (365.8)
 Serien: 88 84 84 91
 Zähler: 7 17 12 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3172 (2), 2862 (26), 2486 (28)
 beste Teiler 331.8 (37.) 390.9 (33.) 567.8 (27.)
 Trefferlage 3.63 mm links, 0.02 mm hoch
 Streuwert 11.10, horizontal: 11.74, vertikal: 10.42




Serie 1:
 10.1 ← 7.0 ↗ 8.9 ← 9.9 ↓ 9.0 ↙
 8.6 ↖ 9.1 ↓ 9.8 ↘ 9.6 ↘ 10.0 ↘
 beste Teiler 709.9 (1.) 798.6 (10.) 847.0 (4.)
 Trefferlage 2.23 mm links, 4.66 mm tief
 Streuwert 11.12, horizontal: 12.75, vertikal: 9.22



Serie 2:
 9.0 ↘ 9.8 ↓ 9.4 ↖ 8.4 ↖ 9.4 ↗
 8.7 ↗ 7.9 ↘ 9.1 → 8.2 ↖ 8.6 ←
 beste Teiler 904.9 (12.) 1232.5 (13.) 1276.5 (15.)
 Trefferlage 0.85 mm links, 1.83 mm tief
 Streuwert 13.00, horizontal: 14.73, vertikal: 10.99





Serie 3:
 10.2 ↑ 9.6 ↑ 8.9 ↘ 8.8 ↓ 9.7 ←
 7.4 ← 10.2 ↘ 7.8 ↘ 8.8 ↑ 8.6 ←
 beste Teiler 567.8 (27.) 596.4 (21.) 1009.1 (25.)
 Trefferlage 8.75 mm links, 5.85 mm hoch
 Streuwert 10.05, horizontal: 10.09, vertikal: 10.01




Serie 4:
 9.0 ↑ 8.9 ↑ 10.5 * 10.2 ↓ 9.7 ↓
 9.2 → 10.5 * 8.1 ← 9.6 ↓ 9.6 ↘
 beste Teiler 331.8 (37.) 390.9 (33.) 614.5 (34.)
 Trefferlage 2.70 mm links, 0.74 mm hoch
 Streuwert 9.31, horizontal: 8.69, vertikal: 9.90

Unterschrift des Schützen


Ergebnis: **340** (354.5)
 Serien: 81 84 92 83
 Zähler: 8 17 7 3 5 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3990 (34), 3786 (5), 3463 (8)
 beste Teiler 462.2 (29.) 560.5 (13.) 664.2 (11.)
 Trefferlage 4.60 mm links, 2.96 mm hoch
 Streuwert 13.33, horizontal: 11.50, vertikal: 14.93




Serie 1:
 9.5 ↓ 9.3 ↑ 8.4 ↓ 8.4 ← 6.2 ↘
 9.7 ← 9.6 ← 6.6 ← 9.3 ↗ 8.5 ↘
 beste Teiler 1006.2 (6.) 1085.3 (7.) 1138.3 (1.)
 Trefferlage 10.77 mm links, 4.02 mm tief
 Streuwert 13.41, horizontal: 11.22, vertikal: 15.29



Serie 2:
 10.1 ↘ 9.3 ↑ 10.3 ↘ 8.8 ↑ 9.3 ↗
 9.2 ↘ 7.0 ← 7.4 ↑ 7.3 ↑ 8.2 ↘
 beste Teiler 560.5 (13.) 664.2 (11.) 1301.0 (15.)
 Trefferlage 3.98 mm links, 6.94 mm hoch
 Streuwert 13.86, horizontal: 11.71, vertikal: 15.71



Serie 3:
 9.5 ↘ 10.1 ← 9.3 ↘ 8.0 → 9.8 ↘
 8.0 ↑ 9.0 ← 10.0 ↘ 10.4 * 10.1 →
 beste Teiler 462.2 (29.) 704.6 (22.) 712.7 (30.)
 Trefferlage 0.30 mm rechts, 0.85 mm hoch
 Streuwert 10.39, horizontal: 10.93, vertikal: 9.83





Serie 4:
 9.7 ← 10.0 ↑ 9.9 ↘ 6.0 ↑ 9.8 ↓
 9.3 ↘ 6.8 ↘ 10.1 ↑ 6.9 ← 9.4 ↑
 beste Teiler 720.8 (38.) 780.0 (32.) 870.6 (33.)
 Trefferlage 3.96 mm links, 8.09 mm hoch
 Streuwert 14.21, horizontal: 11.00, vertikal: 16.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (368.8)
 Serien: 90 92 84 87
 Zähler: 12 15 8 4 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3276 (39), 3152 (25), 2905 (22)
 beste Teiler 122.6 (20.) 184.3 (12.) 245.2 (29.)
 Trefferlage 1.58 mm links, 2.54 mm hoch
 Streuwert 11.41, horizontal: 10.92, vertikal: 11.88




Serie 1:
 10.2 ← 9.6 → 9.2 ↘ 9.3 ↖ 8.0 ↑
 10.2 ↗ 8.4 ↑ 9.5 ↑ 8.9 ↖ 10.3 ↖
 beste Teiler 544.8 (10.) 571.0 (1.) 633.9 (6.)
 Trefferlage 0.29 mm links, 6.84 mm hoch
 Streuwert 9.15, horizontal: 7.57, vertikal: 10.49



Serie 2:
 10.0 ↖ 10.7 * 9.8 ← 8.4 ↖ 7.4 ↖
 9.9 ← 9.4 ↑ 10.2 ↑ 10.1 ↘ 10.8 *
 beste Teiler 122.6 (20.) 184.3 (12.) 574.7 (18.)
 Trefferlage 5.80 mm links, 1.63 mm hoch
 Streuwert 8.54, horizontal: 10.28, vertikal: 6.35



Serie 3:
 9.2 ↖ 7.3 ↓ 8.1 ↖ 9.1 ↖ 7.0 →
 8.3 ↓ 9.5 ← 8.3 ↗ 10.6 * 9.9 ↑
 beste Teiler 245.2 (29.) 844.1 (30.) 1158.8 (27.)
 Trefferlage 0.20 mm rechts, 3.67 mm tief
 Streuwert 14.41, horizontal: 14.09, vertikal: 14.73





Serie 4:
 8.2 ↗ 9.2 ↗ 10.3 ↑ 10.4 * 9.6 ↖
 9.2 → 7.7 ← 10.2 ↑ 6.9 ↑ 9.5 ↖
 beste Teiler 457.4 (34.) 485.8 (33.) 596.5 (38.)
 Trefferlage 0.43 mm links, 5.35 mm hoch
 Streuwert 12.23, horizontal: 11.34, vertikal: 13.07

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	336	(355.0)
Serien:	86	80 85 85
Zähler:	7	12 13 6 2 0 0 0 0 0
Innenzehner:	3	
weiteste:	3973 (4), 3269 (37), 3038 (17)	
beste Teiler	234.3 (38.)	267.5 (8.) 378.2 (27.)
Trefferlage	4.73 mm links, 5.73 mm hoch	
Streuwert	12.30, horizontal: 12.49, vertikal: 12.11	




Serie 1:

9.8 ↘	7.5 ↘	8.8 ↖	6.0 ↗	9.1 ↖
8.4 ↘	9.9 ←	10.6 *	10.1 ↑	10.2 ↑
beste Teiler	267.5 (8.) 589.0 (10.) 671.5 (9.)			
Trefferlage	2.21 mm links, 9.15 mm hoch			
Streuwert	12.06, horizontal: 12.70, vertikal: 11.37			




Serie 2:

9.5 ↘	9.8 ↘	8.4 ↑	7.8 ↖	9.5 ↓
8.3 ↙	7.2 ↘	8.5 →	8.9 ↖	7.8 ←
beste Teiler	886.8 (12.) 1131.5 (15.) 1154.8 (11.)			
Trefferlage	5.40 mm links, 2.68 mm hoch			
Streuwert	14.27, horizontal: 13.84, vertikal: 14.68			



Serie 3:

7.7 ↖	8.6 ↘	9.0 ↓	8.8 ↖	10.3 ↖
8.1 ↙	10.5 *	8.1 ←	8.3 ↖	9.1 ↑
beste Teiler	378.2 (27.) 522.3 (25.) 1519.3 (30.)			
Trefferlage	10.04 mm links, 4.28 mm hoch			
Streuwert	10.84, horizontal: 9.23, vertikal: 12.24			





Serie 4:


10.2 ↖	9.7 ↗	8.9 ↗	9.0 ←	9.4 ←
7.5 ↖	6.9 ↗	10.7 *	8.4 ↘	9.7 ↘
beste Teiler	234.3 (38.) 640.2 (31.) 1010.4 (40.)			
Trefferlage	1.26 mm links, 6.83 mm hoch			
Streuwert	12.22, horizontal: 13.61, vertikal: 10.65			

Unterschrift des Schützen


Ergebnis: **342** (359.8)
 Serien: 84 90 90 78
 Zähler: 10 12 11 4 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3587 (7), 3464 (38), 3262 (25)
 beste Teiler 198.1 (21.) 401.8 (19.) 412.1 (23.)
 Trefferlage 5.52 mm links, 1.23 mm hoch
 Streuwert 12.20, horizontal: 9.53, vertikal: 14.39




Serie 1:
 9.8 ↘ 10.1 ↑ 8.6 ↓ 8.4 ↗ 9.3 ↙
 8.5 ↓ 6.5 ↙ 10.2 ↑ 9.5 ↑ 7.7 ↖
 beste Teiler 623.3 (8.) 692.4 (2.) 958.1 (1.)
 Trefferlage 6.21 mm links, 2.56 mm tief
 Streuwert 13.24, horizontal: 10.89, vertikal: 15.24



Serie 2:
 10.2 ↗ 8.3 ← 9.4 ↑ 10.2 ↑ 8.5 ←
 9.4 → 9.6 → 8.2 ↑ 10.4 * 9.4 ↘
 beste Teiler 401.8 (19.) 573.0 (14.) 584.2 (11.)
 Trefferlage 2.12 mm links, 4.99 mm hoch
 Streuwert 9.73, horizontal: 11.11, vertikal: 8.11



Serie 3:
 10.7 * 9.0 ↖ 10.4 * 10.2 ← 6.9 ↙
 8.2 ↘ 10.3 ↙ 10.0 ↓ 9.4 ↑ 8.9 ↖
 beste Teiler 198.1 (21.) 412.1 (23.) 549.9 (27.)
 Trefferlage 6.60 mm links, 2.68 mm tief
 Streuwert 10.10, horizontal: 6.90, vertikal: 12.51





Serie 4:
 9.7 → 9.5 ↖ 7.5 ↓ 8.7 ← 7.4 ↗
 8.2 ↖ 7.9 ↖ 6.6 ↑ 8.2 ↘ 9.9 ←
 beste Teiler 820.7 (40.) 982.6 (31.) 1151.1 (32.)
 Trefferlage 7.16 mm links, 5.19 mm hoch
 Streuwert 15.21, horizontal: 9.30, vertikal: 19.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (353.1)
 Serien: 85 85 87 78
 Zähler: 12 10 9 5 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 8564 (33), 3470 (2), 3329 (7)
 beste Teiler 294.7 (32.) 309.8 (19.) 312.4 (39.)
 Trefferlage 5.63 mm links, 6.16 mm hoch
 Streuwert 14.67, horizontal: 11.15, vertikal: 17.49




Serie 1:
 9.4 ↙ 6.6 ← 8.4 ← 10.0 ↑ 10.2 ↗
 9.8 ← 6.8 ↗ 10.1 ↙ 9.6 ↘ 8.3 ↑
 beste Teiler 619.7 (5.) 686.9 (8.) 772.9 (4.)
 Trefferlage 9.61 mm links, 4.24 mm hoch
 Streuwert 11.92, horizontal: 9.76, vertikal: 13.74



Serie 2:
 9.5 ↗ 9.3 ↘ 7.2 ↙ 7.3 ← 10.2 ↗
 8.3 ← 9.4 ↑ 9.8 ↗ 10.6 * 7.6 ←
 beste Teiler 309.8 (19.) 609.1 (15.) 921.2 (18.)
 Trefferlage 8.53 mm links, 0.27 mm hoch
 Streuwert 12.37, horizontal: 14.29, vertikal: 10.09



Serie 3:
 8.9 → 10.2 ↗ 9.4 ↑ 7.9 ↑ 8.5 ↑
 10.3 ← 10.1 ↙ 10.1 ← 8.7 ← 7.5 ↙
 beste Teiler 539.7 (26.) 613.2 (22.) 644.8 (28.)
 Trefferlage 3.66 mm links, 3.18 mm hoch
 Streuwert 11.53, horizontal: 10.08, vertikal: 12.82





Serie 4:
 8.3 ↑ 10.6 * 0.0 ↑ 9.2 ↘ 8.9 ←
 10.3 ← 9.5 ↑ 8.8 ↑ 10.6 * 6.9 ↑
 beste Teiler 294.7 (32.) 312.4 (39.) 491.0 (36.)
 Trefferlage 0.74 mm links, 16.94 mm hoch
 Streuwert 19.61, horizontal: 8.95, vertikal: 26.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (359.7)
 Serien: 83 86 85 88
 Zähler: 5 18 14 2 0 0 1 0 0 0
 Innenzehner: 1
 weiteste: 5365 (28), 2610 (16), 2408 (7)
 beste Teiler 172.1 (23.) 479.0 (36.) 487.9 (3.)
 Trefferlage 6.25 mm links, 2.86 mm hoch
 Streuwert 11.72, horizontal: 8.01, vertikal: 14.52




Serie 1:
 8.2 ↘ 9.1 ↘ 10.3 → 8.1 ↓ 8.7 ↘
 8.4 ↗ 7.9 ↖ 8.8 ↖ 9.5 ↓ 8.3 ↑
 beste Teiler 487.9 (3.) 1129.9 (9.) 1463.8 (2.)
 Trefferlage 9.22 mm links, 3.72 mm hoch
 Streuwert 11.67, horizontal: 8.85, vertikal: 13.93



Serie 2:
 9.0 ↗ 8.4 ↗ 8.7 ↗ 9.3 ↖ 9.8 ↗
 7.7 ↖ 9.9 ↗ 9.1 ↑ 9.0 ↖ 9.9 ↗
 beste Teiler 817.3 (17.) 879.2 (20.) 958.3 (15.)
 Trefferlage 6.68 mm links, 2.65 mm hoch
 Streuwert 10.61, horizontal: 10.78, vertikal: 10.42



Serie 3:
 9.7 ↑ 9.9 ↖ 10.7 * 10.0 ↑ 8.7 ↓
 9.8 ← 9.5 ← 4.2 ↑ 8.6 ↖ 9.1 ↖
 beste Teiler 172.1 (23.) 783.9 (24.) 809.0 (22.)
 Trefferlage 4.51 mm links, 8.75 mm hoch
 Streuwert 13.43, horizontal: 5.00, vertikal: 18.32





Serie 4:
 8.1 ↑ 8.4 ↗ 9.0 ↖ 10.0 ↗ 8.7 ↗
 10.4 ← 9.2 ↓ 9.7 ↓ 9.4 ↑ 8.5 ↓
 beste Teiler 479.0 (36.) 738.0 (34.) 976.1 (38.)
 Trefferlage 4.59 mm links, 3.69 mm tief
 Streuwert 10.71, horizontal: 6.46, vertikal: 13.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366.0** (349)
 Serien: 90.5 91.0 96.0 88.5
 Zähler: 11 13 10 6 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3104 (5), 2850 (36), 2603 (12)
 beste Teiler 263.1 (14.) 316.8 (34.) 448.0 (25.)
 Trefferlage 4.81 mm links, 1.08 mm hoch
 Streuwert 11.10, horizontal: 9.79, vertikal: 12.27




Serie 1:
 10.0 ↓ 8.9 ↙ 10.1 ← 9.9 ← 7.1 ↑
 9.8 ← 8.4 ← 9.5 ↙ 9.1 ↘ 7.7 ↘
 beste Teiler 664.9 (3.) 763.0 (1.) 870.3 (4.)
 Trefferlage 9.38 mm links, 2.12 mm hoch
 Streuwert 10.53, horizontal: 7.39, vertikal: 12.93



Serie 2:
 9.2 ← 7.7 ↑ 9.6 ↘ 10.6 * 9.9 ↘
 9.4 ↙ 8.0 ↑ 10.3 → 8.0 ↗ 8.3 ↙
 beste Teiler 263.1 (14.) 558.2 (18.) 839.4 (15.)
 Trefferlage 4.10 mm links, 5.18 mm hoch
 Streuwert 11.36, horizontal: 9.77, vertikal: 12.75



Serie 3:
 8.5 ↑ 10.0 ↑ 10.1 ↘ 10.2 ↙ 10.4 *
 9.1 ← 9.2 ↙ 8.3 ↗ 9.9 ↙ 10.3 ↙
 beste Teiler 448.0 (25.) 535.1 (30.) 628.2 (24.)
 Trefferlage 2.25 mm links, 0.54 mm hoch
 Streuwert 8.93, horizontal: 9.03, vertikal: 8.83



Serie 4:
 10.1 ↘ 8.9 ↑ 8.6 ↙ 10.6 * 7.8 ←
 7.4 ↙ 9.3 ↗ 8.9 ↗ 9.0 ↘ 7.9 ↙
 beste Teiler 316.8 (34.) 698.5 (31.) 1296.6 (37.)
 Trefferlage 3.50 mm links, 3.51 mm tief
 Streuwert 13.26, horizontal: 12.27, vertikal: 14.18

Unterschrift des Schützen

Meyton Elektronik