





Ergebnis: **364** (384.8)
 Serien: 92 88 92 92
 Zähler: 17 13 8 1 1 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1020 (13), 810 (2), 622 (10)
 beste Teiler 34.4 (35.) 41.7 (30.) 49.3 (1.)
 Trefferlage 0.64 mm rechts, 0.36 mm tief
 Streuwert 2.81, horizontal: 3.12, vertikal: 2.46




Serie 1:
 10.8 * 7.7 ↘ 8.9 → 10.2 * 10.5 *
 10.4 * 10.4 * 9.6 ↖ 10.1 ← 8.5 ↑
 beste Teiler 49.3 (1.) 117.6 (5.) 137.8 (6.)
 Trefferlage 1.10 mm rechts, 0.05 mm tief
 Streuwert 2.83, horizontal: 2.70, vertikal: 2.96



Serie 2:
 10.7 * 9.0 ↘ 6.9 → 8.5 ↗ 9.8 ↖
 8.9 ↓ 9.3 ↗ 9.4 ↘ 10.2 * 10.2 *
 beste Teiler 63.3 (11.) 177.0 (19.) 184.3 (20.)
 Trefferlage 1.50 mm rechts, 0.16 mm tief
 Streuwert 3.47, horizontal: 4.12, vertikal: 2.68



Serie 3:
 10.4 * 9.4 ← 9.9 ↗ 8.9 → 9.9 ↓
 8.9 ← 10.1 ↑ 9.3 ↓ 10.4 * 10.8 *
 beste Teiler 41.7 (30.) 139.5 (29.) 144.4 (21.)
 Trefferlage 0.25 mm links, 0.48 mm tief
 Streuwert 2.42, horizontal: 2.89, vertikal: 1.83





Serie 4:
 9.4 ↘ 8.6 ↓ 10.1 ↖ 9.8 ↖ 10.8 *
 8.5 → 9.5 ↑ 9.4 ← 10.6 * 10.1 ↑
 beste Teiler 34.4 (35.) 89.9 (39.) 205.2 (33.)
 Trefferlage 0.24 mm rechts, 0.77 mm tief
 Streuwert 2.65, horizontal: 2.75, vertikal: 2.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (393.2)
 Serien: 94 94 95 94
 Zähler: 20 17 3 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 625 (4), 587 (21), 506 (7)
 beste Teiler 75.1 (38.) 78.9 (14.) 85.7 (24.)
 Trefferlage 0.24 mm links, 0.23 mm hoch
 Streuwert 2.24, horizontal: 2.46, vertikal: 1.99




Serie 1:
 9.4 ← 10.0 → 10.4 * 8.5 ↘ 10.0 ↓
 10.5 * 8.9 ↓ 9.8 ↖ 10.0 → 10.1 ↓
 beste Teiler 125.5 (6.) 137.7 (3.) 216.3 (10.)
 Trefferlage 0.29 mm rechts, 0.98 mm tief
 Streuwert 2.38, horizontal: 2.42, vertikal: 2.35



Serie 2:
 9.8 ↖ 9.1 ← 9.7 → 10.6 * 10.4 *
 9.7 → 10.0 ↓ 10.3 * 9.5 → 9.5 →
 beste Teiler 78.9 (14.) 146.2 (15.) 153.1 (18.)
 Trefferlage 0.79 mm rechts, 0.03 mm hoch
 Streuwert 2.10, horizontal: 2.64, vertikal: 1.38



Serie 3:
 8.6 ← 10.2 * 10.4 * 10.6 * 10.4 *
 10.1 ← 9.8 ← 9.3 ↖ 9.9 ↑ 10.1 ↑
 beste Teiler 85.7 (24.) 129.2 (23.) 146.1 (25.)
 Trefferlage 1.71 mm links, 0.59 mm hoch
 Streuwert 1.68, horizontal: 1.75, vertikal: 1.60





Serie 4:
 9.4 ← 9.0 ↖ 10.4 * 9.1 ↑ 10.5 *
 10.1 ↖ 9.1 → 10.7 * 9.4 ↑ 9.9 ↗
 beste Teiler 75.1 (38.) 111.6 (35.) 150.2 (33.)
 Trefferlage 0.34 mm links, 1.30 mm hoch
 Streuwert 2.29, horizontal: 2.55, vertikal: 2.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (392.4)
 Serien: 90 94 96 95
 Zähler: 17 21 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 730 (9), 595 (3), 474 (32)
 beste Teiler 72.8 (40.) 95.4 (30.) 95.4 (31.)
 Trefferlage 0.77 mm links, 0.88 mm hoch
 Streuwert 2.10, horizontal: 2.31, vertikal: 1.87




Serie 1:
 9.9 ↘ 10.2 * 8.6 ↘ 9.8 → 9.9 ←
 10.2 * 9.7 ↑ 9.9 ↙ 8.0 ← 9.9 ↗
 beste Teiler 183.5 (6.) 191.6 (2.) 253.2 (1.)
 Trefferlage 1.81 mm links, 1.06 mm hoch
 Streuwert 2.31, horizontal: 3.03, vertikal: 1.23



Serie 2:
 9.9 ↙ 9.5 ← 10.3 * 10.4 * 9.6 ↗
 9.7 ↓ 10.2 * 9.1 ↗ 9.3 ↑ 10.0 ←
 beste Teiler 145.4 (14.) 175.0 (13.) 184.7 (17.)
 Trefferlage 0.46 mm links, 0.64 mm hoch
 Streuwert 2.22, horizontal: 2.10, vertikal: 2.34





Serie 3:
 9.8 ↘ 9.1 ↘ 10.0 ↑ 10.1 ↑ 9.3 ↘
 10.2 * 10.1 ↙ 9.4 ↘ 10.0 ↑ 10.6 *
 beste Teiler 95.4 (30.) 193.2 (26.) 206.9 (24.)
 Trefferlage 1.28 mm links, 1.14 mm hoch
 Streuwert 1.77, horizontal: 1.68, vertikal: 1.86




Serie 4:
 10.6 * 9.1 ↑ 9.6 ↗ 9.9 ↘ 10.0 ↓
 10.5 * 9.4 ↗ 10.5 * 9.4 ↘ 10.7 *
 beste Teiler 72.8 (40.) 95.4 (31.) 102.1 (38.)
 Trefferlage 0.44 mm rechts, 0.69 mm hoch
 Streuwert 2.01, horizontal: 1.88, vertikal: 2.13

Unterschrift des Schützen


Ergebnis:	380	(398.1)
Serien:	95 99 95 91	
Zähler:	24 12 4 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	607 (2), 557 (27), 523 (32)	
beste Teiler	34.2 (20.) 43.0 (10.) 60.9 (3.)	
Trefferlage	0.18 mm links, 0.21 mm hoch	
Streuwert	2.03, horizontal: 2.30, vertikal: 1.72	




Serie 1:	10.2 *	8.5 ↙	10.7 *	10.2 *	10.2 *
	9.9 ↓	9.5 ←	10.0 ↑	9.6 ←	10.8 *
beste Teiler	43.0 (10.)	60.9 (3.)	183.3 (1.)		
Trefferlage	1.25 mm links, 0.12 mm tief				
Streuwert	1.97, horizontal: 2.23, vertikal: 1.67				



Serie 2:	10.5 *	10.5 *	10.2 *	9.9 ↓	10.1 ↙
	10.0 ↖	10.5 *	10.5 *	10.0 ↓	10.8 *
beste Teiler	34.2 (20.)	114.6 (18.)	115.6 (12.)		
Trefferlage	0.59 mm links, 0.55 mm tief				
Streuwert	1.17, horizontal: 1.19, vertikal: 1.16				





Serie 3:	9.6 ↗	10.0 →	9.0 ↗	10.1 ↗	10.3 *
	10.4 *	8.7 ←	10.5 *	9.8 ↘	10.3 *
beste Teiler	102.8 (28.)	144.9 (26.)	154.7 (25.)		
Trefferlage	0.52 mm rechts, 0.47 mm hoch				
Streuwert	2.20, horizontal: 2.64, vertikal: 1.65				




Serie 4:	9.7 ↑	8.9 ↖	9.4 ↗	9.7 ↑	8.9 →
	9.8 ↑	10.0 →	10.2 *	10.4 *	9.8 ↓
beste Teiler	142.7 (39.)	179.3 (38.)	242.2 (37.)		
Trefferlage	0.57 mm rechts, 1.05 mm hoch				
Streuwert	2.38, horizontal: 2.65, vertikal: 2.08				

Unterschrift des Schützen


Ergebnis: **379** (398.4)
 Serien: 93 96 94 96
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 728 (25), 660 (2), 501 (22)
 beste Teiler 36.8 (9.) 39.0 (5.) 39.9 (36.)
 Trefferlage 0.00 mm , 0.49 mm hoch
 Streuwert 2.08, horizontal: 2.42, vertikal: 1.68




Serie 1:
 9.2 ↗ 8.3 ↖ 10.6 * 10.6 * 10.8 *
 9.4 ↘ 9.8 ↓ 9.9 → 10.8 * 9.3 ↙
 beste Teiler 36.8 (9.) 39.0 (5.) 83.4 (4.)
 Trefferlage 0.58 mm links, 0.79 mm hoch
 Streuwert 2.37, horizontal: 2.85, vertikal: 1.78



Serie 2:
 10.4 * 10.6 * 10.5 * 9.9 ↙ 10.0 →
 10.7 * 9.6 ↑ 9.9 ← 10.1 ↖ 9.9 ↑
 beste Teiler 62.0 (16.) 79.1 (12.) 106.0 (13.)
 Trefferlage 0.43 mm links, 0.41 mm hoch
 Streuwert 1.56, horizontal: 1.44, vertikal: 1.66



Serie 3:
 10.7 * 8.9 ↖ 10.3 * 10.4 * 8.0 ↗
 9.5 → 10.0 ↑ 9.2 ↗ 10.4 * 10.2 *
 beste Teiler 68.2 (21.) 144.5 (29.) 145.0 (24.)
 Trefferlage 0.98 mm rechts, 1.20 mm hoch
 Streuwert 2.40, horizontal: 2.96, vertikal: 1.66





Serie 4:
 9.5 ↘ 10.3 * 10.3 * 10.4 * 9.4 ←
 10.8 * 10.3 * 9.8 ↓ 10.2 * 9.5 →
 beste Teiler 39.9 (36.) 143.5 (34.) 151.1 (37.)
 Trefferlage 0.01 mm rechts, 0.45 mm tief
 Streuwert 1.83, horizontal: 2.20, vertikal: 1.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.8** (377)
 Serien: 101.3 95.8 99.6 95.1
 Zähler: 23 12 4 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 936 (36), 673 (37), 663 (20)
 beste Teiler 43.6 (22.) 47.1 (15.) 69.3 (30.)
 Trefferlage 0.04 mm links, 0.07 mm tief
 Streuwert 2.51, horizontal: 3.08, vertikal: 1.77




Serie 1:
 10.3 * 9.4 ↗ 10.6 * 10.4 * 10.7 *
 10.0 ↘ 10.4 * 9.9 ↘ 9.3 → 10.3 *
 beste Teiler 72.9 (5.) 76.8 (3.) 129.3 (4.)
 Trefferlage 0.20 mm rechts, 0.00 mm
 Streuwert 1.72, horizontal: 1.83, vertikal: 1.59



Serie 2:
 9.7 ↘ 9.1 ↗ 9.6 ↘ 10.6 * 10.8 *
 9.5 ↓ 9.1 ↗ 9.1 ↘ 10.0 ↘ 8.3 ←
 beste Teiler 47.1 (15.) 92.0 (14.) 244.3 (19.)
 Trefferlage 0.23 mm links, 0.50 mm hoch
 Streuwert 2.86, horizontal: 3.12, vertikal: 2.57



Serie 3:
 10.3 * 10.8 * 10.3 * 9.0 ← 9.3 ↘
 10.0 ↘ 8.7 ← 10.0 ↓ 10.5 * 10.7 *
 beste Teiler 43.6 (22.) 69.3 (30.) 109.4 (29.)
 Trefferlage 1.16 mm links, 0.36 mm tief
 Streuwert 2.05, horizontal: 2.49, vertikal: 1.48





Serie 4:
 10.0 → 10.4 * 10.3 * 10.4 * 10.0 ↓
 7.2 → 8.3 → 8.8 ← 10.4 * 9.3 ←
 beste Teiler 131.0 (32.) 141.3 (34.) 145.3 (39.)
 Trefferlage 1.01 mm rechts, 0.44 mm tief
 Streuwert 3.21, horizontal: 4.36, vertikal: 1.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.5)
 Serien: 93 90 98 91
 Zähler: 18 16 6 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 634 (6), 597 (37), 586 (18)
 beste Teiler 20.8 (26.) 40.6 (29.) 51.2 (20.)
 Trefferlage 0.20 mm links, 0.02 mm hoch
 Streuwert 2.44, horizontal: 3.06, vertikal: 1.59




Serie 1:
 9.0 → 10.7 * 9.8 ↙ 9.0 → 9.7 →
 8.4 → 10.7 * 10.7 * 9.3 → 10.0 ↑
 beste Teiler 59.8 (2.) 67.6 (8.) 68.7 (7.)
 Trefferlage 1.96 mm rechts, 0.16 mm hoch
 Streuwert 2.23, horizontal: 2.96, vertikal: 1.08



Serie 2:
 8.6 → 9.3 ↘ 10.0 ← 8.7 ↖ 10.3 *
 9.7 ↖ 9.9 ↘ 8.6 ← 9.7 ↘ 10.7 *
 beste Teiler 51.2 (20.) 166.4 (15.) 229.6 (13.)
 Trefferlage 0.11 mm links, 0.12 mm tief
 Streuwert 2.91, horizontal: 3.71, vertikal: 1.79



Serie 3:
 10.3 * 10.3 * 9.8 ↓ 10.5 * 10.5 *
 10.9 * 10.5 * 9.6 ↙ 10.8 * 10.6 *
 beste Teiler 20.8 (26.) 40.6 (29.) 87.1 (30.)
 Trefferlage 0.09 mm links, 0.28 mm tief
 Streuwert 1.24, horizontal: 0.87, vertikal: 1.52





Serie 4:
 8.7 ↖ 9.9 ↗ 9.3 ↙ 10.5 * 10.0 ←
 10.0 ↙ 8.6 ← 9.3 ↑ 9.2 ↙ 9.4 ↘
 beste Teiler 109.2 (34.) 226.9 (35.) 239.6 (36.)
 Trefferlage 2.56 mm links, 0.33 mm hoch
 Streuwert 2.23, horizontal: 2.42, vertikal: 2.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (393.9)
 Serien: 91 97 96 93
 Zähler: 22 13 5 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 707 (4), 604 (7), 592 (5)
 beste Teiler 33.1 (26.) 57.3 (9.) 66.0 (36.)
 Trefferlage 0.42 mm links, 0.38 mm tief
 Streuwert 2.31, horizontal: 2.88, vertikal: 1.53




Serie 1:
 9.2 → 10.4 * 10.0 ↙ 8.1 ↘ 8.6 →
 9.1 ↖ 8.5 ↗ 10.4 * 10.7 * 9.9 ↙
 beste Teiler 57.3 (9.) 141.1 (2.) 148.0 (8.)
 Trefferlage 1.62 mm rechts, 0.75 mm tief
 Streuwert 2.86, horizontal: 3.20, vertikal: 2.46



Serie 2:
 10.5 * 10.3 * 9.1 ↙ 10.3 * 10.4 *
 10.2 * 10.3 * 10.2 * 9.7 ← 9.2 ←
 beste Teiler 111.4 (11.) 138.4 (15.) 155.1 (17.)
 Trefferlage 1.01 mm links, 0.70 mm tief
 Streuwert 1.73, horizontal: 2.09, vertikal: 1.28



Serie 3:
 10.0 → 9.3 ← 9.2 ← 10.1 ← 10.0 ↗
 10.8 * 9.7 ← 9.9 ↘ 10.6 * 10.7 *
 beste Teiler 33.1 (26.) 71.0 (30.) 80.0 (29.)
 Trefferlage 0.75 mm links, 0.38 mm hoch
 Streuwert 1.87, horizontal: 2.45, vertikal: 1.01



Serie 4:
 10.2 * 10.5 * 9.0 ← 9.9 ← 10.5 *
 10.7 * 9.8 ← 8.9 ← 8.6 ← 10.4 *
 beste Teiler 66.0 (36.) 104.0 (35.) 119.5 (32.)
 Trefferlage 1.54 mm links, 0.45 mm tief
 Streuwert 2.15, horizontal: 2.97, vertikal: 0.67

Unterschrift des Schützen

Meyton Elektronik