





Ergebnis: **363** (381.3)
 Serien: 90 88 95 90
 Zähler: 16 14 7 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2961 (14), 2530 (2), 2450 (13)
 beste Teiler 188.0 (6.) 297.0 (11.) 358.7 (22.)
 Trefferlage 3.83 mm links, 0.06 mm hoch
 Streuwert 9.07, horizontal: 9.99, vertikal: 8.03




Serie 1:
 9.5 ← 7.8 ↙ 9.3 ← 9.2 ↑ 10.2 ↘
 10.7 * 9.8 ↓ 10.2 ↓ 9.8 ← 8.4 ←
 beste Teiler 188.0 (6.) 584.1 (8.) 584.6 (5.)
 Trefferlage 7.69 mm links, 2.34 mm tief
 Streuwert 8.01, horizontal: 7.89, vertikal: 8.12



Serie 2:
 10.6 * 8.9 ← 7.9 ↘ 7.2 ← 10.0 ←
 10.0 ↓ 9.7 ↗ 8.7 ↘ 10.2 ↘ 9.2 ←
 beste Teiler 297.0 (11.) 615.3 (19.) 794.7 (15.)
 Trefferlage 6.86 mm links, 1.03 mm tief
 Streuwert 10.67, horizontal: 11.34, vertikal: 9.97



Serie 3:
 10.1 ↑ 10.5 * 10.2 ← 10.4 * 9.2 ↘
 8.7 → 10.5 * 10.5 * 8.4 ↑ 10.3 ←
 beste Teiler 358.7 (22.) 370.0 (28.) 372.8 (27.)
 Trefferlage 0.52 mm links, 3.08 mm hoch
 Streuwert 7.46, horizontal: 6.80, vertikal: 8.07





Serie 4:
 9.7 ← 9.9 ← 8.9 → 9.0 ← 9.8 ←
 8.1 → 9.9 → 10.3 ↑ 10.1 ↓ 9.5 ↘
 beste Teiler 537.5 (38.) 702.2 (39.) 845.1 (32.)
 Trefferlage 0.25 mm links, 0.55 mm hoch
 Streuwert 9.32, horizontal: 11.95, vertikal: 5.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (371.7)
 Serien: 88 85 95 88
 Zähler: 11 16 11 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3048 (20), 2586 (19), 2394 (2)
 beste Teiler 105.4 (28.) 420.6 (17.) 443.8 (9.)
 Trefferlage 2.74 mm links, 2.51 mm hoch
 Streuwert 10.30, horizontal: 12.06, vertikal: 8.18




Serie 1:
 9.0 ↘ 8.0 ↘ 8.5 ↘ 8.9 ← 9.5 ↘
 9.5 ↙ 9.4 ← 9.9 ↗ 10.4 * 9.7 ↘
 beste Teiler 443.8 (9.) 847.2 (8.) 1007.9 (10.)
 Trefferlage 8.05 mm links, 1.86 mm hoch
 Streuwert 8.88, horizontal: 10.12, vertikal: 7.43



Serie 2:
 8.2 ↙ 9.4 ← 8.9 ↙ 9.5 ↘ 9.9 ↑
 9.4 ↑ 10.4 * 9.1 ← 7.7 ← 7.1 ↑
 beste Teiler 420.6 (17.) 874.1 (15.) 1163.4 (14.)
 Trefferlage 9.00 mm links, 3.33 mm hoch
 Streuwert 11.08, horizontal: 10.31, vertikal: 11.81



Serie 3:
 10.0 ↙ 8.9 → 9.1 ↘ 10.1 → 9.7 ↘
 10.1 → 9.1 ↘ 10.8 * 10.1 ↘ 10.0 ↑
 beste Teiler 105.4 (28.) 667.2 (24.) 684.0 (29.)
 Trefferlage 0.23 mm rechts, 1.10 mm hoch
 Streuwert 7.67, horizontal: 8.57, vertikal: 6.64





Serie 4:
 9.7 ↑ 8.4 → 10.1 ↘ 10.1 ↖ 8.1 →
 8.1 → 8.7 ↗ 8.8 ↘ 10.3 ↘ 9.1 →
 beste Teiler 556.0 (39.) 652.2 (34.) 687.1 (33.)
 Trefferlage 5.84 mm rechts, 3.74 mm hoch
 Streuwert 10.67, horizontal: 13.47, vertikal: 6.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (368.4)
 Serien: 88 88 88 90
 Zähler: 10 20 6 3 0 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4212 (20), 3124 (9), 2478 (35)
 beste Teiler 393.8 (17.) 439.5 (27.) 496.2 (16.)
 Trefferlage 2.20 mm links, 0.13 mm tief
 Streuwert 11.27, horizontal: 10.86, vertikal: 11.66




Serie 1:
 9.5 ↑ 10.1 → 10.1 ↓ 9.7 ↑ 8.8 ↘
 8.2 ↑ 9.4 ← 8.5 ↑ 7.0 ↘ 10.0 ←
 beste Teiler 716.8 (3.) 718.6 (2.) 726.2 (10.)
 Trefferlage 1.31 mm rechts, 4.01 mm hoch
 Streuwert 11.87, horizontal: 11.74, vertikal: 12.01



Serie 2:
 9.5 ↑ 10.0 ↑ 9.0 ↗ 9.0 → 8.1 ←
 10.3 ↑ 10.5 * 9.0 ↘ 9.2 ↘ 5.7 ↓
 beste Teiler 393.8 (17.) 496.2 (16.) 776.7 (12.)
 Trefferlage 2.18 mm links, 2.05 mm hoch
 Streuwert 13.71, horizontal: 10.26, vertikal: 16.45



Serie 3:
 9.8 ← 7.9 ← 9.0 ← 8.9 → 10.1 ↘
 9.4 ↘ 10.4 * 8.6 ← 9.1 ↘ 9.2 ←
 beste Teiler 439.5 (27.) 641.7 (25.) 932.4 (21.)
 Trefferlage 7.09 mm links, 0.49 mm tief
 Streuwert 9.63, horizontal: 11.69, vertikal: 6.98





Serie 4:
 9.7 ↘ 10.1 ↘ 9.2 ↑ 9.0 ↓ 7.9 ←
 10.1 ↘ 9.8 ← 9.3 ↗ 9.8 ↓ 9.5 ↓
 beste Teiler 654.3 (36.) 692.2 (32.) 915.3 (39.)
 Trefferlage 0.83 mm links, 6.10 mm tief
 Streuwert 8.66, horizontal: 9.44, vertikal: 7.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.8)
 Serien: 87 92 88 89
 Zähler: 11 15 13 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2406 (37), 2234 (25), 2176 (2)
 beste Teiler 95.7 (19.) 222.0 (36.) 448.7 (1.)
 Trefferlage 2.99 mm rechts, 0.90 mm hoch
 Streuwert 9.59, horizontal: 9.63, vertikal: 9.55




Serie 1:
 10.4 * 8.2 ↑ 9.3 ↑ 8.6 → 9.3 ↓
 8.7 ↖ 8.9 ↙ 8.4 ↘ 10.2 ↗ 9.1 ↘
 beste Teiler 448.7 (1.) 577.5 (9.) 1325.3 (5.)
 Trefferlage 1.84 mm rechts, 0.43 mm hoch
 Streuwert 11.60, horizontal: 11.29, vertikal: 11.90



Serie 2:
 10.1 ↗ 9.5 ↑ 9.4 → 9.8 → 8.9 ↙
 10.1 ↓ 10.3 ← 8.5 ↗ 10.8 * 9.4 ↘
 beste Teiler 95.7 (19.) 509.1 (17.) 646.4 (11.)
 Trefferlage 3.42 mm rechts, 0.27 mm hoch
 Streuwert 8.12, horizontal: 9.13, vertikal: 6.97



Serie 3:
 8.4 → 9.8 ↓ 9.2 ↗ 8.9 ↘ 8.2 ↑
 10.2 ↘ 10.3 ↙ 9.7 ↖ 8.5 ↑ 9.9 ↓
 beste Teiler 541.2 (27.) 601.0 (26.) 846.0 (30.)
 Trefferlage 4.58 mm rechts, 2.36 mm hoch
 Streuwert 10.03, horizontal: 8.90, vertikal: 11.04





Serie 4:
 10.0 ↓ 8.9 ← 10.1 → 8.9 ↑ 9.3 ↓
 10.7 * 7.9 → 9.6 ↓ 9.5 ↖ 9.9 ↗
 beste Teiler 222.0 (36.) 677.3 (33.) 724.1 (31.)
 Trefferlage 2.13 mm rechts, 0.55 mm hoch
 Streuwert 9.65, horizontal: 10.33, vertikal: 8.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (380.0)
 Serien: 87 92 91 92
 Zähler: 14 16 8 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2964 (13), 2414 (27), 2200 (22)
 beste Teiler 90.8 (34.) 391.4 (1.) 428.5 (36.)
 Trefferlage 0.31 mm links, 0.28 mm tief
 Streuwert 9.41, horizontal: 10.78, vertikal: 7.81




Serie 1:
 10.5 * 8.8 ↘ 8.2 ↗ 9.5 ↗ 8.8 ↘
 9.3 → 9.3 ↘ 9.6 ↙ 9.2 ↙ 8.8 ↙
 beste Teiler 391.4 (1.) 1083.4 (8.) 1122.7 (4.)
 Trefferlage 0.42 mm rechts, 1.78 mm hoch
 Streuwert 10.98, horizontal: 12.65, vertikal: 9.00



Serie 2:
 8.7 ↘ 10.1 ↙ 7.2 ↙ 10.2 ↘ 9.6 ↘
 10.0 → 9.9 ↙ 9.6 ↑ 10.2 ↘ 10.1 →
 beste Teiler 602.4 (19.) 631.8 (14.) 685.8 (20.)
 Trefferlage 1.52 mm rechts, 3.55 mm tief
 Streuwert 9.37, horizontal: 11.03, vertikal: 7.34



Serie 3:
 10.3 ↘ 8.2 ↙ 9.2 ↙ 10.3 ↘ 9.4 ↗
 10.2 → 7.9 ↘ 9.3 → 9.9 ↙ 10.0 ↙
 beste Teiler 491.7 (24.) 546.2 (21.) 624.5 (26.)
 Trefferlage 5.01 mm links, 1.47 mm hoch
 Streuwert 9.29, horizontal: 10.55, vertikal: 7.83





Serie 4:
 10.0 ↓ 9.8 ↑ 8.7 ↙ 10.8 * 9.5 →
 10.4 * 10.3 ↙ 9.8 ↘ 9.7 ↓ 8.7 ↗
 beste Teiler 90.8 (34.) 428.5 (36.) 507.9 (37.)
 Trefferlage 1.79 mm rechts, 0.84 mm tief
 Streuwert 7.89, horizontal: 8.75, vertikal: 6.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (371.0)
 Serien: 87 86 91 89
 Zähler: 8 20 9 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2936 (5), 2669 (3), 2442 (14)
 beste Teiler 255.0 (26.) 401.1 (39.) 492.4 (19.)
 Trefferlage 1.22 mm rechts, 3.21 mm hoch
 Streuwert 10.29, horizontal: 12.47, vertikal: 7.51




Serie 1:
 10.1 ↘ 9.7 ← 7.6 ← 9.6 ↘ 7.3 ↗
 9.4 → 8.0 → 10.1 ↑ 9.3 ↖ 9.8 →
 beste Teiler 651.7 (8.) 693.2 (1.) 936.6 (10.)
 Trefferlage 4.25 mm rechts, 0.02 mm tief
 Streuwert 12.13, horizontal: 14.72, vertikal: 8.81



Serie 2:
 8.9 ↗ 9.9 ↑ 8.7 → 7.9 → 9.6 ↗
 9.4 ↑ 9.5 → 8.3 ← 10.3 ↖ 9.9 ←
 beste Teiler 492.4 (19.) 804.3 (12.) 879.8 (20.)
 Trefferlage 4.28 mm rechts, 5.75 mm hoch
 Streuwert 9.75, horizontal: 12.93, vertikal: 4.80



Serie 3:
 8.3 ← 9.3 → 9.1 ↗ 9.7 → 10.0 ↑
 10.6 * 9.4 ↑ 9.4 ← 9.5 → 9.5 ↖
 beste Teiler 255.0 (26.) 736.6 (25.) 976.3 (24.)
 Trefferlage 1.08 mm rechts, 2.35 mm hoch
 Streuwert 9.12, horizontal: 10.27, vertikal: 7.80





Serie 4:
 10.0 ↑ 10.0 ↑ 9.8 → 8.9 ↖ 8.3 ↗
 9.1 ← 8.9 ← 8.2 ↖ 10.4 * 9.3 ↖
 beste Teiler 401.1 (39.) 769.4 (32.) 772.8 (31.)
 Trefferlage 4.74 mm links, 4.79 mm hoch
 Streuwert 9.60, horizontal: 11.13, vertikal: 7.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.3)
 Serien: 90 89 90 90
 Zähler: 11 18 10 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2770 (28), 2347 (19), 2319 (37)
 beste Teiler 406.8 (12.) 433.7 (39.) 446.7 (6.)
 Trefferlage 2.12 mm links, 2.62 mm hoch
 Streuwert 9.29, horizontal: 9.40, vertikal: 9.18




Serie 1:
 9.8 ↑ 10.1 ↓ 8.9 ↑ 9.7 ↘ 8.9 →
 10.4 * 9.7 ← 10.2 ↖ 9.5 ↓ 8.9 ←
 beste Teiler 446.7 (6.) 566.7 (8.) 679.5 (2.)
 Trefferlage 0.96 mm links, 0.83 mm hoch
 Streuwert 8.46, horizontal: 8.95, vertikal: 7.95



Serie 2:
 8.8 ↖ 10.4 * 9.9 ↖ 9.0 ← 9.2 ←
 9.6 ↖ 8.7 ↑ 10.4 * 8.0 ↖ 9.7 ↗
 beste Teiler 406.8 (12.) 467.7 (18.) 857.0 (13.)
 Trefferlage 6.24 mm links, 7.21 mm hoch
 Streuwert 7.56, horizontal: 7.01, vertikal: 8.07



Serie 3:
 9.3 ↗ 9.8 ↖ 10.2 ↖ 9.5 ↓ 9.3 ←
 10.0 ↓ 10.1 ↗ 7.5 ↑ 8.7 ← 9.1 ↘
 beste Teiler 574.6 (23.) 719.7 (27.) 751.6 (26.)
 Trefferlage 2.15 mm links, 0.16 mm tief
 Streuwert 10.48, horizontal: 9.63, vertikal: 11.27





Serie 4:
 10.1 ↗ 9.1 ↖ 10.2 ↘ 9.8 ↗ 9.8 ↓
 8.7 ↖ 8.1 ↗ 9.0 ← 10.4 * 8.8 ↘
 beste Teiler 433.7 (39.) 603.6 (33.) 710.3 (31.)
 Trefferlage 0.87 mm rechts, 2.60 mm hoch
 Streuwert 10.14, horizontal: 11.45, vertikal: 8.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368.3** (350)
 Serien: 93.9 90.0 90.3 94.1
 Zähler: 7 20 9 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2925 (11), 2796 (4), 2577 (30)
 beste Teiler 189.9 (33.) 439.0 (8.) 519.5 (40.)
 Trefferlage 3.33 mm links, 4.81 mm hoch
 Streuwert 10.30, horizontal: 11.27, vertikal: 9.22




Serie 1:
 9.1 ↘ 9.8 ↓ 8.4 ← 7.5 ← 9.9 ↗
 9.2 ← 10.3 ↓ 10.4 * 9.6 ↘ 9.7 ↗
 beste Teiler 439.0 (8.) 527.7 (7.) 816.7 (5.)
 Trefferlage 6.78 mm links, 0.05 mm hoch
 Streuwert 9.30, horizontal: 11.36, vertikal: 6.62



Serie 2:
 7.3 ↗ 8.2 ↗ 9.4 ← 9.0 → 9.2 ↗
 10.0 ↘ 9.3 ↘ 9.6 ← 8.6 ↑ 9.4 ←
 beste Teiler 798.4 (16.) 1068.8 (18.) 1228.1 (13.)
 Trefferlage 3.22 mm rechts, 6.28 mm hoch
 Streuwert 11.28, horizontal: 10.90, vertikal: 11.65



Serie 3:
 9.5 ← 10.1 ↘ 9.9 ↘ 9.5 ↑ 8.4 ←
 8.0 ↗ 8.8 ↑ 9.5 ← 8.9 ↘ 7.7 ↘
 beste Teiler 682.4 (22.) 841.4 (23.) 1129.8 (21.)
 Trefferlage 5.91 mm links, 8.17 mm hoch
 Streuwert 9.79, horizontal: 10.53, vertikal: 8.98



Serie 4:
 7.9 ← 9.8 ↗ 10.7 * 10.1 ↑ 9.8 ←
 9.6 → 9.6 ↓ 8.3 ↘ 8.0 ↘ 10.3 →
 beste Teiler 189.9 (33.) 519.5 (40.) 715.8 (34.)
 Trefferlage 3.88 mm links, 4.74 mm hoch
 Streuwert 9.78, horizontal: 11.09, vertikal: 8.27

Unterschrift des Schützen

Meyton Elektronik