





Ergebnis:	349	(370.2)
Serien:	88 87 85 89	
Zähler:	7 19 10 4 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	880 (30), 776 (3), 775 (18)	
beste Teiler	14.3 (9.) 86.8 (34.) 124.9 (14.)	
Trefferlage	0.24 mm rechts, 1.06 mm hoch	
Streuwert	3.28, horizontal: 3.55, vertikal: 2.99	




Serie 1:	9.0 ↖	9.6 ↖	7.8 ↗	10.1 →	8.6 ↘
	8.8 →	9.9 ↘	9.5 ↘	10.9 *	9.8 →
beste Teiler	14.3 (9.)	216.6 (4.)	253.3 (7.)		
Trefferlage	1.93 mm rechts, 0.69 mm hoch				
Streuwert	2.89, horizontal: 2.85, vertikal: 2.93				



Serie 2:	9.4 ↖	8.9 ↑	10.3 *	10.5 *	9.6 ↗
	9.2 ↓	9.3 ↑	7.9 ↗	9.5 ↖	7.9 →
beste Teiler	124.9 (14.)	169.0 (13.)	345.6 (15.)		
Trefferlage	1.01 mm rechts, 1.56 mm hoch				
Streuwert	3.28, horizontal: 3.59, vertikal: 2.93				



Serie 3:	9.8 ↓	10.1 ↓	9.8 ↘	9.4 →	8.5 ↖
	8.2 ←	9.3 ↖	8.5 ←	8.3 ↖	7.4 ↖
beste Teiler	208.1 (22.)	278.4 (23.)	290.4 (21.)		
Trefferlage	2.34 mm links, 0.98 mm hoch				
Streuwert	3.59, horizontal: 3.75, vertikal: 3.42				





Serie 4:	8.5 ↖	9.7 ↗	9.7 ↖	10.6 *	9.0 ↓
	10.2 *	8.8 ↘	9.3 →	8.9 ↖	9.7 ↖
beste Teiler	86.8 (34.)	181.6 (36.)	304.8 (40.)		
Trefferlage	0.37 mm rechts, 1.00 mm hoch				
Streuwert	2.95, horizontal: 2.84, vertikal: 3.05				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.7)
 Serien: 88 91 92 87
 Zähler: 10 19 10 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 845 (31), 705 (2), 687 (3)
 beste Teiler 71.4 (38.) 99.6 (30.) 141.6 (27.)
 Trefferlage 0.27 mm links, 0.84 mm hoch
 Streuwert 3.00, horizontal: 3.43, vertikal: 2.51




Serie 1:
 10.1 ↙ 8.1 ↗ 8.2 → 10.3 * 8.7 ↘
 9.5 ↓ 9.9 → 9.6 ← 8.6 → 9.1 ←
 beste Teiler 156.9 (4.) 219.1 (1.) 270.2 (7.)
 Trefferlage 0.37 mm rechts, 0.85 mm hoch
 Streuwert 3.47, horizontal: 4.02, vertikal: 2.82



Serie 2:
 8.9 ↖ 10.3 * 9.7 ↙ 9.9 ↙ 10.3 *
 9.2 ↘ 10.3 * 8.7 ↘ 9.0 ↓ 9.6 ←
 beste Teiler 152.8 (12.) 172.9 (15.) 175.4 (17.)
 Trefferlage 1.86 mm links, 0.23 mm hoch
 Streuwert 2.42, horizontal: 1.73, vertikal: 2.95



Serie 3:
 9.6 ↘ 10.3 * 9.9 ↙ 8.5 → 10.2 *
 9.1 ↗ 10.4 * 8.8 → 9.2 ↘ 10.6 *
 beste Teiler 99.6 (30.) 141.6 (27.) 151.0 (22.)
 Trefferlage 0.84 mm rechts, 0.26 mm hoch
 Streuwert 2.64, horizontal: 3.02, vertikal: 2.18





Serie 4:
 7.6 ← 9.5 ↗ 9.8 ↗ 9.7 → 9.6 ↘
 9.0 → 8.7 ← 10.7 * 9.1 ↗ 8.4 ↘
 beste Teiler 71.4 (38.) 281.8 (33.) 302.2 (34.)
 Trefferlage 0.46 mm links, 2.02 mm hoch
 Streuwert 3.26, horizontal: 4.22, vertikal: 1.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (369.2)
 Serien: 89 90 89 83
 Zähler: 9 19 8 2 2 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1192 (34), 1115 (33), 854 (5)
 beste Teiler 108.4 (2.) 118.0 (28.) 124.5 (7.)
 Trefferlage 2.30 mm links, 1.02 mm hoch
 Streuwert 3.09, horizontal: 3.56, vertikal: 2.54




Serie 1:
 9.3 ← 10.5 * 8.6 ↗ 9.7 ↘ 7.5 ←
 10.3 * 10.5 * 8.7 ↘ 9.2 ↗ 9.1 ↑
 beste Teiler 108.4 (2.) 124.5 (7.) 162.3 (6.)
 Trefferlage 2.44 mm links, 0.99 mm hoch
 Streuwert 2.84, horizontal: 2.66, vertikal: 3.01



Serie 2:
 10.0 ↗ 10.1 ↗ 9.7 ← 9.5 ↘ 9.3 →
 8.9 ← 8.7 ↙ 9.1 ↘ 9.6 ↑ 9.5 ←
 beste Teiler 221.2 (12.) 236.8 (11.) 322.6 (13.)
 Trefferlage 1.12 mm links, 0.84 mm hoch
 Streuwert 2.72, horizontal: 2.94, vertikal: 2.49



Serie 3:
 10.3 * 9.2 ↗ 9.8 → 9.8 ↘ 9.8 ←
 9.9 ↗ 8.1 ↘ 10.5 * 8.2 ↘ 8.2 ←
 beste Teiler 118.0 (28.) 165.8 (21.) 269.4 (26.)
 Trefferlage 1.71 mm links, 0.68 mm hoch
 Streuwert 3.07, horizontal: 3.83, vertikal: 2.04





Serie 4:
 9.7 ↓ 10.0 → 6.5 ↘ 6.2 ← 10.2 *
 8.5 ↘ 7.7 ← 9.8 ↘ 9.3 ↗ 9.7 ←
 beste Teiler 200.1 (35.) 236.5 (32.) 295.8 (38.)
 Trefferlage 3.92 mm links, 1.57 mm hoch
 Streuwert 3.72, horizontal: 4.44, vertikal: 2.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	361	(376.0)
Serien:	86 90 90 95	
Zähler:	17 11 8 4 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	974 (30), 846 (8), 823 (14)	
beste Teiler	75.4 (9.) 103.1 (33.) 110.2 (24.)	
Trefferlage	0.63 mm links, 1.31 mm hoch	
Streuwert	3.10, horizontal: 3.71, vertikal: 2.35	




Serie 1:	9.1 ←	9.1 ↖	8.5 ↘	10.4 *	9.6 ←
	7.8 ↗	9.2 ↗	7.6 →	10.7 *	8.1 ↗
beste Teiler	75.4 (9.)	141.1 (4.)	332.3 (5.)		
Trefferlage	0.50 mm rechts, 2.08 mm hoch				
Streuwert	3.73, horizontal: 4.71, vertikal: 2.39				



Serie 2:	9.1 ←	8.2 ←	10.3 *	7.7 ↖	10.4 *
	8.4 ↘	10.2 *	10.2 *	9.8 ←	9.9 ↘
beste Teiler	134.1 (15.)	152.0 (13.)	187.4 (18.)		
Trefferlage	1.60 mm links, 0.64 mm hoch				
Streuwert	3.11, horizontal: 3.30, vertikal: 2.92				



Serie 3:	10.3 *	9.2 ↗	8.8 ↖	10.5 *	9.7 ↘
	9.7 ↗	8.9 ←	10.0 ↓	10.1 ←	7.1 ←
beste Teiler	110.2 (24.)	154.8 (21.)	210.0 (29.)		
Trefferlage	0.79 mm links, 0.94 mm hoch				
Streuwert	3.24, horizontal: 3.89, vertikal: 2.41				





Serie 4:	8.9 ←	10.0 ↖	10.5 *	10.0 ↘	10.1 ↗
	10.4 *	8.0 ↘	10.0 →	10.3 *	9.2 ↗
beste Teiler	103.1 (33.)	147.2 (36.)	168.8 (39.)		
Trefferlage	0.65 mm links, 1.57 mm hoch				
Streuwert	2.37, horizontal: 2.97, vertikal: 1.57				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	360	(378.6)
Serien:	90	92 88 90
Zähler:	14 16 6 4 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	864 (9), 850 (39), 801 (5)	
beste Teiler	36.8 (6.) 58.6 (7.) 63.3 (14.)	
Trefferlage	1.32 mm links, 0.71 mm hoch	
Streuwert	2.95, horizontal: 3.27, vertikal: 2.60	




Serie 1:				
	10.1 ↗	9.7 ↖	9.7 ↑	10.1 ↘
	10.8 *	10.7 *	10.7 *	7.5 ↑
beste Teiler	36.8 (6.)	58.6 (7.)	75.8 (8.)	8.5 ↓
Trefferlage	0.68 mm links, 0.67 mm hoch			
Streuwert	3.30, horizontal: 2.73, vertikal: 3.79			



Serie 2:				
	10.3 *	9.2 ←	9.6 ↗	10.7 *
	10.1 ↘	8.7 ←	8.1 ↖	9.2 ↖
beste Teiler	63.3 (14.)	152.1 (11.)	199.7 (15.)	10.2 *
Trefferlage	1.85 mm links, 0.74 mm hoch			
Streuwert	2.56, horizontal: 3.24, vertikal: 1.60			



Serie 3:				
	8.3 ←	8.1 ↙	10.4 *	7.8 ←
	9.6 ↙	9.0 ↗	9.3 →	9.8 →
beste Teiler	133.0 (23.)	136.3 (25.)	291.6 (29.)	10.4 *
Trefferlage	0.88 mm links, 0.01 mm tief			
Streuwert	3.54, horizontal: 4.33, vertikal: 2.52			





Serie 4:				
	9.2 ↖	9.8 ↗	8.9 ↖	9.9 ↙
	10.1 ←	9.5 ↖	10.4 *	7.6 ↖
beste Teiler	72.6 (35.)	145.6 (38.)	203.7 (36.)	10.7 *
Trefferlage	1.87 mm links, 1.46 mm hoch			
Streuwert	2.55, horizontal: 2.88, vertikal: 2.17			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (368.9)
 Serien: 83 87 91 89
 Zähler: 10 14 12 4 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 927 (10), 837 (17), 797 (8)
 beste Teiler 5.0 (32.) 95.6 (3.) 95.9 (29.)
 Trefferlage 1.33 mm links, 0.68 mm hoch
 Streuwert 3.30, horizontal: 3.77, vertikal: 2.76




Serie 1:
 8.7 ← 8.4 ↑ 10.6 * 9.5 ↓ 9.1 ↖
 8.7 ← 9.4 ↑ 7.8 ↙ 8.8 ↗ 7.2 ←
 beste Teiler 95.6 (3.) 372.1 (4.) 386.2 (7.)
 Trefferlage 2.74 mm links, 0.43 mm hoch
 Streuwert 3.77, horizontal: 3.89, vertikal: 3.65



Serie 2:
 10.2 * 9.5 ← 9.8 ← 10.3 * 9.2 ↙
 8.7 ↖ 7.6 ↘ 7.8 ← 9.6 ↙ 9.6 ↗
 beste Teiler 157.2 (14.) 177.6 (11.) 277.8 (13.)
 Trefferlage 2.51 mm links, 0.80 mm hoch
 Streuwert 3.01, horizontal: 3.12, vertikal: 2.89



Serie 3:
 9.1 ↘ 8.8 → 8.7 ↗ 10.3 * 8.7 ↖
 9.2 ↗ 10.3 * 9.1 ← 10.6 * 10.0 ←
 beste Teiler 95.9 (29.) 158.9 (27.) 175.3 (24.)
 Trefferlage 0.03 mm links, 0.31 mm hoch
 Streuwert 3.05, horizontal: 3.58, vertikal: 2.40





Serie 4:
 10.4 * 10.9 * 9.4 ↗ 8.3 → 9.0 ↖
 8.7 ↘ 9.3 ← 8.3 → 10.5 * 8.8 ↘
 beste Teiler 5.0 (32.) 109.7 (39.) 134.7 (31.)
 Trefferlage 0.04 mm links, 1.19 mm hoch
 Streuwert 3.27, horizontal: 4.05, vertikal: 2.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (380.1)
 Serien: 91 87 95 92
 Zähler: 14 18 7 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 992 (18), 718 (38), 716 (20)
 beste Teiler 72.1 (17.) 73.0 (37.) 101.0 (29.)
 Trefferlage 0.36 mm links, 0.07 mm hoch
 Streuwert 2.98, horizontal: 3.40, vertikal: 2.47




Serie 1:
 9.0 ↑ 8.7 ↘ 10.3 * 10.4 * 8.4 ←
 10.5 * 9.1 ↗ 9.5 ↓ 9.5 ↓ 9.5 ↓
 beste Teiler 106.0 (6.) 138.9 (4.) 157.4 (3.)
 Trefferlage 0.71 mm links, 0.04 mm hoch
 Streuwert 2.97, horizontal: 2.82, vertikal: 3.11



Serie 2:
 9.4 ↗ 9.2 ↗ 9.4 ↓ 9.4 ← 8.4 ↗
 10.0 → 10.7 * 7.0 ← 8.1 → 8.1 →
 beste Teiler 72.1 (17.) 247.1 (16.) 386.5 (14.)
 Trefferlage 0.15 mm rechts, 0.22 mm hoch
 Streuwert 4.15, horizontal: 5.25, vertikal: 2.62





Serie 3:
 10.4 * 9.6 ↓ 9.3 ↘ 10.2 * 10.1 →
 10.3 * 9.5 ↙ 9.5 ↓ 10.5 * 9.8 ↗
 beste Teiler 101.0 (29.) 131.9 (21.) 153.8 (26.)
 Trefferlage 0.51 mm links, 0.43 mm tief
 Streuwert 2.01, horizontal: 1.91, vertikal: 2.10




Serie 4:
 9.9 ↘ 9.0 ↘ 8.7 ↘ 10.3 * 10.0 ↗
 10.3 * 10.7 * 8.1 ← 9.5 ← 9.8 →
 beste Teiler 73.0 (37.) 152.8 (34.) 156.2 (36.)
 Trefferlage 0.38 mm links, 0.46 mm hoch
 Streuwert 2.80, horizontal: 3.26, vertikal: 2.24

Unterschrift des Schützen


Ergebnis: **362.5** (343)
 Serien: 90.8 93.9 85.6 92.2
 Zähler: 7 17 9 6 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1200 (24), 931 (34), 911 (23)
 beste Teiler 12.5 (35.) 98.2 (33.) 114.2 (32.)
 Trefferlage 1.91 mm links, 1.39 mm hoch
 Streuwert 3.47, horizontal: 3.74, vertikal: 3.17




Serie 1:
 8.9 ↖ 9.6 ↗ 10.2 * 9.2 ↑ 7.9 ←
 9.7 ↘ 10.2 * 9.3 ↙ 8.1 ← 7.7 ↘
 beste Teiler 186.3 (7.) 199.7 (3.) 306.8 (6.)
 Trefferlage 2.56 mm links, 2.24 mm hoch
 Streuwert 2.89, horizontal: 3.28, vertikal: 2.44



Serie 2:
 7.8 ← 8.6 ↖ 10.4 * 9.8 ↑ 9.3 ↖
 9.2 ↗ 9.6 ↓ 9.7 ↘ 10.3 * 9.2 ↑
 beste Teiler 144.4 (13.) 172.6 (19.) 286.9 (14.)
 Trefferlage 1.79 mm links, 1.11 mm hoch
 Streuwert 2.79, horizontal: 3.06, vertikal: 2.49



Serie 3:
 8.5 ← 9.6 ↘ 7.3 ↖ 6.2 ↖ 8.4 ↗
 9.7 ↘ 9.8 ↘ 7.9 ↖ 8.6 ↗ 9.6 ↖
 beste Teiler 294.8 (27.) 307.1 (26.) 330.6 (22.)
 Trefferlage 1.34 mm links, 2.58 mm hoch
 Streuwert 4.43, horizontal: 4.89, vertikal: 3.91



Serie 4:
 8.2 ↖ 10.5 * 10.6 * 7.2 ↖ 10.9 *
 9.2 → 9.7 ↗ 8.2 ↙ 8.3 ↘ 9.4 ↓
 beste Teiler 12.5 (35.) 98.2 (33.) 114.2 (32.)
 Trefferlage 1.97 mm links, 0.37 mm tief
 Streuwert 3.59, horizontal: 3.97, vertikal: 3.16

Unterschrift des Schützen

Meyton Elektronik