





Ergebnis: **356** (374.2)  
 Serien: 90 86 93 87  
 Zähler: 12 14 12 2 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2750 (18), 2466 (17), 2291 (10)  
 beste Teiler 63.8 (23.) 252.9 (28.) 366.2 (5.)  
 Trefferlage 3.69 mm links, 1.19 mm hoch  
 Streuwert 10.05, horizontal: 12.03, vertikal: 7.57




Serie 1:  
 9.4 → 10.1 ← 9.8 ↙ 8.5 ↑ 10.5 \*  
 9.8 ← 10.2 ↘ 8.7 ← 9.4 ← 8.1 ←  
 beste Teiler 366.2 (5.) 633.9 (7.) 719.8 (2.)  
 Trefferlage 6.70 mm links, 0.22 mm tief  
 Streuwert 8.72, horizontal: 9.33, vertikal: 8.06



Serie 2:  
 10.0 → 9.4 ← 9.3 → 10.4 \* 8.6 →  
 8.3 ← 7.9 ← 7.5 ← 8.2 ↘ 10.2 ←  
 beste Teiler 420.6 (14.) 636.2 (20.) 773.8 (11.)  
 Trefferlage 7.18 mm links, 1.76 mm hoch  
 Streuwert 11.90, horizontal: 15.74, vertikal: 5.95





Serie 3:  
 10.3 ↗ 9.2 ↓ 10.9 \* 10.3 → 9.2 ↘  
 8.9 ← 9.8 ↑ 10.6 \* 8.5 → 10.4 \*  
 beste Teiler 63.8 (23.) 252.9 (28.) 415.7 (30.)  
 Trefferlage 1.20 mm rechts, 0.14 mm tief  
 Streuwert 8.15, horizontal: 9.66, vertikal: 6.29




Serie 4:  
 9.9 ↘ 8.3 ↑ 9.6 → 9.9 ↘ 8.3 ←  
 8.3 ↘ 8.6 ↘ 10.1 ↓ 9.0 → 9.8 ↓  
 beste Teiler 648.6 (38.) 844.7 (34.) 876.5 (31.)  
 Trefferlage 2.08 mm links, 3.40 mm hoch  
 Streuwert 11.06, horizontal: 12.08, vertikal: 9.93

Unterschrift des Schützen


Ergebnis: **351** (370.5)  
 Serien: 81 91 87 92  
 Zähler: 10 15 12 2 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3732 (3), 2437 (5), 2420 (18)  
 beste Teiler 124.6 (20.) 248.2 (21.) 467.4 (15.)  
 Trefferlage 0.28 mm links, 3.85 mm hoch  
 Streuwert 10.65, horizontal: 11.72, vertikal: 9.46




Serie 1:  
 8.2 ↗ 9.2 ↘ 6.3 ← 8.1 ↘ 7.9 ↗  
 10.1 ↑ 8.5 ← 8.6 ← 9.7 ↗ 8.8 ↘  
 beste Teiler 711.0 (6.) 1003.3 (9.) 1417.3 (2.)  
 Trefferlage 3.93 mm links, 6.32 mm hoch  
 Streuwert 14.54, horizontal: 17.89, vertikal: 10.13



Serie 2:  
 9.8 ↗ 9.8 ↓ 9.5 ↗ 10.0 ↘ 10.4 \*  
 8.9 ↗ 9.9 ↗ 7.9 ↑ 10.3 ↗ 10.8 \*  
 beste Teiler 124.6 (20.) 467.4 (15.) 482.3 (19.)  
 Trefferlage 2.97 mm rechts, 4.26 mm hoch  
 Streuwert 7.68, horizontal: 4.33, vertikal: 9.95





Serie 3:  
 10.6 \* 8.9 ↗ 9.7 ↑ 9.2 ← 8.5 →  
 8.3 → 9.4 ↓ 8.1 ← 9.2 ↓ 9.7 ↑  
 beste Teiler 248.2 (21.) 963.6 (30.) 1012.0 (23.)  
 Trefferlage 1.33 mm rechts, 0.56 mm tief  
 Streuwert 11.42, horizontal: 12.23, vertikal: 10.55




Serie 4:  
 8.3 ↘ 9.7 ↑ 10.2 ↘ 8.8 ← 10.0 →  
 9.8 ↗ 10.3 ↑ 9.6 → 9.3 ↑ 10.2 ↘  
 beste Teiler 482.1 (37.) 571.7 (40.) 638.5 (33.)  
 Trefferlage 1.50 mm links, 5.39 mm hoch  
 Streuwert 7.73, horizontal: 8.70, vertikal: 6.61

Unterschrift des Schützen


Ergebnis: **356** (378.7)  
 Serien: 87 90 89 90  
 Zähler: 9 21 7 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2685 (14), 2637 (27), 2468 (1)  
 beste Teiler 113.2 (17.) 318.2 (33.) 326.8 (25.)  
 Trefferlage 1.11 mm rechts, 1.28 mm hoch  
 Streuwert 9.65, horizontal: 11.15, vertikal: 7.87




Serie 1:  
 7.9 ↗ 9.5 ↘ 9.8 ↙ 9.6 ↖ 9.8 ↓  
 8.8 ↗ 9.7 → 10.4 \* 8.5 → 9.9 ↓  
 beste Teiler 429.9 (8.) 840.6 (10.) 899.5 (3.)  
 Trefferlage 2.14 mm rechts, 1.74 mm tief  
 Streuwert 10.05, horizontal: 11.36, vertikal: 8.53



Serie 2:  
 8.2 ↖ 9.9 ↖ 10.2 ↓ 7.6 → 9.9 ↓  
 10.3 ↑ 10.8 \* 8.8 ↙ 10.5 \* 9.9 ↑  
 beste Teiler 113.2 (17.) 369.5 (19.) 508.4 (16.)  
 Trefferlage 0.56 mm rechts, 0.53 mm hoch  
 Streuwert 9.95, horizontal: 12.43, vertikal: 6.59



Serie 3:  
 9.5 ↖ 9.6 → 10.1 ↖ 9.8 ↓ 10.5 \*  
 9.9 ↖ 7.7 ↖ 9.9 → 8.7 ↖ 9.9 ↖  
 beste Teiler 326.8 (25.) 646.1 (23.) 830.2 (30.)  
 Trefferlage 3.56 mm links, 3.75 mm hoch  
 Streuwert 8.70, horizontal: 10.34, vertikal: 6.68





Serie 4:  
 9.0 ↑ 8.2 ↗ 10.6 \* 9.2 ↘ 10.1 →  
 9.2 → 8.2 ↙ 9.2 → 9.5 ↗ 9.9 ↑  
 beste Teiler 318.2 (33.) 719.5 (35.) 813.0 (40.)  
 Trefferlage 5.29 mm rechts, 2.57 mm hoch  
 Streuwert 9.79, horizontal: 10.18, vertikal: 9.39

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **355** (373.9)  
 Serien: 91 89 88 87  
 Zähler: 8 20 11 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2707 (18), 2325 (20), 2238 (40)  
 beste Teiler 153.6 (1.) 275.4 (33.) 391.0 (11.)  
 Trefferlage 1.03 mm links, 0.96 mm tief  
 Streuwert 10.17, horizontal: 10.77, vertikal: 9.53




Serie 1:  
 10.8 \*                      8.2 ←                      9.3 ↑                      9.2 ↓                      9.6 ↖  
    9.3 →                      10.2 ↗                      9.2 →                      9.7 ↗                      9.2 ←

beste Teiler 153.6 (1.) 574.1 (7.) 1015.6 (9.)  
 Trefferlage 0.80 mm links, 0.69 mm hoch  
 Streuwert 9.65, horizontal: 11.57, vertikal: 7.23




Serie 2:  
 10.5 \*                      9.3 →                      10.1 ↖                      10.0 ↑                      9.9 ↗  
    9.8 ↓                      9.7 ↓                      7.6 ↗                      8.4 ↗                      8.0 ↖

beste Teiler 391.0 (11.) 679.7 (13.) 777.0 (14.)  
 Trefferlage 4.61 mm links, 6.91 mm tief  
 Streuwert 9.30, horizontal: 10.71, vertikal: 7.63



Serie 3:  
 9.7 ↗                      9.4 ←                      9.5 ↖                      9.4 ↘                      8.8 ↑  
    8.8 ←                      9.8 ↑                      10.5 \*                      9.9 ←                      8.6 ↑

beste Teiler 392.2 (28.) 831.7 (29.) 892.6 (27.)  
 Trefferlage 1.28 mm links, 4.73 mm hoch  
 Streuwert 8.94, horizontal: 9.62, vertikal: 8.21





Serie 4:  
 10.4 \*                      8.4 ↖                      10.6 \*                      9.6 ↗                      9.6 ↗  
    8.5 ↑                      8.7 →                      8.3 ↓                      9.2 ↖                      8.2 ↘

beste Teiler 275.4 (33.) 456.0 (31.) 1068.5 (34.)  
 Trefferlage 2.55 mm rechts, 2.38 mm tief  
 Streuwert 11.58, horizontal: 11.54, vertikal: 11.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.7)  
 Serien: 89 90 93 94  
 Zähler: 13 20 7 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2242 (17), 1880 (28), 1837 (10)  
 beste Teiler 141.6 (25.) 261.2 (18.) 292.2 (1.)  
 Trefferlage 0.79 mm links, 0.28 mm hoch  
 Streuwert 8.26, horizontal: 8.23, vertikal: 8.29




Serie 1:  
 10.6 \*                      8.7 ←                      8.8 ↖                      9.9 ←                      9.8 →  
 9.2 ↖                      9.1 ↘                      9.6 ↓                      10.3 ↖                      8.7 →  
 beste Teiler 292.2 (1.) 509.4 (9.) 880.6 (4.)  
 Trefferlage 2.09 mm links, 0.16 mm hoch  
 Streuwert 9.59, horizontal: 11.97, vertikal: 6.38



Serie 2:  
 8.8 ↑                      9.6 ↖                      9.9 ↑                      9.3 ↑                      9.8 ←  
 10.1 ↗                      8.1 ↓                      10.6 \*                      9.5 ↘                      9.3 ←  
 beste Teiler 261.2 (18.) 641.7 (16.) 858.8 (13.)  
 Trefferlage 2.75 mm links, 1.55 mm hoch  
 Streuwert 9.14, horizontal: 7.31, vertikal: 10.66



Serie 3:  
 8.9 ↑                      9.9 ↓                      9.3 ↙                      10.4 \*                      10.8 \*  
 10.2 ↓                      10.2 ↓                      8.6 ↖                      10.3 ↘                      9.8 →  
 beste Teiler 141.6 (25.) 423.2 (24.) 511.0 (29.)  
 Trefferlage 0.22 mm links, 0.24 mm hoch  
 Streuwert 7.65, horizontal: 6.94, vertikal: 8.29





Serie 4:  
 10.1 ↑                      9.3 ↓                      9.3 ↓                      10.1 ↑                      9.4 ↗  
 10.0 →                      9.9 →                      9.4 ←                      9.8 ↓                      10.3 ↗  
 beste Teiler 538.5 (40.) 674.9 (34.) 683.2 (31.)  
 Trefferlage 1.90 mm rechts, 0.82 mm tief  
 Streuwert 7.26, horizontal: 5.83, vertikal: 8.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (377.0)  
 Serien: 90 89 90 89  
 Zähler: 7 26 5 2 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3112 (35), 2591 (11), 2204 (6)  
 beste Teiler 459.4 (4.) 574.4 (22.) 607.7 (2.)  
 Trefferlage 1.58 mm links, 1.87 mm hoch  
 Streuwert 9.41, horizontal: 10.11, vertikal: 8.65




Serie 1:  
 9.7 → 10.2 ↘ 9.6 → 10.4 \* 9.2 ↖  
 8.2 ↖ 9.1 ← 9.7 ← 8.9 ↖ 9.2 ↓  
 beste Teiler 459.4 (4.) 607.7 (2.) 998.5 (1.)  
 Trefferlage 5.49 mm links, 0.57 mm hoch  
 Streuwert 8.95, horizontal: 10.25, vertikal: 7.41



Serie 2:  
 7.7 ← 10.1 ↘ 9.4 → 9.5 ← 9.7 ←  
 8.5 ← 9.0 ↑ 10.0 ↓ 9.9 ↘ 9.6 →  
 beste Teiler 657.9 (12.) 741.9 (18.) 878.4 (19.)  
 Trefferlage 2.42 mm links, 0.58 mm tief  
 Streuwert 10.29, horizontal: 12.90, vertikal: 6.74





Serie 3:  
 9.6 ↘ 10.2 ↘ 9.7 ← 9.0 ↖ 9.8 ↘  
 9.9 → 9.9 ← 9.9 ↗ 8.3 ↓ 9.8 →  
 beste Teiler 574.4 (22.) 809.4 (28.) 812.1 (26.)  
 Trefferlage 0.93 mm links, 1.76 mm tief  
 Streuwert 8.40, horizontal: 7.74, vertikal: 9.01




Serie 4:  
 9.4 ↖ 9.4 → 9.9 ↖ 10.0 ↑ 7.1 ↑  
 9.5 ↗ 9.5 ↗ 10.0 ↖ 8.8 ↑ 9.7 ↗  
 beste Teiler 728.6 (34.) 730.8 (38.) 875.4 (33.)  
 Trefferlage 2.50 mm rechts, 9.24 mm hoch  
 Streuwert 8.16, horizontal: 8.62, vertikal: 7.68

Unterschrift des Schützen


Ergebnis: **361** (376.2)  
 Serien: 88 92 89 92  
 Zähler: 12 18 9 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2780 (2), 2350 (17), 2326 (7)  
 beste Teiler 141.8 (40.) 364.8 (9.) 432.4 (34.)  
 Trefferlage 2.60 mm links, 3.29 mm hoch  
 Streuwert 9.45, horizontal: 9.15, vertikal: 9.75




Serie 1:  
 9.2 ↗ 7.5 ↘ 9.5 ← 9.8 → 9.4 ↖  
 9.0 ↙ 8.0 ↑ 10.0 ↓ 10.5 \* 8.6 ←  
 beste Teiler 364.8 (9.) 783.0 (8.) 951.5 (4.)  
 Trefferlage 4.13 mm links, 0.52 mm tief  
 Streuwert 11.55, horizontal: 10.38, vertikal: 12.60



Serie 2:  
 9.3 ↑ 9.8 ↘ 9.8 ← 8.5 ↗ 10.4 \*  
 10.1 ← 8.0 ↘ 10.0 ↑ 10.1 ← 9.3 ↑  
 beste Teiler 454.8 (15.) 667.7 (19.) 677.1 (16.)  
 Trefferlage 1.28 mm links, 7.31 mm hoch  
 Streuwert 7.73, horizontal: 8.00, vertikal: 7.45



Serie 3:  
 8.8 ← 8.7 ← 8.3 ↑ 9.8 ← 9.5 ↗  
 9.0 ← 10.3 ↘ 8.4 ↑ 10.1 → 10.0 ↖  
 beste Teiler 490.2 (27.) 710.5 (29.) 746.3 (30.)  
 Trefferlage 3.36 mm links, 5.21 mm hoch  
 Streuwert 9.66, horizontal: 10.52, vertikal: 8.71





Serie 4:  
 9.6 ↗ 8.2 ↘ 9.7 ↗ 10.4 \* 9.9 ↑  
 10.1 ↘ 9.0 ↘ 9.7 ↘ 9.1 ↙ 10.8 \*  
 beste Teiler 141.8 (40.) 432.4 (34.) 710.0 (36.)  
 Trefferlage 1.61 mm links, 1.16 mm hoch  
 Streuwert 8.73, horizontal: 8.61, vertikal: 8.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371.4** (354)  
 Serien: 93.1 88.7 93.4 96.2  
 Zähler: 14 10 12 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3019 (13), 2496 (22), 2451 (14)  
 beste Teiler 46.0 (31.) 302.4 (15.) 355.6 (23.)  
 Trefferlage 3.27 mm links, 0.53 mm hoch  
 Streuwert 10.59, horizontal: 11.18, vertikal: 9.97




Serie 1:  
 10.5 \*                      8.6 ↑                      8.9 ←                      8.8 ↖                      10.2 ↓  
 8.8 ↑                      8.1 ↑                      8.9 ↑                      10.0 ↓                      10.3 ↘  
 beste Teiler 366.0 (1.) 513.5 (10.) 579.0 (5.)  
 Trefferlage 1.36 mm links, 5.45 mm hoch  
 Streuwert 10.04, horizontal: 8.12, vertikal: 11.65



Serie 2:  
 8.6 ↗                      9.5 ↘                      7.2 ↘                      7.9 ↘                      10.6 \*  
 9.1 →                      8.6 ←                      9.2 →                      9.1 ↖                      8.9 →  
 beste Teiler 302.4 (15.) 1151.2 (12.) 1363.9 (18.)  
 Trefferlage 2.55 mm links, 1.32 mm tief  
 Streuwert 13.27, horizontal: 16.39, vertikal: 9.15



Serie 3:  
 10.1 ↖                      7.8 ↘                      10.5 \*                      7.9 ↘                      9.0 ←  
 10.2 ←                      10.5 \*                      10.0 →                      9.0 ↑                      8.4 ↘  
 beste Teiler 355.6 (23.) 376.2 (27.) 588.3 (26.)  
 Trefferlage 7.96 mm links, 2.64 mm tief  
 Streuwert 9.34, horizontal: 9.42, vertikal: 9.26



Serie 4:  
 10.9 \*                      8.6 ↑                      10.2 →                      8.3 ↘                      10.3 ↖  
 9.0 ←                      10.2 ↓                      9.6 ←                      9.7 ↑                      9.4 →  
 beste Teiler 46.0 (31.) 500.5 (35.) 606.2 (33.)  
 Trefferlage 1.20 mm links, 0.65 mm hoch  
 Streuwert 9.14, horizontal: 9.17, vertikal: 9.11

Unterschrift des Schützen

Meyton Elektronik