





Ergebnis: **378** (398.0)
 Serien: 96 97 94 91
 Zähler: 21 17 1 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 767 (33), 539 (38), 424 (7)
 beste Teiler 22.8 (10.) 35.3 (1.) 72.4 (14.)
 Trefferlage 0.13 mm links, 0.82 mm tief
 Streuwert 1.99, horizontal: 2.29, vertikal: 1.64




Serie 1:
 10.8 * 9.4 ← 9.5 ← 10.0 ↓ 10.0 ↓
 9.7 ↘ 9.3 ↓ 10.2 * 10.3 * 10.9 *
 beste Teiler 22.8 (10.) 35.3 (1.) 159.5 (9.)
 Trefferlage 0.42 mm links, 1.21 mm tief
 Streuwert 1.75, horizontal: 2.10, vertikal: 1.32



Serie 2:
 10.3 * 10.0 ← 9.4 ← 10.7 * 10.1 ↓
 9.7 ← 10.4 * 9.8 ↓ 10.3 * 10.2 *
 beste Teiler 72.4 (14.) 144.5 (17.) 155.0 (19.)
 Trefferlage 0.88 mm links, 0.49 mm tief
 Streuwert 1.59, horizontal: 1.90, vertikal: 1.19



Serie 3:
 10.4 * 9.3 ↘ 9.5 ↘ 10.3 * 10.6 *
 9.7 → 10.5 * 9.9 ↗ 9.6 ↓ 9.6 →
 beste Teiler 94.9 (25.) 116.2 (27.) 139.8 (21.)
 Trefferlage 1.65 mm rechts, 1.03 mm tief
 Streuwert 1.50, horizontal: 1.37, vertikal: 1.62





Serie 4:
 10.3 * 9.8 ← 7.9 ← 10.6 * 9.6 ↑
 9.8 → 10.5 * 8.8 ↓ 9.8 ↓ 10.5 *
 beste Teiler 90.2 (34.) 116.7 (37.) 124.4 (40.)
 Trefferlage 0.88 mm links, 0.55 mm tief
 Streuwert 2.59, horizontal: 2.82, vertikal: 2.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (394.6)
 Serien: 94 94 92 97
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 615 (29), 570 (28), 487 (9)
 beste Teiler 11.7 (16.) 61.4 (5.) 66.2 (37.)
 Trefferlage 0.05 mm rechts, 0.68 mm hoch
 Streuwert 2.13, horizontal: 2.17, vertikal: 2.08




Serie 1:
 9.1 ↘ 10.5 * 10.2 * 9.7 ↘ 10.7 *
 9.6 ↑ 10.3 * 9.9 ↘ 9.0 ← 9.6 ↘
 beste Teiler 61.4 (5.) 109.6 (2.) 159.8 (7.)
 Trefferlage 1.40 mm links, 0.64 mm hoch
 Streuwert 1.97, horizontal: 2.16, vertikal: 1.77



Serie 2:
 10.1 ↘ 9.4 ↑ 9.6 ↙ 9.7 ↖ 9.9 →
 10.9 * 9.4 ↑ 10.3 * 9.9 ↗ 10.1 ←
 beste Teiler 11.7 (16.) 165.4 (18.) 218.3 (11.)
 Trefferlage 0.60 mm links, 0.87 mm hoch
 Streuwert 1.93, horizontal: 1.87, vertikal: 1.99



Serie 3:
 10.3 * 10.0 ↗ 9.6 ↘ 9.8 ↗ 10.1 ↗
 9.4 ↑ 9.4 ↑ 8.7 ↘ 8.5 ↓ 10.3 *
 beste Teiler 151.0 (30.) 163.1 (21.) 208.7 (25.)
 Trefferlage 1.53 mm rechts, 0.57 mm hoch
 Streuwert 2.47, horizontal: 1.63, vertikal: 3.10





Serie 4:
 10.0 ↗ 10.4 * 10.5 * 9.3 ↘ 9.5 ↘
 9.6 ↗ 10.7 * 10.0 ↗ 10.2 * 10.4 *
 beste Teiler 66.2 (37.) 104.4 (33.) 136.6 (40.)
 Trefferlage 0.67 mm rechts, 0.66 mm hoch
 Streuwert 1.73, horizontal: 1.99, vertikal: 1.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (391.4)
 Serien: 95 94 92 89
 Zähler: 15 20 5 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 552 (21), 532 (5), 513 (39)
 beste Teiler 43.4 (7.) 95.8 (25.) 102.1 (26.)
 Trefferlage 0.38 mm rechts, 0.14 mm tief
 Streuwert 2.27, horizontal: 2.55, vertikal: 1.95




Serie 1:
 10.2 * 10.0 ↘ 10.1 ↑ 9.5 → 8.8 ↘
 9.8 → 10.8 * 9.3 → 10.4 * 10.1 →
 beste Teiler 43.4 (7.) 131.0 (9.) 191.0 (1.)
 Trefferlage 1.61 mm rechts, 0.25 mm tief
 Streuwert 1.82, horizontal: 2.02, vertikal: 1.59



Serie 2:
 9.7 ↘ 10.1 ↓ 10.5 * 9.2 ← 9.8 ↘
 9.6 ↙ 9.8 ↘ 10.3 * 10.3 * 9.9 ↑
 beste Teiler 116.2 (13.) 159.8 (18.) 162.3 (19.)
 Trefferlage 0.54 mm links, 0.71 mm tief
 Streuwert 1.94, horizontal: 1.99, vertikal: 1.90



Serie 3:
 8.7 ↘ 10.5 * 8.9 ↘ 9.4 ← 10.6 *
 10.5 * 9.9 → 9.1 → 9.5 → 10.2 *
 beste Teiler 95.8 (25.) 102.1 (26.) 111.2 (22.)
 Trefferlage 0.28 mm rechts, 0.04 mm tief
 Streuwert 2.56, horizontal: 3.28, vertikal: 1.52





Serie 4:
 9.6 → 9.6 → 9.7 ↙ 9.5 ← 8.9 ↑
 10.5 * 9.8 ← 9.9 ↘ 8.9 ↑ 9.5 →
 beste Teiler 123.7 (36.) 267.0 (38.) 279.6 (37.)
 Trefferlage 0.17 mm rechts, 0.45 mm hoch
 Streuwert 2.63, horizontal: 2.56, vertikal: 2.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (394.6)
 Serien: 94 96 92 95
 Zähler: 17 23 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 489 (5), 464 (18), 429 (21)
 beste Teiler 38.8 (7.) 57.4 (39.) 81.3 (19.)
 Trefferlage 0.00 mm , 0.55 mm hoch
 Streuwert 2.12, horizontal: 2.42, vertikal: 1.77




Serie 1:
 10.4 * 9.4 ← 9.8 ↘ 9.4 ↖ 9.0 →
 10.3 * 10.8 * 9.3 ← 9.8 ↗ 10.6 *
 beste Teiler 38.8 (7.) 99.0 (10.) 129.9 (1.)
 Trefferlage 0.49 mm links, 0.29 mm hoch
 Streuwert 2.25, horizontal: 3.01, vertikal: 1.04



Serie 2:
 9.7 ↓ 10.5 * 9.3 ↙ 10.3 * 10.3 *
 10.5 * 10.1 ↘ 9.1 ↖ 10.6 * 9.4 ↑
 beste Teiler 81.3 (19.) 113.6 (12.) 119.0 (16.)
 Trefferlage 0.68 mm links, 0.19 mm hoch
 Streuwert 1.99, horizontal: 1.78, vertikal: 2.19



Serie 3:
 9.2 ↖ 9.8 ↘ 9.4 → 9.4 ← 9.9 ↘
 9.3 ↓ 10.0 ↗ 10.5 * 9.3 ↗ 9.8 ↗
 beste Teiler 122.0 (28.) 245.1 (27.) 260.3 (25.)
 Trefferlage 0.18 mm rechts, 0.58 mm hoch
 Streuwert 2.49, horizontal: 3.01, vertikal: 1.83





Serie 4:
 9.4 ↗ 10.2 * 9.5 → 10.1 → 9.4 ↑
 9.9 ↗ 10.4 * 10.0 ↓ 10.7 * 9.8 ↗
 beste Teiler 57.4 (39.) 143.9 (37.) 192.2 (32.)
 Trefferlage 1.03 mm rechts, 1.12 mm hoch
 Streuwert 1.70, horizontal: 1.44, vertikal: 1.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (385.5)
 Serien: 92 94 91 92
 Zähler: 16 17 7 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 678 (4), 647 (3), 645 (29)
 beste Teiler 40.4 (5.) 102.8 (36.) 110.1 (19.)
 Trefferlage 0.38 mm links, 0.28 mm hoch
 Streuwert 2.61, horizontal: 2.90, vertikal: 2.29




Serie 1:
 9.9 ↙ 9.7 → 8.4 ← 8.2 → 10.8 *
 10.2 * 10.2 * 9.4 ↑ 10.0 ↑ 9.7 →
 beste Teiler 40.4 (5.) 182.7 (6.) 195.8 (7.)
 Trefferlage 0.29 mm rechts, 0.27 mm tief
 Streuwert 2.79, horizontal: 3.33, vertikal: 2.11



Serie 2:
 10.5 * 9.7 ↓ 9.0 ↘ 10.4 * 10.2 *
 8.9 ↖ 9.0 → 10.2 * 10.5 * 9.4 ↗
 beste Teiler 110.1 (19.) 117.6 (11.) 150.4 (14.)
 Trefferlage 0.46 mm rechts, 0.12 mm hoch
 Streuwert 2.47, horizontal: 2.81, vertikal: 2.06



Serie 3:
 9.5 ↙ 9.7 ↑ 10.2 * 9.0 ← 9.6 ↑
 9.7 ↑ 9.4 ↘ 10.2 * 8.4 ← 9.5 ↘
 beste Teiler 176.7 (23.) 179.2 (28.) 305.8 (22.)
 Trefferlage 0.96 mm links, 0.87 mm hoch
 Streuwert 2.65, horizontal: 2.87, vertikal: 2.41





Serie 4:
 8.8 ↘ 10.0 ↓ 10.4 * 9.3 ↑ 10.0 ↗
 10.5 * 9.4 ↘ 10.3 * 8.6 ↖ 8.7 ←
 beste Teiler 102.8 (36.) 130.6 (33.) 156.4 (38.)
 Trefferlage 1.31 mm links, 0.42 mm hoch
 Streuwert 2.64, horizontal: 2.55, vertikal: 2.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.5** (372)
 Serien: 98.1 97.8 99.9 96.7
 Zähler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 658 (13), 651 (37), 575 (9)
 beste Teiler 76.5 (21.) 89.9 (10.) 106.6 (15.)
 Trefferlage 0.27 mm links, 0.33 mm hoch
 Streuwert 2.28, horizontal: 2.37, vertikal: 2.18




Serie 1:
 10.0 ↗ 10.1 ↘ 9.8 ↑ 9.2 ↑ 10.3 *
 10.3 * 9.8 ↙ 9.3 ↘ 8.7 ↑ 10.6 *
 beste Teiler 89.9 (10.) 151.0 (6.) 153.0 (5.)
 Trefferlage 0.23 mm rechts, 0.85 mm hoch
 Streuwert 2.28, horizontal: 1.71, vertikal: 2.74



Serie 2:
 9.7 ↑ 9.8 ↖ 8.3 ↘ 9.2 ← 10.5 *
 9.8 ↘ 10.5 * 9.8 ↘ 10.4 * 9.8 ↙
 beste Teiler 106.6 (15.) 118.7 (17.) 146.2 (19.)
 Trefferlage 1.68 mm links, 0.32 mm hoch
 Streuwert 2.12, horizontal: 1.96, vertikal: 2.28





Serie 3:
 10.6 * 10.5 * 9.7 ↘ 10.2 * 9.9 ↘
 9.9 → 9.8 ↗ 10.2 * 9.6 ↗ 9.5 ←
 beste Teiler 76.5 (21.) 117.6 (22.) 180.6 (24.)
 Trefferlage 0.04 mm rechts, 0.42 mm hoch
 Streuwert 1.92, horizontal: 2.24, vertikal: 1.52




Serie 4:
 8.8 → 9.5 ↓ 10.2 * 9.8 ← 10.3 *
 10.5 * 8.3 ↘ 9.7 ↑ 10.4 * 9.2 ↘
 beste Teiler 116.2 (36.) 150.4 (39.) 151.5 (35.)
 Trefferlage 0.32 mm rechts, 0.25 mm tief
 Streuwert 2.69, horizontal: 3.09, vertikal: 2.21

Unterschrift des Schützen


Ergebnis: **377** (395.4)
 Serien: 95 93 93 96
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 564 (21), 538 (15), 505 (34)
 beste Teiler 30.3 (12.) 34.0 (11.) 74.7 (40.)
 Trefferlage 0.60 mm links, 0.24 mm tief
 Streuwert 2.06, horizontal: 2.18, vertikal: 1.94




Serie 1:
 10.4 * 9.5 ↙ 9.3 ↖ 10.4 * 10.3 *
 9.4 ↓ 10.3 * 9.9 ↗ 9.5 ↑ 10.1 ↓
 beste Teiler 128.2 (1.) 141.3 (4.) 153.3 (5.)
 Trefferlage 0.70 mm links, 0.10 mm tief
 Streuwert 2.01, horizontal: 1.55, vertikal: 2.38



Serie 2:
 10.8 * 10.8 * 9.1 ↖ 9.4 ↓ 8.8 ↗
 10.1 ↙ 9.8 ↘ 9.0 ← 10.1 ↖ 9.8 ↘
 beste Teiler 30.3 (12.) 34.0 (11.) 202.2 (19.)
 Trefferlage 0.97 mm links, 0.10 mm hoch
 Streuwert 2.40, horizontal: 2.42, vertikal: 2.37



Serie 3:
 8.7 ↖ 10.0 ↙ 10.1 ↑ 9.9 ↘ 9.6 ←
 10.2 * 10.6 * 9.8 ↗ 9.7 ← 9.9 ↓
 beste Teiler 98.8 (27.) 194.9 (26.) 209.4 (23.)
 Trefferlage 1.02 mm links, 0.08 mm tief
 Streuwert 2.10, horizontal: 2.40, vertikal: 1.74





Serie 4:
 10.2 * 10.3 * 9.5 ↘ 8.9 ← 10.2 *
 10.0 ↙ 9.9 ↗ 10.3 * 10.1 → 10.7 *
 beste Teiler 74.7 (40.) 168.3 (32.) 173.1 (38.)
 Trefferlage 0.28 mm rechts, 0.87 mm tief
 Streuwert 1.82, horizontal: 2.31, vertikal: 1.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (388.1)
 Serien: 92 90 95 91
 Zähler: 13 22 5 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 703 (39), 698 (6), 587 (20)
 beste Teiler 37.0 (11.) 62.0 (27.) 124.5 (38.)
 Trefferlage 0.31 mm links, 0.10 mm tief
 Streuwert 2.49, horizontal: 2.88, vertikal: 2.03




Serie 1:
 9.8 ↓ 9.2 ← 10.4 * 10.2 * 9.8 ↘
 8.2 ↖ 9.9 → 9.9 ↖ 10.1 ↘ 9.4 ←
 beste Teiler 137.5 (3.) 194.9 (4.) 206.6 (9.)
 Trefferlage 1.07 mm links, 0.16 mm hoch
 Streuwert 2.50, horizontal: 2.98, vertikal: 1.89



Serie 2:
 10.8 * 8.7 ↓ 10.0 → 9.8 ↘ 9.9 →
 9.6 ← 9.6 → 9.9 ← 9.9 ↗ 8.6 ←
 beste Teiler 37.0 (11.) 247.7 (13.) 259.3 (19.)
 Trefferlage 0.16 mm links, 0.72 mm tief
 Streuwert 2.57, horizontal: 3.07, vertikal: 1.96



Serie 3:
 9.5 ↘ 9.9 ↖ 10.4 * 9.8 → 10.2 *
 10.2 * 10.7 * 9.0 ↓ 10.0 ↗ 9.8 ↖
 beste Teiler 62.0 (27.) 147.7 (23.) 189.9 (26.)
 Trefferlage 0.41 mm rechts, 0.33 mm tief
 Streuwert 2.01, horizontal: 1.78, vertikal: 2.21



Serie 4:
 10.2 * 9.0 ← 9.7 ← 10.2 * 9.6 →
 9.5 ↖ 9.2 ↘ 10.5 * 8.1 ← 8.9 ↗
 beste Teiler 124.5 (38.) 182.2 (31.) 194.6 (34.)
 Trefferlage 0.42 mm links, 0.46 mm hoch
 Streuwert 2.98, horizontal: 3.63, vertikal: 2.14

Unterschrift des Schützen

Meyton Elektronik