





Ergebnis: **320** (338.0)
 Serien: 88 74 81 77
 Zähler: 4 13 10 8 3 1 1 0 0 0
 Innenzehner: 4
 weiteste: 4879 (18), 4633 (27), 3974 (37)
 beste Teiler 227.3 (1.) 373.5 (14.) 393.2 (10.)
 Trefferlage 1.46 mm links, 2.63 mm tief
 Streuwert 16.21, horizontal: 17.54, vertikal: 14.77




Serie 1:
 10.7 * 9.4 ↗ 7.6 ↖ 10.4 * 9.6 ↓
 7.3 ↘ 9.0 ↗ 9.0 ↗ 8.8 ↘ 10.5 *
 beste Teiler 227.3 (1.) 393.2 (10.) 441.1 (4.)
 Trefferlage 0.95 mm rechts, 0.61 mm tief
 Streuwert 12.21, horizontal: 11.60, vertikal: 12.78



Serie 2:
 6.7 ↘ 7.4 ↖ 8.5 → 10.5 * 9.9 ↗
 6.8 ↓ 7.7 ↖ 4.9 ← 8.0 ← 9.4 ↓
 beste Teiler 373.5 (14.) 826.9 (15.) 1246.3 (20.)
 Trefferlage 7.67 mm links, 6.30 mm tief
 Streuwert 18.76, horizontal: 22.79, vertikal: 13.59



Serie 3:
 8.1 ↘ 9.4 ↗ 9.3 ↗ 8.0 ↓ 9.9 ↗
 7.8 ↓ 5.2 ↓ 9.5 ↖ 8.3 ← 9.8 ←
 beste Teiler 835.8 (25.) 910.2 (30.) 1155.6 (28.)
 Trefferlage 0.88 mm rechts, 8.05 mm tief
 Streuwert 15.43, horizontal: 12.03, vertikal: 18.20





Serie 4:
 7.2 ← 8.3 → 9.1 ↗ 9.1 ↓ 7.8 ↑
 8.4 ← 6.0 → 7.6 ← 8.6 ↘ 8.5 ↗
 beste Teiler 1444.5 (34.) 1457.3 (33.) 1895.6 (39.)
 Trefferlage 0.04 mm links, 4.42 mm hoch
 Streuwert 17.81, horizontal: 21.82, vertikal: 12.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (356.9)
 Serien: 82 85 86 84
 Zähler: 6 15 13 4 1 0 1 0 0 0
 Innenzehner: 3
 weiteste: 5447 (9), 3268 (38), 2807 (6)
 beste Teiler 280.9 (15.) 286.9 (25.) 342.6 (27.)
 Trefferlage 4.67 mm links, 1.83 mm tief
 Streuwert 13.02, horizontal: 12.13, vertikal: 13.85




Serie 1:
 9.4 → 9.6 ← 9.3 ↓ 8.4 ↑ 9.7 ↘
 7.4 ← 9.3 ↘ 9.8 ← 4.1 ↗ 9.6 →
 beste Teiler 948.7 (8.) 1034.0 (5.) 1054.0 (2.)
 Trefferlage 2.28 mm rechts, 2.83 mm hoch
 Streuwert 16.63, horizontal: 17.41, vertikal: 15.82



Serie 2:
 7.9 ↙ 8.4 ↑ 9.9 ↘ 9.8 ↓ 10.6 *
 8.9 ↗ 8.6 ↙ 10.2 ← 8.5 ↘ 8.2 ↙
 beste Teiler 280.9 (15.) 617.7 (18.) 822.0 (13.)
 Trefferlage 7.33 mm links, 3.13 mm tief
 Streuwert 10.74, horizontal: 8.34, vertikal: 12.70



Serie 3:
 9.7 ↙ 9.2 ↙ 7.9 ↙ 8.4 ↓ 10.6 *
 8.0 ↙ 10.5 * 8.8 ← 9.9 ↘ 8.2 ↙
 beste Teiler 286.9 (25.) 342.6 (27.) 855.5 (29.)
 Trefferlage 10.06 mm links, 7.06 mm tief
 Streuwert 8.28, horizontal: 6.93, vertikal: 9.44





Serie 4:
 10.2 ↘ 9.2 ↓ 8.5 ↘ 8.0 ← 8.7 ↑
 7.5 ↙ 10.1 ↓ 6.9 ↑ 9.2 ↓ 9.8 ↘
 beste Teiler 604.5 (31.) 644.7 (37.) 910.6 (40.)
 Trefferlage 3.59 mm links, 0.04 mm hoch
 Streuwert 14.00, horizontal: 11.02, vertikal: 16.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (350.7)
 Serien: 83 87 85 82
 Zähler: 5 18 10 4 2 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4719 (37), 3653 (10), 3601 (6)
 beste Teiler 421.0 (9.) 433.8 (19.) 750.4 (22.)
 Trefferlage 5.08 mm links, 4.80 mm tief
 Streuwert 13.16, horizontal: 13.70, vertikal: 12.60




Serie 1:
 9.0 ↘ 9.8 ↗ 8.2 ↓ 9.5 ↑ 8.7 ↓
 6.4 ↙ 9.0 → 9.4 → 10.4 * 6.4 ↖
 beste Teiler 421.0 (9.) 894.7 (2.) 1157.0 (4.)
 Trefferlage 0.53 mm links, 7.04 mm tief
 Streuwert 14.50, horizontal: 16.78, vertikal: 11.78



Serie 2:
 9.6 ↖ 8.2 ↑ 9.0 ↘ 9.5 ↖ 8.3 ↖
 9.5 → 9.5 → 9.5 ↘ 10.4 * 7.8 ↖
 beste Teiler 433.8 (19.) 1045.2 (11.) 1129.9 (18.)
 Trefferlage 0.76 mm links, 2.61 mm tief
 Streuwert 11.52, horizontal: 11.79, vertikal: 11.25



Serie 3:
 8.8 ← 10.0 ↓ 8.0 ↙ 7.1 ← 8.7 ←
 9.3 ↘ 10.0 ↖ 9.3 ↙ 7.6 ↙ 9.5 ↑
 beste Teiler 750.4 (22.) 781.8 (27.) 1198.6 (30.)
 Trefferlage 10.42 mm links, 5.94 mm tief
 Streuwert 10.64, horizontal: 11.32, vertikal: 9.92





Serie 4:
 9.2 ↖ 8.8 ↙ 9.0 ↙ 7.1 ↘ 9.5 ↖
 9.2 ↓ 5.1 ↘ 8.1 ↙ 10.0 ↖ 8.3 ←
 beste Teiler 755.5 (39.) 1133.3 (35.) 1422.0 (36.)
 Trefferlage 8.62 mm links, 3.60 mm tief
 Streuwert 15.58, horizontal: 13.24, vertikal: 17.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (354.5)
 Serien: 87 83 80 83
 Zähler: 2 16 15 7 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3046 (4), 3004 (33), 2992 (24)
 beste Teiler 279.8 (10.) 550.5 (7.) 907.7 (37.)
 Trefferlage 0.70 mm links, 4.04 mm hoch
 Streuwert 12.55, horizontal: 14.39, vertikal: 10.38




Serie 1:
 9.8 ↙ 8.0 → 9.3 ↑ 7.1 → 9.3 ↘
 8.5 ← 10.3 ← 9.2 ↑ 8.8 ↙ 10.6 *
 beste Teiler 279.8 (10.) 550.5 (7.) 935.5 (1.)
 Trefferlage 0.41 mm links, 4.79 mm hoch
 Streuwert 12.10, horizontal: 14.98, vertikal: 8.25



Serie 2:
 8.9 → 7.9 ↘ 9.0 ↗ 9.4 ↗ 8.7 ↓
 9.6 ↘ 9.6 ↑ 8.9 → 9.4 ↙ 7.8 ↘
 beste Teiler 1085.7 (17.) 1116.9 (16.) 1274.3 (14.)
 Trefferlage 0.17 mm rechts, 4.54 mm hoch
 Streuwert 12.31, horizontal: 12.94, vertikal: 11.66





Serie 3:
 9.5 → 8.5 ← 8.9 → 7.2 ↖ 9.2 →
 8.5 ← 8.2 ↘ 8.7 → 8.4 ↑ 7.8 ↙
 beste Teiler 1162.4 (21.) 1379.8 (25.) 1654.1 (23.)
 Trefferlage 1.85 mm links, 2.60 mm hoch
 Streuwert 14.93, horizontal: 18.96, vertikal: 9.30




Serie 4:
 9.5 ← 8.6 ↑ 7.2 ↘ 9.6 ↗ 9.7 ↙
 9.8 → 9.8 → 8.8 ↓ 8.8 → 7.7 ↘
 beste Teiler 907.7 (37.) 913.7 (36.) 1019.1 (35.)
 Trefferlage 0.74 mm links, 4.21 mm hoch
 Streuwert 12.59, horizontal: 11.97, vertikal: 13.18

Unterschrift des Schützen


Ergebnis: **331** (348.8)
 Serien: 82 85 83 81
 Zähler: 6 13 12 6 1 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4374 (7), 4356 (37), 3565 (5)
 beste Teiler 364.0 (20.) 421.2 (10.) 484.0 (13.)
 Trefferlage 2.61 mm rechts, 4.23 mm hoch
 Streuwert 14.03, horizontal: 14.63, vertikal: 13.41




Serie 1:
 9.6 ↙ 9.3 ← 9.7 ↓ 10.3 ↘ 6.5 ←
 7.6 → 5.5 ↗ 7.7 ↙ 10.1 ↗ 10.4 *
 beste Teiler 421.2 (10.) 490.5 (4.) 684.4 (9.)
 Trefferlage 1.08 mm links, 2.66 mm tief
 Streuwert 16.62, horizontal: 20.26, vertikal: 11.91



Serie 2:
 8.0 ↘ 7.6 ↑ 10.3 → 10.0 ↗ 8.1 ↗
 8.3 ↑ 8.5 ↘ 8.4 ↗ 8.3 ↓ 10.5 *
 beste Teiler 364.0 (20.) 484.0 (13.) 770.8 (14.)
 Trefferlage 6.45 mm rechts, 1.76 mm hoch
 Streuwert 13.08, horizontal: 9.40, vertikal: 15.94



Serie 3:
 9.3 ↖ 7.2 ↗ 7.8 ↗ 9.3 ↖ 9.2 ↖
 9.5 → 8.2 ↗ 7.8 ↑ 9.1 ↗ 9.9 ↘
 beste Teiler 860.0 (30.) 1147.0 (26.) 1305.0 (24.)
 Trefferlage 6.15 mm rechts, 9.73 mm hoch
 Streuwert 11.18, horizontal: 13.52, vertikal: 8.18





Serie 4:
 9.6 ↗ 9.9 ↖ 8.3 ↖ 8.6 ↘ 9.7 ↖
 9.3 → 5.5 ↑ 8.3 ↖ 8.8 ← 8.8 →
 beste Teiler 817.0 (32.) 986.9 (35.) 1074.7 (31.)
 Trefferlage 1.05 mm links, 8.09 mm hoch
 Streuwert 13.99, horizontal: 13.61, vertikal: 14.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343.7** (325)
 Serien: 83.8 84.3 85.3 90.3
 Zähler: 2 14 13 9 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3915 (39), 3370 (20), 3147 (1)
 beste Teiler 447.8 (34.) 605.7 (23.) 828.5 (37.)
 Trefferlage 5.28 mm links, 1.84 mm hoch
 Streuwert 14.15, horizontal: 14.67, vertikal: 13.61




Serie 1:
 7.0 ↙ 8.0 ↙ 8.7 → 8.5 ↑ 8.9 ↓
 9.9 ↘ 8.9 ↘ 7.2 ← 8.4 ↘ 8.3 ↘
 beste Teiler 869.5 (6.) 1620.0 (5.) 1637.8 (7.)
 Trefferlage 7.25 mm links, 0.13 mm hoch
 Streuwert 15.11, horizontal: 15.83, vertikal: 14.36



Serie 2:
 7.9 ↘ 9.4 ↙ 7.1 ↙ 8.8 ← 9.4 ↓
 7.7 ↑ 9.1 → 9.2 ↙ 9.0 ↓ 6.7 ←
 beste Teiler 1237.4 (15.) 1270.8 (12.) 1398.9 (18.)
 Trefferlage 9.25 mm links, 2.55 mm tief
 Streuwert 14.30, horizontal: 12.84, vertikal: 15.64



Serie 3:
 7.1 ↗ 8.1 ↙ 10.2 ↘ 7.2 ↑ 8.2 ↓
 8.9 → 9.0 ↗ 7.9 ↑ 9.8 ↘ 8.9 ←
 beste Teiler 605.7 (23.) 899.3 (29.) 1543.7 (27.)
 Trefferlage 1.79 mm rechts, 6.26 mm hoch
 Streuwert 14.79, horizontal: 14.18, vertikal: 15.37





Serie 4:
 9.8 ↗ 7.9 ↘ 9.2 ↘ 10.4 * 9.6 ↑
 9.1 ↖ 9.9 ↘ 8.6 ← 6.1 ← 9.7 ↘
 beste Teiler 447.8 (34.) 828.5 (37.) 907.6 (31.)
 Trefferlage 6.42 mm links, 3.53 mm hoch
 Streuwert 12.31, horizontal: 15.41, vertikal: 8.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (350.4)
 Serien: 87 76 87 81
 Zähler: 4 15 14 5 1 0 0 1 0 0
 Innenzehner: 3
 weiteste: 6105 (19), 3866 (18), 2960 (34)
 beste Teiler 291.4 (10.) 333.4 (27.) 447.6 (13.)
 Trefferlage 0.51 mm links, 3.08 mm hoch
 Streuwert 14.37, horizontal: 14.35, vertikal: 14.39




Serie 1:
 9.6 ↙ 7.4 ↙ 8.7 ↙ 8.3 ↓ 9.9 ↓
 10.0 ↖ 8.8 ↗ 9.8 ↙ 9.4 ↘ 10.6 *
 beste Teiler 291.4 (10.) 799.4 (6.) 840.5 (5.)
 Trefferlage 4.24 mm links, 6.42 mm tief
 Streuwert 9.98, horizontal: 8.33, vertikal: 11.39



Serie 2:
 8.4 ↘ 8.9 ↙ 10.4 * 9.5 ↓ 8.4 →
 8.2 ↑ 9.4 ↖ 6.1 ↗ 3.3 ↘ 7.6 ↘
 beste Teiler 447.6 (13.) 1137.8 (14.) 1229.5 (17.)
 Trefferlage 3.90 mm links, 10.59 mm hoch
 Streuwert 19.03, horizontal: 18.45, vertikal: 19.59



Serie 3:
 9.1 ↖ 8.5 ↘ 8.8 ← 9.8 → 9.3 ↘
 9.1 ↑ 10.5 * 8.0 ↑ 9.7 → 8.3 →
 beste Teiler 333.4 (27.) 890.0 (24.) 991.1 (29.)
 Trefferlage 0.33 mm rechts, 5.50 mm hoch
 Streuwert 11.06, horizontal: 12.08, vertikal: 9.93





Serie 4:
 9.5 ↗ 9.2 ↘ 9.7 ← 7.3 → 9.4 ←
 8.9 ↘ 8.7 → 7.4 ↘ 7.8 ↘ 8.7 →
 beste Teiler 1014.0 (33.) 1171.5 (31.) 1242.3 (35.)
 Trefferlage 5.75 mm rechts, 2.64 mm hoch
 Streuwert 13.79, horizontal: 16.27, vertikal: 10.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (345.2)
 Serien: 77 87 79 83
 Zähler: 3 17 9 6 4 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4095 (32), 3866 (28), 3779 (9)
 beste Teiler 525.6 (18.) 695.1 (37.) 794.0 (40.)
 Trefferlage 2.59 mm links, 1.00 mm hoch
 Streuwert 14.73, horizontal: 15.57, vertikal: 13.84




Serie 1:
 8.7 ↘ 9.5 ↘ 9.6 ↘ 7.7 ↑ 9.3 ↓
 9.8 ← 7.5 ↙ 7.4 ↘ 6.2 ↗ 6.9 ←
 beste Teiler 931.7 (6.) 1102.6 (3.) 1148.0 (2.)
 Trefferlage 10.23 mm links, 6.05 mm hoch
 Streuwert 15.13, horizontal: 11.45, vertikal: 18.08



Serie 2:
 9.9 ↘ 9.0 ↓ 9.1 ↓ 8.3 ← 9.8 ↓
 7.4 ↓ 9.9 ↗ 10.3 → 8.9 ↓ 9.3 ↘
 beste Teiler 525.6 (18.) 811.7 (17.) 847.8 (11.)
 Trefferlage 1.68 mm links, 7.17 mm tief
 Streuwert 10.13, horizontal: 8.60, vertikal: 11.46



Serie 3:
 8.6 ↘ 9.2 ↑ 7.9 → 8.1 ← 9.3 ↑
 8.3 ↗ 8.5 → 6.1 ← 9.8 → 7.7 →
 beste Teiler 920.4 (29.) 1334.3 (25.) 1430.5 (22.)
 Trefferlage 0.48 mm rechts, 4.89 mm hoch
 Streuwert 16.17, horizontal: 20.83, vertikal: 9.43



Serie 4:
 9.0 ← 5.8 ↗ 9.7 ↓ 8.7 ↙ 6.7 →
 8.4 ← 10.1 ↙ 9.8 ↓ 9.0 ↗ 10.0 ←
 beste Teiler 695.1 (37.) 794.0 (40.) 924.1 (38.)
 Trefferlage 1.06 mm rechts, 0.25 mm hoch
 Streuwert 15.55, horizontal: 17.91, vertikal: 12.76

Unterschrift des Schützen