





Ergebnis:	<b>352</b>	(372.7)
Serien:	85	90 89 88
Zähler:	6	22 10 2 0 0 0 0 0 0
Innenzehner:	4	
weiteste:	964 (2),	832 (1), 682 (38)
beste Teiler	61.0 (34.)	100.2 (12.) 143.1 (23.)
Trefferlage	0.92 mm rechts, 0.68 mm hoch	
Streuwert	3.13, horizontal: 3.31, vertikal: 2.94	




Serie 1:	7.6 →	7.1 ↗	9.7 ↘	9.8 ↓	8.7 ↓
	9.4 ↘	9.8 ↘	9.0 ←	9.9 →	9.1 ←
beste Teiler	261.1 (9.) 288.6 (4.) 295.1 (7.)				
Trefferlage	1.58 mm rechts, 0.51 mm tief				
Streuwert	3.80, horizontal: 3.89, vertikal: 3.70				



Serie 2:	8.8 →	10.6 *	9.0 ↑	9.0 ↑	9.9 ↗
	9.9 ↗	9.9 ↘	8.7 ↘	10.0 ↗	9.4 ↓
beste Teiler	100.2 (12.) 226.6 (19.) 263.2 (15.)				
Trefferlage	1.25 mm rechts, 0.89 mm hoch				
Streuwert	2.67, horizontal: 2.05, vertikal: 3.17				



Serie 3:	10.1 →	9.9 ↑	10.4 *	8.7 ↘	8.4 ↗
	10.4 *	8.7 ←	9.9 →	9.8 ↓	8.9 ↘
beste Teiler	143.1 (23.) 147.0 (26.) 219.8 (21.)				
Trefferlage	0.00 mm , 1.28 mm hoch				
Streuwert	2.84, horizontal: 3.27, vertikal: 2.34				





Serie 4:	8.3 →	9.1 ↑	8.7 →	10.7 *	9.1 ↘
	9.9 ↘	9.5 ↑	8.2 ↘	9.2 ←	9.5 ↑
beste Teiler	61.0 (34.) 270.3 (36.) 354.0 (37.)				
Trefferlage	0.87 mm rechts, 1.08 mm hoch				
Streuwert	3.31, horizontal: 3.99, vertikal: 2.45				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>362</b>	(383.5)
Serien:	86	93 91 92
Zähler:	13	18 7 2 0 0 0 0 0 0
Innenzehner:	10	
weiteste:	830	(35), 796 (10), 728 (30)
beste Teiler	18.6	(29.) 18.7 (9.) 56.3 (13.)
Trefferlage	0.29 mm	rechts, 0.21 mm hoch
Streuwert	2.85,	horizontal: 3.32, vertikal: 2.27




Serie 1:	8.6 →	8.8 ↓	8.7 →	10.2 *	9.7 →
	8.6 ↑	9.1 ←	9.9 ↘	10.9 *	7.8 ↘
beste Teiler	18.7 (9.)	195.3 (4.)	253.3 (8.)		
Trefferlage	0.03 mm	links, 0.77 mm	hoch		
Streuwert	3.57,	horizontal: 3.71,	vertikal: 3.42		



Serie 2:	9.8 ↘	9.7 ↗	10.7 *	9.9 ↖	9.4 ↓
	9.7 ↙	9.9 ↓	9.4 ←	10.7 *	10.6 *
beste Teiler	56.3 (13.)	73.3 (19.)	76.5 (20.)		
Trefferlage	0.84 mm	links, 0.46 mm	tief		
Streuwert	1.91,	horizontal: 1.92,	vertikal: 1.89		



Serie 3:	10.0 ↗	8.8 →	9.1 ↘	9.5 →	9.8 ↑
	9.5 →	9.5 ↘	10.5 *	10.9 *	8.0 →
beste Teiler	18.6 (29.)	120.7 (28.)	240.8 (21.)		
Trefferlage	1.49 mm	rechts, 0.82 mm	hoch		
Streuwert	2.68,	horizontal: 3.46,	vertikal: 1.55		





Serie 4:	9.0 →	10.5 *	9.4 ←	10.0 ↓	7.6 →
	10.6 *	8.7 ↘	9.8 →	10.0 ↓	10.2 *
beste Teiler	97.4 (36.)	125.9 (32.)	177.5 (40.)		
Trefferlage	0.55 mm	rechts, 0.25 mm	tief		
Streuwert	3.03,	horizontal: 3.90,	vertikal: 1.77		


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (367.0)  
 Serien: 86 84 88 87  
 Zähler: 4 21 11 4 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 910 (24), 786 (6), 773 (36)  
 beste Teiler 61.5 (30.) 72.1 (19.) 127.0 (33.)  
 Trefferlage 0.00 mm , 0.26 mm hoch  
 Streuwert 3.48, horizontal: 4.03, vertikal: 2.83




Serie 1:  
 8.3 ↘ 8.9 ↘ 9.9 ↘ 9.9 ← 9.0 ↗  
 7.8 ← 9.9 ↖ 9.8 ↘ 9.1 ↖ 9.5 →  
 beste Teiler 252.8 (4.) 265.8 (7.) 269.6 (3.)  
 Trefferlage 1.64 mm links, 0.38 mm hoch  
 Streuwert 3.25, horizontal: 3.51, vertikal: 2.98



Serie 2:  
 8.7 ↖ 8.6 → 7.9 ↖ 9.3 → 8.6 →  
 8.9 ↖ 9.8 ← 8.3 → 10.7 \* 9.9 →  
 beste Teiler 72.1 (19.) 266.6 (20.) 279.5 (17.)  
 Trefferlage 0.62 mm rechts, 0.59 mm hoch  
 Streuwert 3.76, horizontal: 5.01, vertikal: 1.77





Serie 3:  
 9.6 ↗ 9.5 ↘ 8.2 ↖ 7.3 → 10.2 \*  
 9.0 ↖ 9.3 ↘ 9.7 ↘ 8.5 ↗ 10.7 \*  
 beste Teiler 61.5 (30.) 184.0 (25.) 321.5 (28.)  
 Trefferlage 0.83 mm rechts, 0.02 mm hoch  
 Streuwert 3.67, horizontal: 4.09, vertikal: 3.20




Serie 4:  
 8.4 ← 9.2 ↘ 10.4 \* 9.8 ↖ 9.0 ↗  
 7.9 ↘ 9.9 ↖ 8.7 ↑ 9.3 → 9.6 ↘  
 beste Teiler 127.0 (33.) 255.7 (37.) 296.8 (34.)  
 Trefferlage 0.22 mm rechts, 0.05 mm hoch  
 Streuwert 3.48, horizontal: 3.46, vertikal: 3.50

Unterschrift des Schützen


Ergebnis: **362** (382.8)  
 Serien: 90 92 88 92  
 Zähler: 13 16 11 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 737 (3), 699 (36), 670 (6)  
 beste Teiler 64.2 (12.) 80.6 (35.) 87.3 (5.)  
 Trefferlage 0.25 mm links, 0.94 mm tief  
 Streuwert 2.74, horizontal: 2.96, vertikal: 2.51




Serie 1:  
 9.9 ↙ 8.9 ↙ 8.0 ↓ 10.0 ↘ 10.6 \*  
 8.3 ↘ 9.7 ↙ 10.3 \* 8.7 → 10.1 ←  
 beste Teiler 87.3 (5.) 151.6 (8.) 206.7 (10.)  
 Trefferlage 0.16 mm rechts, 2.84 mm tief  
 Streuwert 2.43, horizontal: 2.62, vertikal: 2.22



Serie 2:  
 9.6 ← 10.7 \* 10.5 \* 8.6 ↑ 10.5 \*  
 8.5 ↖ 10.4 \* 8.8 ↙ 9.0 ↘ 10.4 \*  
 beste Teiler 64.2 (12.) 105.6 (15.) 111.9 (13.)  
 Trefferlage 1.44 mm links, 0.32 mm tief  
 Streuwert 2.61, horizontal: 2.22, vertikal: 2.95



Serie 3:  
 9.9 ↙ 9.2 ↖ 9.6 ↙ 9.9 ↖ 9.7 ↓  
 9.0 → 9.8 → 8.7 → 9.6 ↖ 8.9 ←  
 beste Teiler 260.1 (24.) 270.6 (21.) 294.0 (27.)  
 Trefferlage 0.41 mm links, 0.48 mm tief  
 Streuwert 2.93, horizontal: 3.67, vertikal: 1.92





Serie 4:  
 9.9 ↗ 10.6 \* 10.3 \* 9.9 ↙ 10.6 \*  
 8.2 ↗ 10.1 ↙ 9.4 → 9.2 ← 8.8 ↘  
 beste Teiler 80.6 (35.) 87.5 (32.) 174.8 (33.)  
 Trefferlage 0.66 mm rechts, 0.11 mm tief  
 Streuwert 2.68, horizontal: 3.14, vertikal: 2.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>364</b>	(378.6)
Serien:	92 93 90 89	
Zähler:	13 20 5 2 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	997 (33), 948 (23), 705 (17)	
beste Teiler	59.6 (35.) 101.7 (40.) 146.5 (25.)	
Trefferlage	0.34 mm rechts, 0.18 mm hoch	
Streuwert	3.03, horizontal: 3.06, vertikal: 3.00	




Serie 1:	9.5 →	9.0 ↗	9.1 ↙	10.3 *	9.0 ↑
	9.8 →	10.2 *	10.3 *	8.4 ↘	9.8 ↓
beste Teiler	151.8 (8.) 175.0 (4.) 182.7 (7.)				
Trefferlage	0.83 mm rechts, 0.42 mm hoch				
Streuwert	2.79, horizontal: 2.70, vertikal: 2.89				



Serie 2:	9.2 ↘	9.5 ↗	10.1 ↙	10.0 ←	10.1 ↙
	10.2 *	8.1 ↙	9.7 ↑	10.0 ↖	8.3 ←
beste Teiler	196.8 (16.) 216.0 (13.) 222.1 (15.)				
Trefferlage	1.02 mm links, 0.20 mm tief				
Streuwert	2.91, horizontal: 3.19, vertikal: 2.60				



Serie 3:	9.6 ↑	9.0 ←	7.2 ↖	9.6 ↗	10.4 *
	9.6 ↖	9.9 →	9.2 ↗	10.4 *	9.7 ↗
beste Teiler	146.5 (25.) 149.4 (29.) 267.5 (27.)				
Trefferlage	0.00 mm , 1.87 mm hoch				
Streuwert	2.91, horizontal: 2.87, vertikal: 2.94				





Serie 4:	9.3 →	9.5 ↓	7.0 ↓	9.5 →	10.7 *
	8.9 ←	9.3 →	10.0 ↙	8.7 →	10.5 *
beste Teiler	59.6 (35.) 101.7 (40.) 232.3 (38.)				
Trefferlage	1.57 mm rechts, 1.34 mm tief				
Streuwert	3.17, horizontal: 3.27, vertikal: 3.06				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.0)  
 Serien: 89 90 90 89  
 Zähler: 12 15 12 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 862 (14), 717 (10), 692 (27)  
 beste Teiler 74.8 (24.) 80.9 (34.) 92.0 (11.)  
 Trefferlage 0.57 mm rechts, 0.73 mm hoch  
 Streuwert 3.07, horizontal: 3.56, vertikal: 2.48




Serie 1:  
 9.6 ↑                      9.6 ↘                      9.1 ↙                      8.6 ↓                      8.6 ↗  
 9.4 →                      9.0 ←                      10.2 \*                      10.1 ↗                      8.1 ↖  
 beste Teiler 185.7 (8.) 204.3 (9.) 335.1 (2.)  
 Trefferlage 0.21 mm links, 0.06 mm tief  
 Streuwert 3.44, horizontal: 3.56, vertikal: 3.31



Serie 2:  
 10.6 \*                      10.3 \*                      10.2 \*                      7.5 ↖                      8.9 →  
 8.5 ←                      9.9 →                      10.0 ↘                      9.7 →                      9.3 ↗  
 beste Teiler 92.0 (11.) 175.6 (12.) 197.3 (13.)  
 Trefferlage 0.05 mm links, 0.88 mm hoch  
 Streuwert 3.17, horizontal: 3.96, vertikal: 2.09



Serie 3:  
 10.0 →                      8.6 ↖                      8.8 →                      10.7 \*                      10.1 ↖  
 9.8 ↘                      8.2 ↑                      9.8 ↘                      8.2 →                      10.1 →  
 beste Teiler 74.8 (24.) 207.5 (30.) 221.2 (25.)  
 Trefferlage 0.89 mm rechts, 1.09 mm hoch  
 Streuwert 3.07, horizontal: 3.46, vertikal: 2.63





Serie 4:  
 9.0 →                      8.9 →                      8.9 ↑                      10.6 \*                      9.4 ↖  
 8.7 →                      9.1 →                      9.6 ↗                      9.3 ←                      10.0 ↑  
 beste Teiler 80.9 (34.) 237.0 (40.) 332.5 (38.)  
 Trefferlage 1.68 mm rechts, 1.03 mm hoch  
 Streuwert 2.77, horizontal: 3.46, vertikal: 1.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>349</b>	(367.1)								
Serien:	86	85	89	89						
Zähler:	8	15	15	2	0	0	0	0	0	0
Innenzehner:	5									
weiteste:	860 (9), 838 (26), 722 (18)									
beste Teiler	57.2 (33.)	108.7 (21.)	153.3 (13.)							
Trefferlage	0.64 mm links, 0.59 mm hoch									
Streuwert	3.44, horizontal: 3.57, vertikal: 3.29									




Serie 1:	9.0 ↖	9.5 ↖	9.0 ↙	8.6 ↙	8.9 ↘
	9.1 ↗	8.5 ↗	10.1 ←	7.5 ↓	9.9 ↑
beste Teiler	220.6 (8.) 273.1 (10.) 366.9 (2.)				
Trefferlage	2.08 mm links, 0.24 mm tief				
Streuwert	3.52, horizontal: 2.86, vertikal: 4.07				



Serie 2:	8.1 ↖	8.4 ↑	10.3 *	9.5 ↓	8.6 ↖
	9.7 ←	8.1 ↖	8.1 →	8.4 →	9.5 ←
beste Teiler	153.3 (13.) 307.4 (16.) 364.1 (20.)				
Trefferlage	0.97 mm links, 1.46 mm hoch				
Streuwert	3.91, horizontal: 4.50, vertikal: 3.22				



Serie 3:	10.5 *	9.5 ←	10.3 *	9.8 ↓	8.1 ↗
	7.6 ↗	10.3 *	8.5 →	9.6 →	9.3 ↖
beste Teiler	108.7 (21.) 167.9 (23.) 174.2 (27.)				
Trefferlage	1.49 mm rechts, 0.87 mm hoch				
Streuwert	3.18, horizontal: 2.92, vertikal: 3.41				





Serie 4:	8.9 ↖	9.8 ↓	10.7 *	9.8 ↖	10.0 ↗
	9.8 ←	8.5 ←	10.1 ↗	8.7 ↖	8.5 ↖
beste Teiler	57.2 (33.) 222.9 (38.) 239.9 (35.)				
Trefferlage	1.02 mm links, 0.30 mm hoch				
Streuwert	2.94, horizontal: 3.26, vertikal: 2.58				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.7** (366)  
 Serien: 96.3 96.3 93.1 95.0  
 Zähler: 15 17 7 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 769 (22), 690 (16), 643 (31)  
 beste Teiler 69.7 (29.) 93.3 (25.) 113.5 (12.)  
 Trefferlage 0.37 mm links, 0.64 mm hoch  
 Streuwert 2.82, horizontal: 3.28, vertikal: 2.27




Serie 1:  
 10.0 ↘ 10.4 \* 10.0 ↗ 9.9 ↖ 9.9 →  
 10.2 \* 9.1 ↗ 8.6 ↘ 9.1 ← 9.1 ↖  
 beste Teiler 136.1 (2.) 182.8 (6.) 236.5 (1.)  
 Trefferlage 0.15 mm rechts, 0.34 mm hoch  
 Streuwert 2.67, horizontal: 2.62, vertikal: 2.72



Serie 2:  
 9.1 ↘ 10.5 \* 9.9 ← 10.0 ↗ 8.4 ↗  
 8.2 ↘ 9.8 ← 10.0 ← 10.1 ← 10.3 \*  
 beste Teiler 113.5 (12.) 173.4 (20.) 222.0 (19.)  
 Trefferlage 0.64 mm rechts, 0.27 mm tief  
 Streuwert 2.79, horizontal: 3.29, vertikal: 2.18



Serie 3:  
 10.1 ← 7.9 ↖ 8.8 → 9.2 ↑ 10.6 \*  
 9.5 ← 8.6 ↑ 9.3 ← 10.7 \* 8.4 ←  
 beste Teiler 69.7 (29.) 93.3 (25.) 219.3 (21.)  
 Trefferlage 1.57 mm links, 1.63 mm hoch  
 Streuwert 3.04, horizontal: 3.76, vertikal: 2.11



Serie 4:  
 8.4 ← 9.5 ↗ 9.4 ← 10.1 ↗ 9.8 ←  
 9.3 ↘ 9.1 ↖ 10.0 ↑ 9.2 ↑ 10.2 \*  
 beste Teiler 188.6 (40.) 216.9 (34.) 227.9 (38.)  
 Trefferlage 0.72 mm links, 0.87 mm hoch  
 Streuwert 2.74, horizontal: 3.39, vertikal: 1.88

Unterschrift des Schützen

Meyton Elektronik