





Ergebnis: **327** (345.0)  
 Serien: 83 74 85 85  
 Zähler: 6 13 10 7 3 0 0 1 0 0  
 Innenzehner: 2  
 weiteste: 6065 (18), 3902 (21), 3764 (33)  
 beste Teiler 212.9 (30.) 253.5 (37.) 556.8 (32.)  
 Trefferlage 5.53 mm links, 1.66 mm hoch  
 Streuwert 15.24, horizontal: 17.74, vertikal: 12.24




Serie 1:  
 10.0 →                      7.7 ←                      9.5 ↗                      8.6 ↘                      7.1 ←  
 9.7 ↓                      9.9 ↑                      9.6 ↖                      8.0 ↙                      7.8 ←  
 beste Teiler 774.4 (1.) 852.0 (7.) 1029.0 (6.)  
 Trefferlage 7.37 mm links, 0.21 mm hoch  
 Streuwert 13.20, horizontal: 16.89, vertikal: 7.96



Serie 2:  
 6.5 ←                      7.2 ←                      9.8 ↙                      9.7 ↘                      7.4 ←  
 9.2 ↙                      7.7 ←                      3.4 ↗                      8.5 ↑                      9.9 ↑  
 beste Teiler 869.8 (20.) 922.3 (13.) 984.8 (14.)  
 Trefferlage 8.24 mm links, 2.62 mm hoch  
 Streuwert 20.37, horizontal: 22.73, vertikal: 17.68



Serie 3:  
 6.1 ↙                      8.0 ←                      9.6 ↙                      9.7 ↑                      9.8 ↖  
 10.1 ←                      8.7 ↙                      8.4 ←                      8.4 ↘                      10.7 \*  
 beste Teiler 212.9 (30.) 645.4 (26.) 922.2 (25.)  
 Trefferlage 8.81 mm links, 2.91 mm tief  
 Streuwert 12.24, horizontal: 14.44, vertikal: 9.56





Serie 4:  
 10.0 ←                      10.3 ↖                      6.2 →                      8.5 ←                      9.3 ↖  
 7.1 ↑                      10.6 \*                      9.1 ↙                      8.4 ↗                      8.8 ↗  
 beste Teiler 253.5 (37.) 556.8 (32.) 787.1 (31.)  
 Trefferlage 2.28 mm rechts, 6.74 mm hoch  
 Streuwert 13.93, horizontal: 16.18, vertikal: 11.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>323</b>	(342.7)
Serien:	78 82 84 79	
Zähler:	4 11 16 4 4 0 1 0 0 0	
Innenzehner:	0	
weiteste:	4862 (13), 3758 (38), 3684 (5)	
beste Teiler	486.0 (37.) 577.3 (11.) 694.7 (20.)	
Trefferlage	7.54 mm links, 0.00 mm	
Streuwert	14.26, horizontal: 15.24, vertikal: 13.21	




Serie 1:	10.0 ↘	6.9 ←	7.7 ↖	7.8 ←	6.3 ←
	9.6 ←	8.5 ←	9.6 ↖	8.0 ↗	8.8 ←
beste Teiler	740.5 (1.) 1044.6 (8.) 1083.1 (6.)				
Trefferlage	17.09 mm links, 2.93 mm tief				
Streuwert	11.23, horizontal: 12.27, vertikal: 10.09				



Serie 2:	10.2 ←	8.2 ↑	4.9 ←	8.8 ↖	9.3 ↗
	9.7 →	8.4 ↗	8.3 ←	8.3 ↗	10.1 ↗
beste Teiler	577.3 (11.) 694.7 (20.) 971.2 (16.)				
Trefferlage	7.61 mm links, 0.71 mm hoch				
Streuwert	15.33, horizontal: 17.12, vertikal: 13.29				



Serie 3:	9.2 →	9.8 ↑	9.3 ↗	9.8 ↗	8.8 ↑
	8.1 ↖	6.8 ↗	9.6 ↑	8.6 ↗	9.5 ↓
beste Teiler	913.3 (22.) 940.3 (24.) 1076.3 (28.)				
Trefferlage	5.87 mm links, 1.31 mm tief				
Streuwert	12.27, horizontal: 11.21, vertikal: 13.25				





Serie 4:	9.8 ↖	8.1 ↓	7.4 ↗	8.4 ←	7.8 ↗
	8.6 ←	10.3 →	6.3 ↗	8.6 ↑	8.5 ↑
beste Teiler	486.0 (37.) 938.7 (31.) 1886.5 (36.)				
Trefferlage	0.40 mm rechts, 3.51 mm hoch				
Streuwert	16.42, horizontal: 16.21, vertikal: 16.63				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (342.0)  
 Serien: 86 74 81 82  
 Zähler: 9 13 8 5 0 1 2 1 0 1  
 Innenzehner: 4  
 weiteste: 7226 (14), 5819 (35), 5512 (12)  
 beste Teiler 322.0 (1.) 391.8 (8.) 420.4 (37.)  
 Trefferlage 3.23 mm links, 0.64 mm hoch  
 Streuwert 17.84, horizontal: 14.58, vertikal: 20.59




Serie 1:  
 10.5 \*                      9.4 ↘                      8.7 ↑                      7.2 ↓                      9.6 ↓  
 9.2 ↘                      7.4 ↑                      10.5 \*                      10.4 \*                      7.8 ↘  
 beste Teiler 322.0 (1.) 391.8 (8.) 420.8 (9.)  
 Trefferlage 4.10 mm links, 4.89 mm hoch  
 Streuwert 12.39, horizontal: 9.27, vertikal: 14.87



Serie 2:  
 9.5 ↑                      4.1 ↑                      8.5 ↑                      1.9 ↓                      9.6 ↖  
 7.9 ↗                      9.4 ↙                      8.9 →                      9.3 ↑                      10.1 ↘  
 beste Teiler 667.2 (20.) 1041.3 (15.) 1122.3 (11.)  
 Trefferlage 5.04 mm rechts, 5.48 mm hoch  
 Streuwert 23.01, horizontal: 10.24, vertikal: 30.89



Serie 3:  
 8.0 ←                      5.3 ↓                      8.8 ←                      7.4 ←                      9.8 ↓  
 10.2 ↖                      8.0 ↙                      9.2 →                      8.7 ↘                      9.9 ↙  
 beste Teiler 594.5 (26.) 823.2 (30.) 947.4 (25.)  
 Trefferlage 11.43 mm links, 6.33 mm tief  
 Streuwert 13.59, horizontal: 13.24, vertikal: 13.94





Serie 4:  
 10.1 ↑                      9.9 ←                      10.3 ↓                      4.3 ↗                      3.7 ↙  
 8.7 ↖                      10.4 \*                      10.0 ↓                      9.9 ↗                      9.5 ←  
 beste Teiler 420.4 (37.) 493.6 (33.) 720.2 (31.)  
 Trefferlage 2.45 mm links, 1.46 mm tief  
 Streuwert 19.56, horizontal: 20.05, vertikal: 19.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (349.7)  
 Serien: 77 87 82 83  
 Zähler: 8 8 12 10 1 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4224 (36), 3619 (4), 3188 (30)  
 beste Teiler 143.9 (26.) 231.7 (14.) 460.6 (1.)  
 Trefferlage 5.06 mm links, 4.14 mm hoch  
 Streuwert 13.65, horizontal: 14.73, vertikal: 12.48




Serie 1:  
 10.4 \* 7.5 ↙ 7.5 ↗ 6.4 ← 7.9 ↙  
 8.8 ↘ 8.4 ↑ 7.7 ↙ 8.5 ← 9.4 ↑  
 beste Teiler 460.6 (1.) 1238.9 (10.) 1726.6 (6.)  
 Trefferlage 10.62 mm links, 2.55 mm hoch  
 Streuwert 15.34, horizontal: 14.86, vertikal: 15.81



Serie 2:  
 7.4 ↑ 10.1 → 9.2 ← 10.7 \* 9.0 ↙  
 8.0 ↘ 8.7 ↑ 10.2 ← 8.9 ↘ 8.8 ↗  
 beste Teiler 231.7 (14.) 603.6 (18.) 690.7 (12.)  
 Trefferlage 3.02 mm links, 6.35 mm hoch  
 Streuwert 11.31, horizontal: 11.15, vertikal: 11.47



Serie 3:  
 7.5 ↑ 9.4 ↗ 8.5 ↘ 8.5 ↙ 7.6 ↘  
 10.8 \* 10.3 ← 7.6 ← 9.9 ↘ 7.0 ←  
 beste Teiler 143.9 (26.) 558.5 (27.) 834.1 (29.)  
 Trefferlage 9.58 mm links, 4.38 mm hoch  
 Streuwert 13.16, horizontal: 12.94, vertikal: 13.37





Serie 4:  
 10.0 ↑ 9.8 ↑ 7.8 ↙ 10.4 \* 8.6 →  
 5.7 ↗ 8.9 ← 9.8 → 8.9 ↗ 9.2 ←  
 beste Teiler 472.8 (34.) 738.4 (31.) 932.3 (32.)  
 Trefferlage 2.97 mm rechts, 3.30 mm hoch  
 Streuwert 14.13, horizontal: 17.13, vertikal: 10.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (363.6)  
 Serien: 81 88 90 84  
 Zähler: 10 12 11 6 0 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4222 (4), 2837 (38), 2808 (1)  
 beste Teiler 212.5 (23.) 288.3 (35.) 487.4 (27.)  
 Trefferlage 0.63 mm rechts, 3.08 mm tief  
 Streuwert 12.08, horizontal: 11.62, vertikal: 12.53




Serie 1:  
 7.4 ↘                      9.6 ↘                      7.9 →                      5.7 ↓                      10.2 ↗  
 9.8 ↓                      9.3 ↘                      10.1 ↑                      8.9 ↙                      7.6 →  
 beste Teiler 631.5 (5.) 650.5 (8.) 906.0 (6.)  
 Trefferlage 9.91 mm rechts, 7.37 mm tief  
 Streuwert 13.08, horizontal: 12.29, vertikal: 13.82



Serie 2:  
 7.9 ↙                      10.0 ↗                      9.0 ↓                      9.1 ↙                      10.3 ←  
 9.9 →                      8.7 ↗                      8.9 ↑                      10.2 ↗                      8.6 ↘  
 beste Teiler 522.8 (15.) 567.8 (19.) 796.3 (12.)  
 Trefferlage 1.90 mm links, 1.02 mm hoch  
 Streuwert 10.98, horizontal: 10.02, vertikal: 11.86





Serie 3:  
 9.9 ↙                      8.3 ↓                      10.7 \*                      10.1 ↘                      9.9 ↗  
 8.7 ↓                      10.3 ↙                      9.1 ↘                      9.5 ↘                      8.2 ↙  
 beste Teiler 212.5 (23.) 487.4 (27.) 662.9 (24.)  
 Trefferlage 2.21 mm links, 6.61 mm tief  
 Streuwert 8.54, horizontal: 7.58, vertikal: 9.40




Serie 4:  
 9.8 ↓                      8.1 ↗                      8.9 ↓                      7.7 ↙                      10.6 \*  
 10.2 ↘                      8.8 →                      7.4 ↘                      9.9 ←                      8.4 ↙  
 beste Teiler 288.3 (35.) 571.1 (36.) 833.8 (39.)  
 Trefferlage 3.24 mm links, 0.65 mm hoch  
 Streuwert 13.01, horizontal: 12.13, vertikal: 13.84

Unterschrift des Schützen


Ergebnis: **356.0** (336)  
 Serien: 88.2 87.1 91.0 89.7  
 Zähler: 7 12 14 5 1 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4306 (36), 3292 (38), 3130 (23)  
 beste Teiler 160.2 (10.) 160.5 (37.) 204.7 (39.)  
 Trefferlage 5.19 mm links, 2.25 mm hoch  
 Streuwert 12.82, horizontal: 14.55, vertikal: 10.83




Serie 1:  
 9.5 ↘                      7.8 ←                      8.3 ↗                      8.5 ↙                      8.3 ←  
 9.5 ↗                      8.0 ↖                      9.3 ↗                      8.2 →                      10.8 \*  
 beste Teiler 160.2 (10.) 1154.0 (1.) 1186.9 (6.)  
 Trefferlage 2.91 mm links, 4.17 mm hoch  
 Streuwert 13.32, horizontal: 16.59, vertikal: 8.93



Serie 2:  
 7.9 ↑                      10.5 \*                      8.4 ↙                      8.2 ←                      8.4 ↖  
 10.0 ↙                      7.8 ←                      7.5 ↓                      9.4 ↖                      9.0 ↗  
 beste Teiler 333.2 (12.) 777.2 (16.) 1236.5 (19.)  
 Trefferlage 7.37 mm links, 1.04 mm hoch  
 Streuwert 13.29, horizontal: 11.44, vertikal: 14.92



Serie 3:  
 9.1 ←                      9.4 ↓                      7.0 →                      9.9 ↙                      10.5 \*  
 8.8 ←                      8.7 ↙                      9.6 ←                      8.4 ↙                      9.6 ↖  
 beste Teiler 376.9 (25.) 861.4 (24.) 1068.0 (28.)  
 Trefferlage 6.01 mm links, 2.95 mm tief  
 Streuwert 11.19, horizontal: 13.77, vertikal: 7.81





Serie 4:  
 9.5 →                      8.9 ↗                      8.9 ←                      10.4 ↖                      9.9 ↑  
 5.6 ←                      10.8 \*                      6.8 ↑                      10.7 \*                      8.2 ←  
 beste Teiler 160.5 (37.) 204.7 (39.) 478.0 (34.)  
 Trefferlage 4.45 mm links, 6.76 mm hoch  
 Streuwert 14.05, horizontal: 17.58, vertikal: 9.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (364.3)  
 Serien: 86 80 88 94  
 Zähler: 12 12 13 2 0 0 0 0 1 0  
 Innenzehner: 3  
 weiteste: 6973 (15), 2648 (14), 2473 (7)  
 beste Teiler 295.8 (8.) 414.2 (11.) 466.4 (22.)  
 Trefferlage 0.21 mm rechts, 2.63 mm tief  
 Streuwert 13.01, horizontal: 16.45, vertikal: 8.24




Serie 1:  
 9.1 ↘                      9.4 ←                      8.9 ↑                      9.7 ↓                      10.1 ↑  
 8.1 ↙                      7.9 ←                      10.6 \*                      8.1 ←                      8.6 →  
 beste Teiler 295.8 (8.) 643.2 (5.) 1020.3 (4.)  
 Trefferlage 4.71 mm links, 3.11 mm tief  
 Streuwert 11.78, horizontal: 12.40, vertikal: 11.12



Serie 2:  
 10.4 \*                      9.6 ↘                      8.2 ←                      7.6 →                      2.2 →  
 8.8 ↗                      8.2 ←                      10.0 ←                      9.2 ←                      9.3 ↘  
 beste Teiler 414.2 (11.) 769.1 (18.) 1119.0 (12.)  
 Trefferlage 6.17 mm rechts, 1.43 mm tief  
 Streuwert 19.78, horizontal: 26.44, vertikal: 9.10



Serie 3:  
 9.0 ←                      10.4 \*                      8.9 ↓                      8.9 →                      9.8 ↖  
 9.3 →                      8.7 ←                      10.1 ←                      8.8 ←                      9.2 ↙  
 beste Teiler 466.4 (22.) 678.6 (28.) 886.4 (25.)  
 Trefferlage 4.17 mm links, 3.41 mm tief  
 Streuwert 9.49, horizontal: 11.97, vertikal: 6.07





Serie 4:  
 10.3 ←                      8.9 ↓                      8.1 →                      10.1 ↓                      10.0 →  
 9.3 ↘                      10.1 →                      9.9 ←                      10.3 →                      10.2 ↘  
 beste Teiler 496.7 (39.) 551.9 (31.) 637.6 (40.)  
 Trefferlage 3.57 mm rechts, 2.57 mm tief  
 Streuwert 7.88, horizontal: 8.72, vertikal: 6.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (366.0)  
 Serien: 88 83 83 91  
 Zähler: 8 16 12 1 3 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3776 (3), 3550 (16), 3319 (21)  
 beste Teiler 254.0 (7.) 318.8 (9.) 355.1 (29.)  
 Trefferlage 1.59 mm links, 7.83 mm tief  
 Streuwert 10.42, horizontal: 11.05, vertikal: 9.75




Serie 1:  
 9.7 ↘                      9.8 ↗                      6.2 ↓                      8.6 ↓                      9.8 ↓  
 9.5 ↘                      10.6 \*                      10.1 ↙                      10.6 \*                      8.8 ←  
 beste Teiler 254.0 (7.) 318.8 (9.) 660.8 (8.)  
 Trefferlage 0.28 mm links, 8.40 mm tief  
 Streuwert 10.12, horizontal: 7.35, vertikal: 12.28



Serie 2:  
 8.5 ↙                      8.1 →                      8.8 ↓                      10.1 ↘                      8.8 ↙  
 6.5 ↓                      9.4 ←                      9.7 ↓                      8.9 ←                      9.7 →  
 beste Teiler 666.2 (14.) 961.6 (20.) 1007.3 (18.)  
 Trefferlage 1.60 mm links, 8.62 mm tief  
 Streuwert 12.12, horizontal: 12.86, vertikal: 11.33



Serie 3:  
 6.8 ↘                      8.6 →                      9.8 ↓                      8.1 ←                      8.6 ↓  
 9.0 ↙                      8.6 ←                      9.9 ↘                      10.5 \*                      8.8 ←  
 beste Teiler 355.1 (29.) 808.2 (28.) 882.3 (23.)  
 Trefferlage 2.02 mm links, 8.80 mm tief  
 Streuwert 11.89, horizontal: 15.04, vertikal: 7.52



Serie 4:  
 9.7 ←                      7.6 ↙                      10.5 \*                      9.2 →                      9.8 ↓  
 10.2 ↘                      10.1 ↙                      9.2 ↙                      9.6 ←                      9.2 ↘  
 beste Teiler 383.4 (33.) 574.5 (36.) 708.1 (37.)  
 Trefferlage 2.45 mm links, 5.52 mm tief  
 Streuwert 8.61, horizontal: 8.95, vertikal: 8.26

Unterschrift des Schützen

Meyton Elektronik