





Ergebnis: **363** (380.4)
 Serien: 91 91 89 92
 Zähler: 15 17 5 2 1 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1054 (21), 862 (34), 854 (17)
 beste Teiler 74.8 (33.) 88.5 (29.) 102.8 (20.)
 Trefferlage 0.23 mm rechts, 0.63 mm tief
 Streuwert 2.97, horizontal: 3.36, vertikal: 2.52




Serie 1:
 9.8 ↑ 8.9 ← 10.2 * 9.7 ↓ 9.4 ↓
 8.8 → 9.2 ↘ 9.9 ↖ 10.0 ↘ 10.5 *
 beste Teiler 122.0 (10.) 184.0 (3.) 228.2 (9.)
 Trefferlage 0.67 mm rechts, 0.71 mm tief
 Streuwert 2.50, horizontal: 2.75, vertikal: 2.24



Serie 2:
 9.7 ↓ 9.2 ← 8.6 ↖ 10.3 * 10.2 *
 9.4 → 7.5 ↘ 10.3 * 9.5 ↓ 10.5 *
 beste Teiler 102.8 (20.) 154.2 (18.) 156.1 (14.)
 Trefferlage 0.75 mm rechts, 0.41 mm tief
 Streuwert 3.05, horizontal: 3.54, vertikal: 2.46



Serie 3:
 6.7 ↘ 9.0 ↖ 9.3 ← 10.3 * 9.5 ↘
 10.3 * 8.7 ← 9.0 → 10.6 * 9.8 ↗
 beste Teiler 88.5 (29.) 168.5 (24.) 170.4 (26.)
 Trefferlage 0.16 mm links, 0.77 mm tief
 Streuwert 3.56, horizontal: 4.10, vertikal: 2.92





Serie 4:
 10.4 * 10.2 * 10.7 * 7.5 ↓ 8.6 ↖
 10.1 ↓ 9.2 ↖ 10.1 ↓ 9.4 → 9.4 ↖
 beste Teiler 74.8 (33.) 145.0 (31.) 176.9 (32.)
 Trefferlage 0.32 mm links, 0.65 mm tief
 Streuwert 3.07, horizontal: 3.30, vertikal: 2.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.2)
 Serien: 89 91 87 94
 Zähler: 15 14 8 3 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 994 (37), 981 (18), 898 (24)
 beste Teiler 13.8 (31.) 60.3 (36.) 71.1 (20.)
 Trefferlage 0.85 mm links, 0.39 mm tief
 Streuwert 3.13, horizontal: 3.35, vertikal: 2.90




Serie 1:
 9.8 ↗ 8.8 ↙ 9.5 ↘ 8.2 ↖ 9.9 ↗
 10.0 ↘ 10.2 * 8.9 ↗ 10.1 ↗ 8.0 ↖
 beste Teiler 190.3 (7.) 218.0 (9.) 233.2 (6.)
 Trefferlage 1.65 mm links, 0.91 mm hoch
 Streuwert 3.02, horizontal: 3.43, vertikal: 2.55



Serie 2:
 9.9 ↗ 10.2 * 10.5 * 8.9 ↗ 9.7 ↘
 9.3 ↘ 10.4 * 7.0 ↖ 9.0 ↗ 10.7 *
 beste Teiler 71.1 (20.) 103.4 (13.) 140.1 (17.)
 Trefferlage 0.12 mm rechts, 0.06 mm hoch
 Streuwert 3.21, horizontal: 3.81, vertikal: 2.46



Serie 3:
 9.6 ↘ 8.8 ← 10.2 * 7.4 ↘ 9.3 ←
 9.8 ← 9.5 ↓ 8.1 ↗ 9.5 ↓ 9.6 ↘
 beste Teiler 200.8 (23.) 299.2 (26.) 340.8 (21.)
 Trefferlage 0.38 mm links, 1.06 mm tief
 Streuwert 3.56, horizontal: 3.62, vertikal: 3.51





Serie 4:
 10.9 * 10.3 * 10.0 ↘ 10.1 ↗ 10.3 *
 10.7 * 7.0 ↖ 8.6 ↖ 10.4 * 9.1 ↘
 beste Teiler 13.8 (31.) 60.3 (36.) 139.0 (39.)
 Trefferlage 1.49 mm links, 1.48 mm tief
 Streuwert 2.68, horizontal: 2.59, vertikal: 2.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (364.3)
 Serien: 90 85 88 83
 Zähler: 11 13 10 3 3 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1050 (31), 1035 (24), 1023 (12)
 beste Teiler 65.8 (35.) 78.3 (9.) 122.4 (26.)
 Trefferlage 0.57 mm links, 0.68 mm tief
 Streuwert 3.76, horizontal: 4.23, vertikal: 3.23




Serie 1:
 9.6 ← 9.3 ↑ 10.2 * 8.7 → 10.1 ↙
 8.8 → 7.9 ↙ 9.3 ↖ 10.6 * 10.4 *
 beste Teiler 78.3 (9.) 138.7 (10.) 197.4 (3.)
 Trefferlage 0.24 mm links, 0.28 mm hoch
 Streuwert 3.09, horizontal: 3.78, vertikal: 2.19



Serie 2:
 9.8 ↘ 6.9 ↘ 10.2 * 9.0 ↗ 9.7 ↙
 8.7 ↗ 9.5 ← 8.0 ↘ 9.2 ↘ 8.5 ↙
 beste Teiler 187.4 (13.) 281.9 (11.) 302.6 (15.)
 Trefferlage 0.29 mm links, 1.26 mm tief
 Streuwert 4.02, horizontal: 3.87, vertikal: 4.17



Serie 3:
 7.2 → 8.4 ← 9.3 ↘ 6.8 → 10.4 *
 10.5 * 10.1 ← 9.4 → 10.2 * 9.0 ↘
 beste Teiler 122.4 (26.) 147.0 (25.) 195.2 (29.)
 Trefferlage 1.16 mm rechts, 0.37 mm hoch
 Streuwert 3.99, horizontal: 5.27, vertikal: 2.01





Serie 4:
 6.8 ↘ 8.9 ↓ 10.0 ↖ 7.3 ← 10.7 *
 8.5 ← 8.9 ← 9.8 ↑ 9.2 ↙ 8.5 ↓
 beste Teiler 65.8 (35.) 239.7 (33.) 277.5 (38.)
 Trefferlage 2.94 mm links, 2.13 mm tief
 Streuwert 3.51, horizontal: 3.25, vertikal: 3.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (371.1)
 Serien: 89 86 87 89
 Zähler: 4 25 9 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 872 (36), 813 (17), 732 (24)
 beste Teiler 90.9 (40.) 164.0 (15.) 170.1 (2.)
 Trefferlage 0.69 mm rechts, 1.74 mm hoch
 Streuwert 2.94, horizontal: 2.94, vertikal: 2.94




Serie 1:
 8.6 ↗ 10.3 * 9.1 ↑ 8.9 ↑ 9.0 →
 9.7 ↑ 9.6 ↘ 9.8 ↘ 9.1 → 9.2 ↑
 beste Teiler 170.1 (2.) 294.2 (8.) 303.1 (6.)
 Trefferlage 1.77 mm rechts, 2.09 mm hoch
 Streuwert 2.41, horizontal: 2.02, vertikal: 2.74



Serie 2:
 8.8 ↖ 8.5 ↗ 9.4 ↑ 9.4 → 10.3 *
 9.5 ↑ 7.7 ↖ 9.5 ↗ 8.5 → 9.6 ↑
 beste Teiler 164.0 (15.) 329.6 (20.) 354.1 (18.)
 Trefferlage 0.50 mm rechts, 1.47 mm hoch
 Streuwert 3.48, horizontal: 4.15, vertikal: 2.64



Serie 3:
 9.5 → 9.3 ↖ 9.8 ↘ 8.0 ↑ 9.9 ←
 9.4 ↑ 8.6 ↖ 9.9 ↘ 8.9 ↖ 9.7 ↗
 beste Teiler 257.7 (25.) 259.7 (28.) 278.5 (23.)
 Trefferlage 0.38 mm links, 1.85 mm hoch
 Streuwert 2.96, horizontal: 2.86, vertikal: 3.06



Serie 4:
 9.9 ↑ 9.3 ↖ 8.9 ↘ 9.0 ↓ 9.5 ↑
 7.5 ↑ 9.1 → 9.7 ↑ 10.1 ↑ 10.6 *
 beste Teiler 90.9 (40.) 206.0 (39.) 270.2 (31.)
 Trefferlage 0.90 mm rechts, 1.54 mm hoch
 Streuwert 3.04, horizontal: 2.28, vertikal: 3.64

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **350** (368.2)

Serien: 91 82 86 91

Zähler: 10 16 11 1 1 1 0 0 0 0



Innenzehner: 7

weiteste: 1486 (17), 1162 (20), 826 (3)

beste Teiler 43.7 (31.) 63.8 (1.) 65.3 (36.)

Trefferlage 1.10 mm rechts, 0.39 mm tief

Streuwert 3.64, horizontal: 3.89, vertikal: 3.36




Serie 1:

10.7 *	9.1 ↘	7.6 →	9.5 →	9.5 ↓
8.4 ←	10.0 ↙	9.9 ↖	10.3 *	10.2 *

beste Teiler 63.8 (1.) 173.6 (9.) 176.1 (10.)

Trefferlage 0.63 mm rechts, 0.72 mm tief

Streuwert 3.04, horizontal: 4.01, vertikal: 1.55




Serie 2:

9.8 ↗	9.8 ←	9.6 ↗	8.1 →	9.8 ↖
10.5 *	5.0 ↓	9.6 ↑	8.2 →	6.3 →

beste Teiler 123.9 (16.) 277.4 (11.) 292.9 (15.)

Trefferlage 1.83 mm rechts, 0.29 mm tief

Streuwert 5.10, horizontal: 5.46, vertikal: 4.73




Serie 3:

9.7 ↖	8.5 ↘	10.0 ↓	8.8 ←	9.0 ↗
8.6 ↖	8.8 ↓	8.9 ↗	9.0 ↑	9.9 ↘

beste Teiler 231.9 (23.) 262.0 (30.) 305.1 (21.)

Trefferlage 0.44 mm rechts, 0.50 mm hoch

Streuwert 3.47, horizontal: 3.27, vertikal: 3.67



Serie 4:

10.8 *	8.2 ↘	9.0 →	10.4 *	9.4 →
10.7 *	9.9 ↖	10.0 ↖	8.0 ↓	8.7 →

beste Teiler 43.7 (31.) 65.3 (36.) 131.0 (34.)



Trefferlage 1.51 mm rechts, 1.05 mm tief

Streuwert 2.92, horizontal: 2.78, vertikal: 3.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (373.9)
 Serien: 88 89 88 91
 Zähler: 11 18 7 4 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 953 (30), 943 (8), 792 (26)
 beste Teiler 34.4 (15.) 65.7 (40.) 110.4 (17.)
 Trefferlage 0.33 mm links, 0.89 mm hoch
 Streuwert 3.20, horizontal: 3.97, vertikal: 2.17




Serie 1:
 9.4 ↗ 8.3 ↖ 9.4 ↘ 10.3 * 8.9 →
 9.2 ↖ 8.7 ↖ 7.2 ↖ 10.2 * 10.3 *
 beste Teiler 158.9 (10.) 169.0 (4.) 198.0 (9.)
 Trefferlage 1.84 mm links, 0.89 mm hoch
 Streuwert 3.38, horizontal: 4.22, vertikal: 2.25



Serie 2:
 9.7 ↘ 9.3 ↖ 9.3 ↖ 9.4 ↖ 10.8 *
 9.5 ↗ 10.5 * 8.6 ↗ 7.9 ↗ 9.0 ↖
 beste Teiler 34.4 (15.) 110.4 (17.) 307.5 (11.)
 Trefferlage 0.23 mm rechts, 1.44 mm hoch
 Streuwert 3.05, horizontal: 3.86, vertikal: 1.93



Serie 3:
 9.8 ↘ 10.1 ↓ 8.2 ↖ 9.5 ↖ 10.3 *
 7.8 ↖ 8.7 ↗ 10.1 ↘ 10.3 * 7.1 →
 beste Teiler 154.0 (29.) 155.2 (25.) 218.7 (28.)
 Trefferlage 0.20 mm rechts, 0.05 mm tief
 Streuwert 3.87, horizontal: 5.16, vertikal: 1.82





Serie 4:
 9.4 ↑ 9.6 ↖ 9.3 ↘ 9.4 ↖ 9.8 ↖
 8.8 ↘ 10.2 * 9.6 ↗ 9.3 ↖ 10.7 *
 beste Teiler 65.7 (40.) 187.0 (37.) 285.7 (35.)
 Trefferlage 0.08 mm rechts, 1.27 mm hoch
 Streuwert 2.51, horizontal: 2.39, vertikal: 2.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (356.8)
 Serien: 86 86 87 80
 Zähler: 5 17 13 3 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 1345 (32), 1003 (37), 873 (40)
 beste Teiler 62.0 (9.) 163.5 (25.) 195.2 (7.)
 Trefferlage 0.75 mm rechts, 2.22 mm hoch
 Streuwert 3.68, horizontal: 4.30, vertikal: 2.92




Serie 1:
 8.3 ← 8.1 ↗ 9.4 ↑ 8.7 → 8.0 ↑
 9.2 ↑ 10.2 * 8.9 ↘ 10.7 * 8.8 →
 beste Teiler 62.0 (9.) 195.2 (7.) 383.2 (3.)
 Trefferlage 1.09 mm rechts, 2.38 mm hoch
 Streuwert 3.39, horizontal: 4.01, vertikal: 2.64



Serie 2:
 8.3 → 8.7 ↘ 10.1 ↓ 8.4 ← 9.6 ↑
 9.3 ↗ 9.3 ↑ 9.2 ↗ 9.3 ↘ 7.8 ←
 beste Teiler 210.9 (13.) 327.5 (15.) 405.5 (19.)
 Trefferlage 0.05 mm links, 1.05 mm hoch
 Streuwert 3.72, horizontal: 4.44, vertikal: 2.83





Serie 3:
 9.0 → 8.2 ↘ 9.0 ↘ 9.3 ↑ 10.3 *
 9.8 ↓ 9.7 ↑ 7.9 → 9.8 ↘ 8.2 ↘
 beste Teiler 163.5 (25.) 282.4 (29.) 295.6 (26.)
 Trefferlage 0.04 mm links, 2.71 mm hoch
 Streuwert 3.08, horizontal: 3.67, vertikal: 2.36




Serie 4:
 9.3 ↑ 5.6 → 9.8 ↘ 8.5 ↘ 9.8 ↑
 8.0 ↗ 6.9 ↑ 10.0 ↑ 9.9 ↗ 7.5 →
 beste Teiler 236.0 (38.) 264.0 (39.) 285.3 (33.)
 Trefferlage 2.03 mm rechts, 2.75 mm hoch
 Streuwert 4.59, horizontal: 5.26, vertikal: 3.79

Unterschrift des Schützen


Ergebnis: **372.1** (351)
 Serien: 89.8 93.6 95.2 93.5
 Zähler: 10 17 8 4 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1008 (5), 997 (7), 834 (11)
 beste Teiler 7.8 (18.) 116.8 (6.) 123.5 (24.)
 Trefferlage 0.15 mm rechts, 0.02 mm hoch
 Streuwert 3.39, horizontal: 3.60, vertikal: 3.17




Serie 1:
 9.4 ↘ 9.7 ↙ 7.7 ← 9.6 ↖ 6.9 ↘
 10.5 * 7.0 ← 9.7 ↙ 9.5 → 9.8 ↖
 beste Teiler 116.8 (6.) 298.9 (10.) 306.6 (2.)
 Trefferlage 1.76 mm links, 1.10 mm tief
 Streuwert 4.04, horizontal: 4.61, vertikal: 3.39



Serie 2:
 7.6 ↖ 9.7 → 8.7 ↗ 10.0 ↓ 9.3 ↙
 10.0 ← 9.7 → 10.9 * 8.6 → 9.1 ↑
 beste Teiler 7.8 (18.) 227.1 (16.) 228.6 (14.)
 Trefferlage 0.55 mm rechts, 0.98 mm hoch
 Streuwert 3.29, horizontal: 3.77, vertikal: 2.71



Serie 3:
 10.0 ↗ 10.1 ↗ 9.9 ↘ 10.5 * 10.0 ↗
 8.9 ↓ 8.8 ↖ 8.9 ↖ 8.5 ↓ 9.6 ↘
 beste Teiler 123.5 (24.) 206.3 (22.) 236.2 (21.)
 Trefferlage 0.09 mm rechts, 0.09 mm tief
 Streuwert 2.95, horizontal: 2.08, vertikal: 3.61



Serie 4:
 8.8 ↘ 9.7 ↗ 10.0 ← 9.7 ↓ 7.7 →
 9.9 ↗ 10.1 ↓ 8.5 ↑ 9.8 → 9.3 ↖
 beste Teiler 224.6 (37.) 237.7 (33.) 273.7 (36.)
 Trefferlage 1.72 mm rechts, 0.33 mm hoch
 Streuwert 3.04, horizontal: 3.07, vertikal: 3.01

Unterschrift des Schützen

Meyton Elektronik