





Ergebnis:	366	(386.6)
Serien:	88	91 92 95
Zähler:	16	14 10 0 0 0 0 0 0 0
Innenzehner:	14	
weiteste:	666	(19), 655 (10), 648 (8)
beste Teiler	21.2	(35.) 42.7 (21.) 79.0 (26.)
Trefferlage	0.17 mm	rechts, 0.46 mm hoch
Streuwert	2.65,	horizontal: 3.04, vertikal: 2.18




Serie 1:	8.8 ←	8.9 ↖	9.7 ↖	10.4 *	9.2 →
	8.9 ↓	10.6 *	8.4 →	10.3 *	8.3 →
beste Teiler	91.7	(7.) 128.0	(4.) 175.6	(9.)	
Trefferlage	0.76 mm	rechts, 0.01 mm	hoch		
Streuwert	3.30,	horizontal: 3.95,	vertikal: 2.47		



Serie 2:	8.9 ←	10.2 *	10.1 ↓	10.4 *	8.9 →
	9.9 →	10.5 *	9.2 ←	8.3 ↖	9.8 ↖
beste Teiler	117.0	(17.) 142.2	(14.) 179.9	(12.)	
Trefferlage	0.78 mm	links, 0.22 mm	tief		
Streuwert	2.74,	horizontal: 3.26,	vertikal: 2.08		



Serie 3:	10.8 *	9.7 ↑	8.8 ↗	9.8 ↗	10.5 *
	10.6 *	9.1 ↑	9.5 ↖	9.9 ↙	9.0 ↑
beste Teiler	42.7	(21.) 79.0	(26.) 103.1	(25.)	
Trefferlage	0.36 mm	rechts, 1.54 mm	hoch		
Streuwert	2.24,	horizontal: 2.00,	vertikal: 2.46		





Serie 4:	8.5 →	10.3 *	9.2 →	10.6 *	10.9 *
	10.0 ↗	10.4 *	9.3 ↖	10.2 *	9.8 ↙
beste Teiler	21.2	(35.) 79.6	(34.) 149.8	(37.)	
Trefferlage	0.36 mm	rechts, 0.53 mm	hoch		
Streuwert	2.28,	horizontal: 2.90,	vertikal: 1.42		


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (382.6)
 Serien: 94 93 90 91
 Zähler: 17 14 9 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 708 (37), 701 (28), 672 (27)
 beste Teiler 61.2 (26.) 95.7 (11.) 115.0 (13.)
 Trefferlage 0.03 mm links, 0.02 mm tief
 Streuwert 2.80, horizontal: 3.19, vertikal: 2.35




Serie 1:
 8.5 ← 10.0 ← 10.2 * 10.3 * 8.6 ↘
 9.2 → 10.2 * 10.1 ↑ 9.3 ↙ 10.1 ↓
 beste Teiler 175.7 (4.) 192.0 (7.) 200.8 (3.)
 Trefferlage 1.24 mm links, 0.44 mm hoch
 Streuwert 2.55, horizontal: 2.93, vertikal: 2.11



Serie 2:
 10.6 * 9.4 ↙ 10.5 * 9.8 ↑ 10.1 ↙
 9.2 ← 10.0 ↘ 9.6 ← 8.3 ↙ 9.8 ↘
 beste Teiler 95.7 (11.) 115.0 (13.) 212.8 (15.)
 Trefferlage 1.82 mm links, 0.46 mm tief
 Streuwert 2.13, horizontal: 2.38, vertikal: 1.84



Serie 3:
 9.7 ↑ 8.6 ↗ 10.0 ↘ 10.1 ↗ 8.9 ↗
 10.7 * 8.3 ← 8.1 → 9.5 ↑ 10.1 ↙
 beste Teiler 61.2 (26.) 219.4 (30.) 224.1 (24.)
 Trefferlage 0.97 mm rechts, 0.88 mm hoch
 Streuwert 3.12, horizontal: 3.76, vertikal: 2.29





Serie 4:
 9.9 ↑ 10.4 * 9.1 ↘ 9.5 → 10.4 *
 9.9 ↑ 8.1 ↘ 10.0 → 9.2 ↘ 8.3 ↓
 beste Teiler 137.4 (32.) 144.0 (35.) 245.4 (38.)
 Trefferlage 1.94 mm rechts, 0.96 mm tief
 Streuwert 2.61, horizontal: 2.26, vertikal: 2.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	349	(368.4)
Serien:	83 90 86 90	
Zähler:	6 24 5 4 0 1 0 0 0 0	
Innenzehner:	3	
weiteste:	1277 (30), 862 (4), 852 (34)	
beste Teiler	76.0 (33.) 133.2 (38.) 171.4 (18.)	
Trefferlage	1.63 mm rechts, 0.17 mm hoch	
Streuwert	3.34, horizontal: 3.73, vertikal: 2.90	




Serie 1:	9.6 ←	8.9 ↘	9.8 ↗	7.5 ↓	8.7 ↗
	7.7 →	9.7 ↗	9.9 ↓	9.6 ↘	8.2 ↗
beste Teiler	260.2 (8.)	294.2 (3.)	301.5 (7.)		
Trefferlage	2.44 mm rechts, 0.85 mm tief				
Streuwert	3.55, horizontal: 3.24, vertikal: 3.84				



Serie 2:	9.3 →	8.4 →	9.4 →	9.6 ↓	9.0 ↖
	9.2 ↗	9.0 ↓	10.3 *	9.8 ↓	9.2 ↘
beste Teiler	171.4 (18.)	283.0 (19.)	342.0 (14.)		
Trefferlage	2.12 mm rechts, 0.83 mm tief				
Streuwert	2.70, horizontal: 2.40, vertikal: 2.97				



Serie 3:	10.0 ↗	9.3 ←	9.9 ↘	9.1 ↖	9.4 ↗
	7.7 →	10.0 ↘	9.5 ↘	9.6 ↗	5.8 ←
beste Teiler	244.3 (27.)	250.9 (21.)	272.8 (23.)		
Trefferlage	0.04 mm rechts, 0.28 mm hoch				
Streuwert	4.28, horizontal: 5.72, vertikal: 1.98				





Serie 4:	9.7 ↖	9.7 →	10.6 *	7.5 ↗	8.6 ↗
	9.3 →	10.1 ↑	10.4 *	9.7 ↗	9.7 ↗
beste Teiler	76.0 (33.)	133.2 (38.)	211.8 (37.)		
Trefferlage	1.93 mm rechts, 2.12 mm hoch				
Streuwert	2.22, horizontal: 2.73, vertikal: 1.54				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	357	(374.2)			
Serien:	86	88	90	93	
Zähler:	15	13	6	6	0 0 0 0 0 0
Innenzehner:	11				
weiteste:	934 (27), 910 (29), 869 (5)				
beste Teiler	59.2 (21.) 92.0 (30.) 115.9 (35.)				
Trefferlage	2.03 mm links, 0.84 mm hoch				
Streuwert	2.98, horizontal: 3.47, vertikal: 2.38				




Serie 1:	10.3 *	9.6 ↗	7.9 ↘	8.8 →	7.5 ↖
	10.3 *	8.9 ↖	9.2 ↙	9.4 ↖	9.1 ↘
beste Teiler	156.6 (6.) 173.0 (1.) 343.7 (2.)				
Trefferlage	2.52 mm links, 2.00 mm hoch				
Streuwert	2.98, horizontal: 3.45, vertikal: 2.42				



Serie 2:	9.0 ↗	9.7 →	9.9 ↘	10.4 *	10.1 ←
	9.6 ↑	7.5 ↖	7.5 ↖	8.9 ↙	10.2 *
beste Teiler	126.8 (14.) 186.7 (20.) 222.2 (15.)				
Trefferlage	1.91 mm links, 1.23 mm hoch				
Streuwert	3.20, horizontal: 3.86, vertikal: 2.36				



Serie 3:	10.7 *	9.3 ↘	10.3 *	10.1 ↘	8.3 ↖
	10.4 *	7.2 ←	9.9 ↙	7.3 ←	10.6 *
beste Teiler	59.2 (21.) 92.0 (30.) 132.3 (26.)				
Trefferlage	1.99 mm links, 0.27 mm tief				
Streuwert	3.40, horizontal: 4.54, vertikal: 1.59				





Serie 4:	8.9 ↑	9.2 ↗	10.0 ↙	9.1 ↙	10.5 *
	10.3 *	10.0 ↓	8.7 ←	9.3 ↖	10.3 *
beste Teiler	115.9 (35.) 156.3 (36.) 170.6 (40.)				
Trefferlage	1.70 mm links, 0.41 mm hoch				
Streuwert	2.42, horizontal: 2.11, vertikal: 2.70				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	364	(381.8)
Serien:	90 90 93 91	
Zähler:	12 21 6 1 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	814 (3), 718 (12), 643 (18)	
beste Teiler	104.2 (14.) 104.3 (29.) 119.9 (2.)	
Trefferlage	0.32 mm links, 1.02 mm hoch	
Streuwert	2.69, horizontal: 3.40, vertikal: 1.72	




Serie 1:	9.5 ↗	10.5 *	7.7 ↘	9.5 ↘	9.0 ←
	10.3 *	8.7 ↗	9.9 ↗	10.3 *	9.2 ↘
beste Teiler	119.9 (2.) 174.0 (9.) 174.6 (6.)				
Trefferlage	0.58 mm links, 1.75 mm hoch				
Streuwert	2.89, horizontal: 3.74, vertikal: 1.64				



Serie 2:	8.6 ↘	8.1 →	10.0 →	10.5 *	10.0 ↑
	9.3 ↘	9.3 ←	8.4 ↘	9.4 ↗	9.2 →
beste Teiler	104.2 (14.) 239.4 (15.) 242.2 (13.)				
Trefferlage	0.09 mm rechts, 1.68 mm hoch				
Streuwert	3.16, horizontal: 4.11, vertikal: 1.75				



Serie 3:	10.4 *	9.0 ↘	10.3 *	9.4 ↘	8.9 ←
	9.9 ↓	9.4 ↘	10.4 *	10.5 *	9.6 ↘
beste Teiler	104.3 (29.) 130.0 (21.) 133.1 (28.)				
Trefferlage	1.40 mm links, 0.91 mm hoch				
Streuwert	2.04, horizontal: 2.37, vertikal: 1.65				





Serie 4:	9.8 →	9.6 →	9.8 →	9.9 →	8.5 ←
	9.3 →	9.9 ←	10.1 →	9.3 ↙	10.4 *
beste Teiler	144.0 (40.) 207.1 (38.) 255.8 (37.)				
Trefferlage	0.57 mm rechts, 0.26 mm tief				
Streuwert	2.51, horizontal: 3.33, vertikal: 1.22				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	372	(390.2)
Serien:	91 93 93 95	
Zähler:	18 16 6 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	723 (19), 694 (18), 665 (27)	
beste Teiler	12.0 (30.) 35.0 (14.) 42.0 (1.)	
Trefferlage	1.02 mm links, 0.08 mm hoch	
Streuwert	2.43, horizontal: 2.97, vertikal: 1.72	




Serie 1:	10.8 *	9.6 ↘	9.5 ↙	10.7 *	10.2 *
	8.7 ←	8.6 ↖	9.8 ↘	9.5 ↙	9.5 ←
beste Teiler	42.0 (1.) 57.1 (4.) 185.6 (5.)				
Trefferlage	1.60 mm links, 0.24 mm tief				
Streuwert	2.37, horizontal: 2.54, vertikal: 2.19				



Serie 2:	10.4 *	10.0 ↖	9.9 ↘	10.8 *	9.9 ↗
	10.4 *	9.7 ↖	8.2 ←	8.1 ↖	10.3 *
beste Teiler	35.0 (14.) 136.1 (16.) 144.9 (11.)				
Trefferlage	1.30 mm links, 0.38 mm hoch				
Streuwert	2.56, horizontal: 3.06, vertikal: 1.94				



Serie 3:	10.3 *	8.5 →	10.0 ↑	10.4 *	9.7 ↖
	10.6 *	8.3 ←	9.0 →	9.4 ↙	10.9 *
beste Teiler	12.0 (30.) 99.1 (26.) 130.6 (24.)				
Trefferlage	0.12 mm links, 0.05 mm hoch				
Streuwert	2.82, horizontal: 3.64, vertikal: 1.63				





Serie 4:	10.6 *	10.3 *	9.1 ←	9.5 ↖	10.4 *
	9.2 ←	10.1 ↗	10.3 *	9.7 ↙	9.3 →
beste Teiler	82.8 (31.) 133.1 (35.) 159.1 (38.)				
Trefferlage	1.04 mm links, 0.13 mm hoch				
Streuwert	2.14, horizontal: 2.79, vertikal: 1.17				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (383.6)
 Serien: 91 93 94 90
 Zähler: 16 17 6 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 782 (16), 747 (22), 674 (1)
 beste Teiler 49.4 (19.) 144.2 (29.) 152.5 (30.)
 Trefferlage 0.56 mm links, 0.85 mm tief
 Streuwert 2.63, horizontal: 2.77, vertikal: 2.49




Serie 1:
 8.3 ↓ 10.2 * 8.8 ← 9.8 ↘ 9.1 ↘
 10.0 ↙ 9.6 ↖ 10.1 ↘ 9.6 ← 9.1 ↖
 beste Teiler 181.2 (2.) 225.0 (8.) 245.5 (6.)
 Trefferlage 0.93 mm links, 0.71 mm tief
 Streuwert 2.88, horizontal: 3.10, vertikal: 2.64



Serie 2:
 10.1 ↙ 9.7 ← 9.7 → 9.7 ↗ 9.4 ↖
 7.8 ↓ 10.1 ↗ 10.1 → 10.8 * 10.2 *
 beste Teiler 49.4 (19.) 191.6 (20.) 214.0 (17.)
 Trefferlage 0.27 mm links, 0.20 mm tief
 Streuwert 2.61, horizontal: 2.15, vertikal: 3.01



Serie 3:
 9.1 ↙ 8.0 ← 9.9 → 10.1 ↘ 10.2 *
 9.7 ↘ 9.5 ↓ 10.2 * 10.4 * 10.3 *
 beste Teiler 144.2 (29.) 152.5 (30.) 181.1 (25.)
 Trefferlage 0.27 mm links, 1.30 mm tief
 Streuwert 2.40, horizontal: 3.05, vertikal: 1.48





Serie 4:
 9.2 ↙ 9.2 → 10.2 * 10.3 * 9.8 ↘
 8.9 ↘ 10.0 ↙ 8.8 ↓ 8.5 ↙ 9.1 ↘
 beste Teiler 160.2 (34.) 200.8 (33.) 237.8 (37.)
 Trefferlage 0.74 mm links, 1.17 mm tief
 Streuwert 2.93, horizontal: 3.05, vertikal: 2.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386.8** (368)
 Serien: 98.6 94.5 97.8 95.9
 Zähler: 16 17 6 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 833 (16), 673 (32), 647 (7)
 beste Teiler 43.0 (24.) 58.6 (25.) 62.9 (1.)
 Trefferlage 0.08 mm rechts, 0.46 mm tief
 Streuwert 2.65, horizontal: 3.03, vertikal: 2.20




Serie 1:
 10.7 * 9.6 ← 10.1 ↘ 9.7 ↙ 9.7 ↗
 10.4 * 8.4 ↘ 10.6 * 9.0 ← 10.4 *
 beste Teiler 62.9 (1.) 90.0 (8.) 130.7 (10.)
 Trefferlage 0.06 mm links, 0.93 mm tief
 Streuwert 2.34, horizontal: 2.80, vertikal: 1.75



Serie 2:
 9.8 ↓ 9.9 ↖ 9.4 ← 8.7 ← 10.4 *
 7.6 ↖ 10.2 * 10.3 * 9.2 ↗ 9.0 →
 beste Teiler 148.1 (15.) 170.0 (18.) 198.7 (17.)
 Trefferlage 0.74 mm links, 0.04 mm tief
 Streuwert 3.14, horizontal: 4.03, vertikal: 1.87



Serie 3:
 10.0 ↓ 9.9 ↗ 8.8 → 10.8 * 10.7 *
 9.5 ↓ 8.4 → 10.4 * 10.1 ↓ 9.2 ↖
 beste Teiler 43.0 (24.) 58.6 (25.) 129.2 (28.)
 Trefferlage 1.12 mm rechts, 0.42 mm tief
 Streuwert 2.45, horizontal: 2.89, vertikal: 1.91



Serie 4:
 9.4 ↑ 8.3 ↓ 9.6 ↓ 9.5 → 9.3 ↖
 8.8 ↖ 10.1 ↓ 10.4 * 10.7 * 9.8 →
 beste Teiler 69.7 (39.) 140.0 (38.) 210.0 (37.)
 Trefferlage 0.01 mm rechts, 0.46 mm tief
 Streuwert 2.81, horizontal: 2.34, vertikal: 3.22

Unterschrift des Schützen

Meyton Elektronik