





Ergebnis:	378	(396.0)
Serien:	94 94 93 97	
Zähler:	22 15 2 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	825 (27), 569 (23), 518 (37)	
beste Teiler	41.0 (9.) 52.2 (29.) 72.0 (8.)	
Trefferlage	1.34 mm rechts, 1.15 mm tief	
Streuwert	1.83, horizontal: 2.29, vertikal: 1.20	




Serie 1:	9.7 ↘	9.2 →	9.3 →	10.3 *	9.9 ↓
	10.7 *	9.5 ↘	10.7 *	10.8 *	9.8 ↘
beste Teiler	41.0 (9.)	72.0 (8.)	72.3 (6.)		
Trefferlage	1.82 mm rechts, 0.93 mm tief				
Streuwert	1.40, horizontal: 1.65, vertikal: 1.09				



Serie 2:	10.5 *	9.1 ↘	9.0 ↘	9.2 ↓	9.8 ↓
	10.2 *	9.8 ↙	10.1 ↓	9.8 ↓	10.5 *
beste Teiler	107.9 (11.)	112.3 (20.)	196.8 (16.)		
Trefferlage	1.05 mm rechts, 2.07 mm tief				
Streuwert	1.61, horizontal: 2.05, vertikal: 0.99				



Serie 3:	10.1 ↓	9.2 →	8.7 →	10.0 ↓	10.6 *
	9.4 ↘	7.7 ↘	10.2 *	10.7 *	10.5 *
beste Teiler	52.2 (29.)	86.3 (25.)	125.6 (30.)		
Trefferlage	2.14 mm rechts, 1.10 mm tief				
Streuwert	2.27, horizontal: 2.97, vertikal: 1.20				





Serie 4:	10.7 *	10.4 *	10.1 ←	10.0 ↓	10.4 *
	9.7 →	8.9 ↘	10.6 *	10.0 ↙	10.2 *
beste Teiler	74.0 (31.)	90.0 (38.)	130.6 (32.)		
Trefferlage	0.35 mm rechts, 0.52 mm tief				
Streuwert	1.75, horizontal: 2.21, vertikal: 1.11				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	384	(401.1)
Serien:	96 96 98 94	
Zähler:	26 12 2 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	541 (2), 511 (10), 487 (33)	
beste Teiler	28.2 (13.) 64.0 (34.) 65.7 (1.)	
Trefferlage	0.53 mm rechts, 0.15 mm tief	
Streuwert	1.90, horizontal: 1.98, vertikal: 1.81	




Serie 1:

10.7 *	8.8 ↘	10.2 *	10.0 ↘	10.6 *
10.0 ↙	10.2 *	10.5 *	10.4 *	8.9 →
beste Teiler	65.7 (1.)	85.0 (5.)	107.4 (8.)	
Trefferlage	1.01 mm rechts, 0.21 mm tief			
Streuwert	1.94, horizontal: 2.34, vertikal: 1.42			




Serie 2:

9.0 →	9.2 →	10.8 *	10.4 *	10.7 *
9.5 ↓	10.5 *	10.6 *	10.1 ↘	9.8 ↘
beste Teiler	28.2 (13.)	72.1 (15.)	80.2 (18.)	
Trefferlage	1.36 mm rechts, 1.12 mm tief			
Streuwert	1.53, horizontal: 1.81, vertikal: 1.20			



Serie 3:

10.4 *	10.5 *	10.2 *	10.3 *	9.9 ↘
10.3 *	10.2 *	10.4 *	10.4 *	9.1 ↙
beste Teiler	110.0 (22.)	130.3 (29.)	134.4 (28.)	
Trefferlage	0.03 mm rechts, 0.14 mm tief			
Streuwert	1.63, horizontal: 2.00, vertikal: 1.14			





Serie 4:

9.3 ↙	9.3 ↑	9.0 ↖	10.7 *	9.9 →
10.1 ↑	9.8 ←	10.2 *	10.5 *	9.7 ↓
beste Teiler	64.0 (34.)	113.7 (39.)	189.4 (38.)	
Trefferlage	0.28 mm links, 0.87 mm hoch			
Streuwert	2.17, horizontal: 1.51, vertikal: 2.67			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381	(397.3)
Serien:	95	96 95 95
Zähler:	23	15 2 0 0 0 0 0 0 0
Innenzehner:	14	
weiteste:	726	(25), 506 (33), 468 (12)
beste Teiler	46.6	(23.) 72.1 (4.) 77.1 (29.)
Trefferlage	0.42 mm	rechts, 0.65 mm hoch
Streuwert	1.96,	horizontal: 2.33, vertikal: 1.51




Serie 1:	9.5 →	9.7 →	10.4 *	10.7 *	10.0 ↗
	9.9 ↑	9.4 ↗	10.1 →	10.3 *	9.6 ↑
beste Teiler	72.1	(4.) 129.7 (3.)	172.7 (9.)		
Trefferlage	1.42 mm	rechts, 1.12 mm hoch			
Streuwert	1.47,	horizontal: 1.39, vertikal: 1.54			



Serie 2:	10.0 ↑	9.1 ↘	9.5 ↘	10.1 ↘	9.7 ↗
	10.2 *	10.4 *	10.2 *	9.9 ↙	10.1 ↗
beste Teiler	137.7	(17.) 181.0 (16.)	184.5 (18.)		
Trefferlage	0.41 mm	links, 1.23 mm hoch			
Streuwert	1.78,	horizontal: 1.78, vertikal: 1.78			



Serie 3:	10.0 ↘	10.3 *	10.8 *	10.0 ↑	8.0 →
	9.9 ↖	9.9 ↙	9.2 →	10.6 *	10.3 *
beste Teiler	46.6	(23.) 77.1 (29.)	159.4 (22.)		
Trefferlage	0.86 mm	rechts, 0.11 mm tief			
Streuwert	2.30,	horizontal: 2.98, vertikal: 1.31			





Serie 4:	9.9 ↖	10.0 →	8.9 ↖	10.4 *	10.5 *
	9.6 →	10.0 ↑	10.3 *	10.2 *	9.7 ↖
beste Teiler	116.2	(35.) 145.1 (34.)	175.5 (38.)		
Trefferlage	0.19 mm	links, 0.39 mm hoch			
Streuwert	2.03,	horizontal: 2.64, vertikal: 1.12			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	372	(389.3)
Serien:	89 93 91 99	
Zähler:	19 16 4 0 1 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1013 (8), 677 (2), 660 (4)	
beste Teiler	49.6 (34.) 65.1 (23.) 67.2 (1.)	
Trefferlage	1.42 mm rechts, 0.08 mm hoch	
Streuwert	2.42, horizontal: 3.00, vertikal: 1.64	




Serie 1:	10.7 *	8.2 ↘	9.1 →	8.3 ↘	9.1 →
	9.0 →	10.2 *	6.9 →	10.1 ↗	10.6 *
beste Teiler	67.2 (1.)	92.0 (10.)	185.9 (7.)		
Trefferlage	3.88 mm rechts, 0.29 mm hoch				
Streuwert	2.55, horizontal: 3.23, vertikal: 1.62				



Serie 2:	9.7 ↘	8.9 ↗	9.3 ↘	10.0 →	10.4 *
	9.9 →	9.6 ↘	10.3 *	9.6 ↘	10.6 *
beste Teiler	86.2 (20.)	145.4 (15.)	175.8 (18.)		
Trefferlage	1.96 mm rechts, 0.04 mm hoch				
Streuwert	1.79, horizontal: 1.81, vertikal: 1.77				



Serie 3:	9.4 ↗	9.4 ←	10.7 *	9.8 ←	10.1 →
	9.3 ↘	8.4 ←	9.4 ←	9.8 ↘	9.7 ↙
beste Teiler	65.1 (23.)	217.2 (25.)	291.4 (29.)		
Trefferlage	0.96 mm links, 0.15 mm hoch				
Streuwert	2.64, horizontal: 3.20, vertikal: 1.92				





Serie 4:	10.3 *	10.1 ↘	10.1 ↙	10.8 *	9.5 ↘
	10.7 *	10.0 ↗	10.6 *	10.4 *	10.3 *
beste Teiler	49.6 (34.)	75.4 (36.)	95.5 (38.)		
Trefferlage	0.79 mm rechts, 0.16 mm tief				
Streuwert	1.32, horizontal: 1.15, vertikal: 1.46				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (388.2)
 Serien: 89 93 95 97
 Zähler: 19 17 3 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 982 (8), 675 (1), 585 (37)
 beste Teiler 57.3 (36.) 59.5 (23.) 75.9 (18.)
 Trefferlage 1.73 mm rechts, 0.41 mm hoch
 Streuwert 2.25, horizontal: 2.72, vertikal: 1.64




Serie 1:
 8.3 → 9.9 ↗ 9.5 ← 9.0 → 10.0 →
 9.0 → 9.2 ↗ 7.0 → 10.1 → 9.6 ↘
 beste Teiler 213.4 (9.) 247.5 (5.) 261.3 (2.)
 Trefferlage 3.13 mm rechts, 0.90 mm hoch
 Streuwert 2.81, horizontal: 3.74, vertikal: 1.34



Serie 2:
 10.1 ↖ 8.8 → 10.1 ↖ 10.0 ↗ 9.7 ↘
 9.5 ↘ 9.9 → 10.7 * 9.3 → 9.7 ↓
 beste Teiler 75.9 (18.) 211.0 (11.) 222.4 (13.)
 Trefferlage 1.75 mm rechts, 0.19 mm tief
 Streuwert 2.01, horizontal: 2.26, vertikal: 1.73



Serie 3:
 10.1 ↗ 9.2 → 10.7 * 10.1 ↓ 10.2 *
 10.4 * 9.3 ↘ 9.8 → 9.9 → 9.4 →
 beste Teiler 59.5 (23.) 144.3 (26.) 177.6 (25.)
 Trefferlage 1.73 mm rechts, 0.23 mm tief
 Streuwert 1.70, horizontal: 1.79, vertikal: 1.60





Serie 4:
 10.2 * 10.1 ← 10.5 * 10.5 * 9.0 ↖
 10.7 * 8.6 → 10.1 ↗ 10.0 → 10.0 ↖
 beste Teiler 57.3 (36.) 115.2 (33.) 122.8 (34.)
 Trefferlage 0.32 mm rechts, 1.16 mm hoch
 Streuwert 1.99, horizontal: 2.31, vertikal: 1.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.3** (377)
 Serien: 99.2 99.0 95.9 98.2
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 570 (23), 569 (15), 480 (13)
 beste Teiler 90.2 (11.) 97.1 (17.) 99.8 (27.)
 Trefferlage 0.68 mm rechts, 1.48 mm hoch
 Streuwert 1.91, horizontal: 2.39, vertikal: 1.25




Serie 1:
 9.3 ← 9.8 ← 9.8 ↘ 10.3 * 10.0 →
 10.1 ↑ 10.3 * 10.1 ↘ 10.0 ↑ 9.5 →
 beste Teiler 156.0 (4.) 168.0 (7.) 215.6 (8.)
 Trefferlage 0.27 mm links, 1.06 mm hoch
 Streuwert 1.85, horizontal: 2.45, vertikal: 0.93



Serie 2:
 10.6 * 10.0 ↑ 9.0 → 10.1 ↗ 8.7 →
 10.3 * 10.6 * 10.1 ↑ 9.4 ↗ 10.2 *
 beste Teiler 90.2 (11.) 97.1 (17.) 159.8 (16.)
 Trefferlage 1.39 mm rechts, 1.33 mm hoch
 Streuwert 1.77, horizontal: 2.29, vertikal: 1.01



Serie 3:
 10.0 ↗ 9.3 ↗ 8.7 ↘ 9.4 ↘ 9.9 ↘
 9.3 → 10.6 * 9.4 → 10.1 ↘ 9.2 →
 beste Teiler 99.8 (27.) 217.7 (29.) 234.2 (21.)
 Trefferlage 0.57 mm rechts, 1.93 mm hoch
 Streuwert 2.29, horizontal: 2.95, vertikal: 1.32





Serie 4:
 10.4 * 9.7 ↘ 9.8 ↘ 9.7 ↑ 9.4 →
 9.7 ↑ 9.6 ↗ 10.5 * 10.1 → 9.3 ↑
 beste Teiler 122.7 (38.) 129.0 (31.) 214.0 (39.)
 Trefferlage 1.06 mm rechts, 1.62 mm hoch
 Streuwert 1.70, horizontal: 1.75, vertikal: 1.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	376	(393.2)
Serien:	92 94 96 94	
Zähler:	19 18 3 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	723 (24), 689 (4), 562 (31)	
beste Teiler	40.8 (37.) 54.4 (29.) 59.0 (7.)	
Trefferlage	0.25 mm rechts, 0.65 mm hoch	
Streuwert	2.21, horizontal: 2.71, vertikal: 1.56	




Serie 1:	9.9 →	10.4 *	10.4 *	8.2 ↗	9.7 ↗
	9.2 →	10.7 *	9.8 ↗	9.8 ↗	9.3 ↘
beste Teiler	59.0 (7.) 129.5 (2.) 129.6 (3.)				
Trefferlage	1.18 mm rechts, 1.38 mm hoch				
Streuwert	2.20, horizontal: 2.85, vertikal: 1.25				



Serie 2:	9.8 ↗	10.0 ↑	10.4 *	9.5 ↘	9.7 ↗
	9.8 ↘	9.1 ↘	10.1 ↘	10.4 *	9.4 →
beste Teiler	127.0 (19.) 148.9 (13.) 205.9 (18.)				
Trefferlage	1.20 mm rechts, 0.27 mm hoch				
Streuwert	2.05, horizontal: 1.92, vertikal: 2.17				





Serie 3:	10.2 *	9.5 ↗	10.5 *	8.1 ←	10.1 ←
	9.4 ↘	10.1 ↘	10.0 ↘	10.7 *	10.3 *
beste Teiler	54.4 (29.) 112.7 (23.) 151.5 (30.)				
Trefferlage	0.79 mm links, 0.03 mm hoch				
Streuwert	2.29, horizontal: 3.02, vertikal: 1.18				




Serie 4:	8.7 ←	9.4 ←	10.2 *	10.1 ↘	9.8 ↗
	9.6 →	10.8 *	9.9 ↘	10.0 ↑	10.2 *
beste Teiler	40.8 (37.) 176.0 (40.) 195.1 (33.)				
Trefferlage	0.59 mm links, 0.90 mm hoch				
Streuwert	2.08, horizontal: 2.64, vertikal: 1.28				

Unterschrift des Schützen


Ergebnis: **377** (394.3)
 Serien: 94 94 95 94
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 535 (14), 515 (17), 495 (13)
 beste Teiler 85.8 (11.) 101.5 (22.) 111.2 (28.)
 Trefferlage 0.12 mm links, 0.99 mm tief
 Streuwert 2.06, horizontal: 2.38, vertikal: 1.67




Serie 1:
 10.0 ↙ 9.6 ↙ 9.7 ↘ 9.9 ← 9.4 ↖
 9.4 ↓ 10.3 * 10.5 * 10.0 ↘ 9.2 ↖
 beste Teiler 119.9 (8.) 159.7 (7.) 227.4 (1.)
 Trefferlage 1.36 mm links, 1.07 mm tief
 Streuwert 1.86, horizontal: 1.98, vertikal: 1.73



Serie 2:
 10.6 * 10.4 * 9.0 ↓ 8.8 ↘ 10.2 *
 10.5 * 8.9 ↓ 9.2 ↘ 10.3 * 10.2 *
 beste Teiler 85.8 (11.) 123.4 (16.) 137.5 (12.)
 Trefferlage 0.38 mm rechts, 2.30 mm tief
 Streuwert 1.82, horizontal: 1.85, vertikal: 1.79



Serie 3:
 9.7 ↘ 10.5 * 10.3 * 9.6 → 10.5 *
 9.4 → 9.4 ← 10.5 * 9.5 ↘ 10.4 *
 beste Teiler 101.5 (22.) 111.2 (28.) 122.2 (25.)
 Trefferlage 1.26 mm rechts, 0.51 mm tief
 Streuwert 1.75, horizontal: 2.20, vertikal: 1.13



Serie 4:
 9.8 → 9.9 ↖ 9.5 ← 9.8 ← 10.3 *
 10.4 * 10.1 ↙ 10.4 * 9.1 ↘ 9.1 ←
 beste Teiler 138.1 (36.) 145.0 (38.) 160.0 (35.)
 Trefferlage 0.77 mm links, 0.10 mm tief
 Streuwert 2.17, horizontal: 2.79, vertikal: 1.26

Unterschrift des Schützen

Meyton Elektronik