





Ergebnis: **373** (390.7)
 Serien: 90 93 96 94
 Zähler: 18 17 5 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2376 (9), 1851 (37), 1759 (16)
 beste Teiler 99.6 (13.) 184.4 (29.) 237.5 (24.)
 Trefferlage 1.41 mm rechts, 0.93 mm hoch
 Streuwert 7.80, horizontal: 6.02, vertikal: 9.24




Serie 1:
 10.2 ↗ 9.7 ↗ 8.8 ↗ 9.2 ↑ 9.7 ↙
 9.3 ↘ 9.9 → 10.2 ↙ 8.0 ↓ 9.5 →
 beste Teiler 582.0 (8.) 631.6 (1.) 845.3 (7.)
 Trefferlage 5.10 mm rechts, 0.57 mm tief
 Streuwert 8.96, horizontal: 5.96, vertikal: 11.19



Serie 2:
 8.9 ↑ 10.6 * 10.8 * 10.2 ↗ 10.2 →
 8.8 ↑ 9.3 ↙ 10.6 * 9.3 ↗ 9.2 ↓
 beste Teiler 99.6 (13.) 267.0 (12.) 287.1 (18.)
 Trefferlage 0.59 mm rechts, 2.84 mm hoch
 Streuwert 7.93, horizontal: 4.06, vertikal: 10.46



Serie 3:
 10.4 * 9.1 ↙ 9.5 ↗ 10.7 * 9.1 ↙
 9.8 ↘ 10.0 → 10.2 ↗ 10.7 * 10.6 *
 beste Teiler 184.4 (29.) 237.5 (24.) 259.0 (30.)
 Trefferlage 0.26 mm links, 1.43 mm tief
 Streuwert 6.55, horizontal: 7.79, vertikal: 5.01





Serie 4:
 9.1 ↘ 10.5 * 10.3 ↙ 10.5 * 9.6 ↗
 9.0 ↗ 8.6 ↓ 10.5 * 9.5 ↑ 10.6 *
 beste Teiler 275.6 (40.) 321.8 (34.) 324.6 (32.)
 Trefferlage 0.23 mm rechts, 2.89 mm hoch
 Streuwert 7.65, horizontal: 4.87, vertikal: 9.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (381.1)
 Serien: 94 90 93 90
 Zähler: 17 15 6 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3038 (36), 2424 (20), 2260 (23)
 beste Teiler 70.2 (7.) 178.3 (27.) 263.8 (31.)
 Trefferlage 0.61 mm links, 1.42 mm hoch
 Streuwert 9.23, horizontal: 8.44, vertikal: 9.96




Serie 1:
 10.1 ← 10.0 ↓ 10.1 ↑ 10.0 ↓ 9.3 ↑
 9.1 ↓ 10.9 * 8.5 ↑ 9.4 ↖ 9.1 ↑
 beste Teiler 70.2 (7.) 646.0 (3.) 663.6 (1.)
 Trefferlage 1.26 mm links, 3.35 mm hoch
 Streuwert 8.19, horizontal: 4.12, vertikal: 10.83



Serie 2:
 9.1 ↓ 9.9 ↖ 10.0 ← 10.1 ↘ 9.0 ↗
 9.2 ↗ 8.9 → 9.2 ↑ 10.0 → 7.9 ↑
 beste Teiler 641.5 (14.) 756.7 (19.) 784.0 (13.)
 Trefferlage 1.05 mm rechts, 1.89 mm hoch
 Streuwert 10.36, horizontal: 8.77, vertikal: 11.74



Serie 3:
 10.0 → 8.3 ↓ 8.1 ↘ 8.8 ← 10.0 ↖
 9.2 ↖ 10.7 * 10.4 * 10.0 ↗ 10.2 ↗
 beste Teiler 178.3 (27.) 419.7 (28.) 604.8 (30.)
 Trefferlage 0.24 mm rechts, 0.15 mm tief
 Streuwert 9.69, horizontal: 10.51, vertikal: 8.81





Serie 4:
 10.6 * 9.9 ↑ 9.8 ↑ 9.6 ← 9.6 ↑
 7.2 ↗ 9.9 ↗ 8.9 ↗ 10.1 ↓ 10.0 ↖
 beste Teiler 263.8 (31.) 692.6 (39.) 730.0 (40.)
 Trefferlage 2.47 mm links, 0.61 mm hoch
 Streuwert 9.64, horizontal: 9.82, vertikal: 9.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.0)
 Serien: 94 92 90 92
 Zähler: 16 17 6 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2779 (25), 2217 (15), 1991 (7)
 beste Teiler 217.4 (31.) 231.1 (23.) 234.7 (18.)
 Trefferlage 1.02 mm links, 3.12 mm hoch
 Streuwert 8.37, horizontal: 7.35, vertikal: 9.29




Serie 1:
 9.1 ↘ 10.6 * 8.8 ↘ 10.3 ↗ 10.2 →
 10.2 ↙ 8.5 ↓ 10.4 ↑ 10.6 * 9.8 ←
 beste Teiler 276.2 (2.) 308.6 (9.) 478.2 (8.)
 Trefferlage 0.02 mm rechts, 1.19 mm tief
 Streuwert 7.97, horizontal: 6.25, vertikal: 9.38



Serie 2:
 10.0 ↘ 9.2 ← 9.7 ↑ 9.2 ↘ 8.2 ↑
 10.5 * 9.5 ↑ 10.7 * 9.0 ↖ 9.9 ←
 beste Teiler 234.7 (18.) 354.5 (16.) 787.9 (11.)
 Trefferlage 2.81 mm links, 5.78 mm hoch
 Streuwert 7.88, horizontal: 8.41, vertikal: 7.31



Serie 3:
 8.8 ↓ 9.2 ↙ 10.7 * 9.5 ↗ 7.5 ↖
 10.2 ↑ 9.2 ↘ 10.6 * 9.2 ↖ 9.6 ↖
 beste Teiler 231.1 (23.) 279.3 (28.) 577.1 (26.)
 Trefferlage 3.37 mm links, 4.44 mm hoch
 Streuwert 9.63, horizontal: 6.47, vertikal: 11.99





Serie 4:
 10.7 * 9.7 → 10.0 ↑ 8.9 ↗ 9.9 ↑
 10.4 * 9.6 → 9.2 ↙ 10.1 ← 8.6 ↗
 beste Teiler 217.4 (31.) 404.2 (36.) 672.8 (39.)
 Trefferlage 2.04 mm rechts, 3.45 mm hoch
 Streuwert 7.71, horizontal: 7.80, vertikal: 7.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (376.0)
 Serien: 93 90 84 93
 Zähler: 12 20 6 1 0 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4001 (29), 2688 (11), 2273 (28)
 beste Teiler 379.2 (1.) 388.5 (15.) 397.5 (2.)
 Trefferlage 0.38 mm links, 4.60 mm hoch
 Streuwert 9.75, horizontal: 9.01, vertikal: 10.44




Serie 1:
 10.5 * 10.5 * 9.8 ↖ 9.4 ↑ 9.5 ↘
 10.0 ↘ 9.0 ↘ 8.6 ↑ 10.3 ↖ 9.9 ↗
 beste Teiler 379.2 (1.) 397.5 (2.) 500.6 (9.)
 Trefferlage 1.92 mm links, 5.83 mm hoch
 Streuwert 6.67, horizontal: 6.04, vertikal: 7.25



Serie 2:
 7.6 ↗ 10.3 ↘ 10.1 ↘ 9.8 ↙ 10.5 *
 9.8 ↑ 9.3 → 9.4 ↑ 8.6 ← 9.3 →
 beste Teiler 388.5 (15.) 494.9 (12.) 672.3 (13.)
 Trefferlage 3.44 mm rechts, 2.54 mm hoch
 Streuwert 9.54, horizontal: 11.41, vertikal: 7.20



Serie 3:
 9.3 ↑ 9.7 ← 10.2 ↓ 8.3 ↘ 9.5 ↘
 8.2 ↙ 9.7 ← 8.1 ↑ 5.9 ↑ 9.0 ↑
 beste Teiler 592.6 (23.) 1005.4 (27.) 1029.6 (22.)
 Trefferlage 6.01 mm links, 9.60 mm hoch
 Streuwert 11.92, horizontal: 7.47, vertikal: 15.11





Serie 4:
 9.4 ↓ 9.1 ↓ 10.3 → 8.3 → 10.3 →
 9.2 ↑ 10.2 ↑ 10.0 ↓ 9.8 ↑ 9.3 ↘
 beste Teiler 492.4 (33.) 538.6 (35.) 632.9 (37.)
 Trefferlage 2.97 mm rechts, 0.41 mm hoch
 Streuwert 8.61, horizontal: 7.91, vertikal: 9.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	367	(384.9)
Serien:	90 95 92 90	
Zähler:	16 16 7 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2468 (7), 2187 (32), 2178 (31)	
beste Teiler	20.0 (23.) 297.4 (36.) 323.6 (17.)	
Trefferlage	0.29 mm rechts, 2.46 mm hoch	
Streuwert	8.54, horizontal: 8.57, vertikal: 8.50	




Serie 1:	8.9 →	9.7 ↖	9.9 ↓	9.8 ↙	8.6 ↘
	10.5 *	7.9 ↗	10.5 *	10.1 →	10.0 ↑
beste Teiler	380.9 (6.) 386.9 (8.) 650.4 (9.)				
Trefferlage	0.20 mm rechts, 0.76 mm hoch				
Streuwert	9.42, horizontal: 10.80, vertikal: 7.82				



Serie 2:	9.9 ↑	8.6 ↗	10.1 ↘	10.0 →	9.4 ↖
	10.3 ↑	10.5 *	9.3 ↖	10.3 ↖	10.3 ↖
beste Teiler	323.6 (17.) 502.1 (16.) 532.1 (20.)				
Trefferlage	0.27 mm rechts, 1.25 mm hoch				
Streuwert	7.25, horizontal: 8.50, vertikal: 5.74				



Serie 3:	9.7 ←	9.7 ↓	10.9 *	10.3 ↓	9.5 ↖
	8.4 →	9.0 ↑	9.7 ↖	10.0 ↑	9.3 ↑
beste Teiler	20.0 (23.) 547.2 (24.) 739.7 (29.)				
Trefferlage	0.57 mm links, 2.26 mm hoch				
Streuwert	8.63, horizontal: 8.56, vertikal: 8.70				





Serie 4:	8.2 ↑	8.2 ↖	9.9 →	10.4 *	9.2 ↗
	10.6 *	10.1 ↓	9.2 ↑	9.1 ↘	8.9 ↖
beste Teiler	297.4 (36.) 404.4 (34.) 643.4 (37.)				
Trefferlage	1.29 mm rechts, 5.56 mm hoch				
Streuwert	9.54, horizontal: 7.36, vertikal: 11.31				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (378.6)
 Serien: 95 89 90 88
 Zähler: 12 19 8 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2609 (34), 2347 (16), 2331 (13)
 beste Teiler 236.0 (30.) 253.4 (10.) 281.4 (1.)
 Trefferlage 1.69 mm rechts, 0.34 mm tief
 Streuwert 9.53, horizontal: 10.28, vertikal: 8.72




Serie 1:
 10.6 * 10.4 * 9.3 ← 9.1 ↗ 10.0 ↑
 9.9 → 10.3 → 9.2 → 9.2 ← 10.6 *
 beste Teiler 253.4 (10.) 281.4 (1.) 455.8 (2.)
 Trefferlage 1.52 mm rechts, 1.63 mm hoch
 Streuwert 7.15, horizontal: 9.29, vertikal: 3.99



Serie 2:
 10.2 ↖ 9.2 ↓ 8.0 ↗ 9.0 → 8.6 ↗
 8.0 ↑ 9.7 ↓ 10.4 ↗ 10.0 ← 8.9 ↑
 beste Teiler 480.9 (18.) 625.4 (11.) 758.0 (19.)
 Trefferlage 5.56 mm rechts, 4.72 mm hoch
 Streuwert 10.15, horizontal: 8.34, vertikal: 11.68



Serie 3:
 9.8 ↑ 8.6 ↓ 9.9 ↓ 8.1 ← 10.0 ↑
 8.3 → 9.5 ← 9.6 ↖ 10.3 ↓ 10.7 *
 beste Teiler 236.0 (30.) 496.9 (29.) 779.6 (25.)
 Trefferlage 1.79 mm links, 3.26 mm tief
 Streuwert 9.64, horizontal: 10.86, vertikal: 8.24





Serie 4:
 9.8 → 9.1 ↓ 8.6 ← 7.7 ↘ 9.6 →
 10.6 * 9.7 → 9.2 ← 9.6 ← 9.3 ↓
 beste Teiler 291.0 (36.) 921.5 (31.) 995.2 (37.)
 Trefferlage 1.49 mm rechts, 4.45 mm tief
 Streuwert 10.05, horizontal: 12.41, vertikal: 6.92

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	356	(376.7)
Serien:	87 88 91 90	
Zähler:	8 20 12 0 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2266 (30), 2201 (4), 2184 (25)	
beste Teiler	222.5 (23.) 294.7 (40.) 395.9 (28.)	
Trefferlage	3.84 mm links, 4.46 mm hoch	
Streuwert	8.63, horizontal: 8.69, vertikal: 8.58	



Serie 1:

9.6 ↗	8.2 ←	8.9 →	8.2 ↖	9.6 ↘
9.9 ↑	9.8 →	10.4 *	9.7 ↓	8.8 ↗


beste Teiler 408.3 (8.) 810.3 (6.) 931.8 (7.)
 Trefferlage 0.40 mm rechts, 5.04 mm hoch
 Streuwert 9.83, horizontal: 10.96, vertikal: 8.56



Serie 2:

8.8 ↖	8.8 ←	9.2 ↑	9.0 ↘	8.5 ↗
9.9 ↘	10.0 ↓	9.8 ↗	9.6 ↓	9.8 ↖


beste Teiler 753.3 (17.) 822.8 (16.) 893.3 (18.)
 Trefferlage 6.09 mm links, 3.61 mm hoch
 Streuwert 8.58, horizontal: 7.79, vertikal: 9.30



Serie 3:

9.8 ↘	9.7 ↗	10.7 *	9.2 ←	8.2 ↖
10.0 ↓	9.1 ↖	10.5 *	9.5 ←	8.1 ↖

beste Teiler 222.5 (23.) 395.9 (28.) 752.0 (26.)
 Trefferlage 7.07 mm links, 3.07 mm hoch
 Streuwert 8.19, horizontal: 7.79, vertikal: 8.57



Serie 4:



8.6 ↖	9.7 →	10.0 ↘	10.3 ↖	9.5 ↖
9.8 ←	9.8 ←	8.6 ↑	8.5 ↖	10.6 *

beste Teiler 294.7 (40.) 560.6 (34.) 786.9 (33.)
 Trefferlage 2.63 mm links, 6.13 mm hoch
 Streuwert 7.94, horizontal: 6.83, vertikal: 8.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369.6** (352)
 Serien: 86.1 98.5 89.6 95.4
 Zähler: 12 18 7 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 8788 (1), 2587 (35), 2423 (29)
 beste Teiler 242.1 (34.) 354.7 (27.) 356.1 (15.)
 Trefferlage 0.20 mm rechts, 1.93 mm hoch
 Streuwert 13.65, horizontal: 10.30, vertikal: 16.34




Serie 1:
 0.0 ↗ 9.9 → 9.5 → 9.0 ↗ 10.0 ↗
 10.1 ↘ 8.6 ↓ 9.2 ↗ 9.9 ↘ 9.9 ↘
 beste Teiler 670.8 (6.) 788.9 (5.) 845.5 (9.)
 Trefferlage 6.97 mm rechts, 9.81 mm hoch
 Streuwert 20.45, horizontal: 12.16, vertikal: 26.24



Serie 2:
 9.7 ↑ 9.5 ← 10.2 ↓ 10.1 ↗ 10.5 *
 10.3 ↗ 8.6 ↘ 10.1 ↖ 9.5 ↗ 10.0 ←
 beste Teiler 356.1 (15.) 559.2 (16.) 625.8 (13.)
 Trefferlage 2.07 mm links, 1.05 mm hoch
 Streuwert 7.18, horizontal: 6.48, vertikal: 7.82



Serie 3:
 9.9 ↑ 8.0 ↗ 8.9 ↓ 8.0 ↘ 9.3 ↘
 10.2 ↘ 10.5 * 8.3 ↓ 7.9 ↑ 8.6 ←
 beste Teiler 354.7 (27.) 605.4 (26.) 865.2 (21.)
 Trefferlage 2.50 mm links, 1.98 mm tief
 Streuwert 12.94, horizontal: 10.70, vertikal: 14.85



Serie 4:
 9.7 → 9.0 ↘ 9.7 ↑ 10.6 * 7.7 ↘
 10.4 * 9.7 ↘ 9.1 ↗ 9.6 ← 9.9 →
 beste Teiler 242.1 (34.) 411.4 (36.) 843.1 (40.)
 Trefferlage 1.55 mm links, 1.14 mm tief
 Streuwert 9.37, horizontal: 9.31, vertikal: 9.42

Unterschrift des Schützen