





Ergebnis: **367** (383.2)
 Serien: 89 93 91 94
 Zähler: 15 17 8 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2162 (21), 2087 (7), 1970 (29)
 beste Teiler 228.5 (36.) 253.2 (14.) 285.9 (37.)
 Trefferlage 0.98 mm links, 1.53 mm hoch
 Streuwert 8.68, horizontal: 9.06, vertikal: 8.28




Serie 1:
 9.1 ↘ 10.2 ↘ 8.5 ← 8.9 ← 9.9 ↘
 9.5 ↙ 8.3 ↗ 9.0 ↗ 10.5 * 9.4 ←
 beste Teiler 372.8 (9.) 579.5 (2.) 865.6 (5.)
 Trefferlage 4.28 mm links, 1.62 mm hoch
 Streuwert 9.78, horizontal: 10.45, vertikal: 9.05



Serie 2:
 9.0 ↘ 8.8 ↑ 10.2 ↙ 10.6 * 9.6 ↘
 9.7 ↗ 9.4 ↗ 9.3 ↘ 10.5 * 10.1 ↙
 beste Teiler 253.2 (14.) 322.1 (19.) 565.2 (13.)
 Trefferlage 1.37 mm links, 3.34 mm hoch
 Streuwert 7.60, horizontal: 5.98, vertikal: 8.92



Serie 3:
 8.2 ↘ 9.3 ↗ 10.4 * 10.3 ↓ 9.4 ↘
 9.0 → 10.0 ← 8.9 ↘ 8.5 ↗ 10.4 *
 beste Teiler 442.1 (23.) 465.2 (30.) 521.8 (24.)
 Trefferlage 2.73 mm rechts, 3.40 mm hoch
 Streuwert 9.50, horizontal: 11.00, vertikal: 7.71





Serie 4:
 9.8 → 10.0 ← 9.0 ↙ 9.1 → 9.9 ←
 10.7 * 10.6 * 8.8 ↓ 10.3 ↑ 10.1 ↘
 beste Teiler 228.5 (36.) 285.9 (37.) 529.2 (39.)
 Trefferlage 1.01 mm links, 2.24 mm tief
 Streuwert 7.58, horizontal: 7.89, vertikal: 7.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (378.6)
 Serien: 90 91 86 91
 Zähler: 12 17 8 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2824 (37), 2435 (2), 2420 (16)
 beste Teiler 21.2 (20.) 155.5 (39.) 184.2 (32.)
 Trefferlage 2.33 mm rechts, 2.29 mm tief
 Streuwert 9.44, horizontal: 9.64, vertikal: 9.22




Serie 1:
 8.2 ↗ 7.9 ↙ 10.1 ↘ 10.6 * 9.1 ↖
 10.0 ↓ 9.6 ← 9.4 ↘ 8.7 → 10.2 ←
 beste Teiler 275.0 (4.) 628.8 (10.) 672.1 (3.)
 Trefferlage 0.57 mm rechts, 0.77 mm tief
 Streuwert 10.56, horizontal: 10.32, vertikal: 10.80



Serie 2:
 8.5 → 9.8 ↓ 9.6 ↙ 9.4 ↗ 10.1 ↓
 7.9 ↘ 10.4 * 9.7 ← 10.3 ↗ 10.9 *
 beste Teiler 21.2 (20.) 438.5 (17.) 556.5 (19.)
 Trefferlage 2.62 mm rechts, 2.85 mm tief
 Streuwert 8.68, horizontal: 10.19, vertikal: 6.85



Serie 3:
 8.6 ↑ 8.9 ↓ 9.5 ↗ 8.5 ↗ 8.9 ↘
 9.5 ↓ 9.9 ↘ 9.8 ↙ 10.2 ↑ 8.7 ↘
 beste Teiler 618.8 (29.) 880.1 (27.) 959.5 (28.)
 Trefferlage 5.38 mm rechts, 2.26 mm tief
 Streuwert 9.84, horizontal: 7.93, vertikal: 11.43





Serie 4:
 9.5 ↘ 10.7 * 9.3 ↘ 9.6 ↓ 10.4 *
 9.7 ↗ 7.4 → 9.1 ↓ 10.8 * 9.2 ↙
 beste Teiler 155.5 (39.) 184.2 (32.) 435.2 (35.)
 Trefferlage 0.75 mm rechts, 3.26 mm tief
 Streuwert 9.58, horizontal: 10.64, vertikal: 8.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.5)
 Serien: 87 88 88 95
 Zähler: 15 13 8 3 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3283 (28), 3127 (6), 3012 (5)
 beste Teiler 77.3 (35.) 224.6 (22.) 258.3 (3.)
 Trefferlage 1.99 mm links, 1.32 mm tief
 Streuwert 10.43, horizontal: 10.92, vertikal: 9.92




Serie 1:
 9.4 ↓ 10.6 * 10.6 * 9.6 ↗ 7.2 ↘
 7.0 → 8.1 ↖ 9.4 ↗ 10.2 ↓ 8.8 ↖
 beste Teiler 258.3 (3.) 314.3 (2.) 591.7 (9.)
 Trefferlage 0.20 mm rechts, 0.26 mm tief
 Streuwert 13.29, horizontal: 14.43, vertikal: 12.04



Serie 2:
 9.7 ← 10.5 * 9.4 ↓ 10.5 * 8.9 ↖
 9.7 ↖ 8.3 → 8.9 ← 9.7 → 8.3 ↖
 beste Teiler 328.2 (14.) 339.1 (12.) 995.8 (19.)
 Trefferlage 2.43 mm links, 0.32 mm hoch
 Streuwert 10.09, horizontal: 11.43, vertikal: 8.54



Serie 3:
 10.4 * 10.7 * 10.3 ← 8.5 ↘ 9.6 ↗
 9.3 ↓ 8.7 → 6.8 ↘ 9.1 ↖ 9.5 ↓
 beste Teiler 224.6 (22.) 437.2 (21.) 509.8 (23.)
 Trefferlage 3.25 mm links, 5.28 mm tief
 Streuwert 10.83, horizontal: 10.74, vertikal: 10.92





Serie 4:
 7.8 ↘ 10.0 ↗ 10.2 ← 10.2 ↓ 10.9 *
 9.8 → 10.2 → 10.2 ↖ 10.2 ← 9.3 ↖
 beste Teiler 77.3 (35.) 565.8 (38.) 566.6 (34.)
 Trefferlage 2.50 mm links, 0.08 mm tief
 Streuwert 7.76, horizontal: 7.40, vertikal: 8.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (391.5)
 Serien: 86 95 95 95
 Zähler: 16 19 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2234 (1), 1715 (2), 1698 (4)
 beste Teiler 178.8 (33.) 214.9 (34.) 244.8 (24.)
 Trefferlage 1.32 mm links, 0.64 mm tief
 Streuwert 7.50, horizontal: 7.05, vertikal: 7.92




Serie 1:
 8.2 ↙ 8.8 ← 9.5 ← 8.8 ↑ 9.7 ↘
 9.9 ← 8.9 ↘ 8.9 ← 10.5 * 9.0 ↑
 beste Teiler 383.8 (9.) 872.7 (6.) 1017.1 (5.)
 Trefferlage 4.33 mm links, 2.36 mm tief
 Streuwert 10.40, horizontal: 9.62, vertikal: 11.13



Serie 2:
 9.1 ↘ 10.3 ↘ 10.5 * 10.0 ↙ 9.7 ↘
 9.8 → 10.3 ↘ 10.1 ↘ 9.2 ← 9.9 ↑
 beste Teiler 338.8 (13.) 510.7 (12.) 539.9 (17.)
 Trefferlage 0.38 mm links, 1.93 mm tief
 Streuwert 6.73, horizontal: 6.81, vertikal: 6.64



Serie 3:
 10.2 ← 10.2 → 9.8 ↘ 10.6 * 9.3 ↑
 9.9 ↑ 10.4 * 9.3 ↑ 9.8 ↘ 10.3 ↘
 beste Teiler 244.8 (24.) 401.1 (27.) 538.1 (30.)
 Trefferlage 1.04 mm links, 4.72 mm hoch
 Streuwert 5.17, horizontal: 5.08, vertikal: 5.25





Serie 4:
 9.7 ↑ 10.6 * 10.7 * 10.7 * 9.2 ↘
 10.4 * 9.5 ↙ 9.8 ↘ 9.7 → 10.3 ↘
 beste Teiler 178.8 (33.) 214.9 (34.) 312.6 (32.)
 Trefferlage 0.44 mm rechts, 3.00 mm tief
 Streuwert 5.87, horizontal: 6.00, vertikal: 5.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (378.5)
 Serien: 89 85 92 94
 Zähler: 10 22 6 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2997 (16), 2992 (12), 2345 (20)
 beste Teiler 184.3 (34.) 315.7 (35.) 398.4 (25.)
 Trefferlage 3.85 mm rechts, 1.86 mm hoch
 Streuwert 9.12, horizontal: 9.32, vertikal: 8.92




Serie 1:
 8.7 ← 8.6 ↗ 10.0 ↓ 9.0 ↘ 9.1 ↓
 9.7 ↙ 9.4 ↗ 9.9 ↘ 9.9 ↘ 9.6 →
 beste Teiler 782.4 (3.) 814.6 (9.) 871.8 (8.)
 Trefferlage 2.27 mm rechts, 4.02 mm tief
 Streuwert 9.19, horizontal: 9.75, vertikal: 8.59



Serie 2:
 9.5 ↗ 7.2 ↗ 9.7 ↘ 9.1 ← 9.1 ↗
 7.2 ↗ 9.5 ↗ 8.9 ↙ 10.3 ← 8.0 ↗
 beste Teiler 518.5 (19.) 976.7 (13.) 1126.5 (11.)
 Trefferlage 4.36 mm rechts, 8.35 mm hoch
 Streuwert 11.86, horizontal: 13.12, vertikal: 10.44





Serie 3:
 10.3 → 9.6 ↗ 8.8 ↑ 9.5 ↖ 10.5 *
 9.9 ↘ 9.5 ↘ 10.3 ← 10.1 ↓ 8.7 →
 beste Teiler 398.4 (25.) 489.1 (28.) 544.4 (21.)
 Trefferlage 3.02 mm rechts, 1.72 mm hoch
 Streuwert 7.79, horizontal: 8.21, vertikal: 7.35




Serie 4:
 9.8 → 9.5 ↘ 10.1 ↗ 10.7 * 10.6 *
 9.5 → 10.3 → 9.2 → 9.7 → 9.5 ↖
 beste Teiler 184.3 (34.) 315.7 (35.) 508.3 (37.)
 Trefferlage 5.77 mm rechts, 1.42 mm hoch
 Streuwert 5.30, horizontal: 5.79, vertikal: 4.75

Unterschrift des Schützen


Ergebnis: **381.7** (363)
 Serien: 97.2 94.7 96.6 93.2
 Zähler: 14 17 7 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2682 (17), 2621 (40), 2250 (38)
 beste Teiler 46.0 (20.) 316.8 (4.) 344.2 (3.)
 Trefferlage 0.23 mm rechts, 0.84 mm tief
 Streuwert 9.14, horizontal: 8.02, vertikal: 10.14




Serie 1:
 9.2 → 10.2 ↓ 10.5 * 10.6 * 9.6 →
 8.4 ← 10.1 ↓ 9.6 ↙ 10.3 ← 8.7 →
 beste Teiler 316.8 (4.) 344.2 (3.) 550.5 (9.)
 Trefferlage 1.18 mm rechts, 4.33 mm tief
 Streuwert 7.78, horizontal: 10.44, vertikal: 3.46



Serie 2:
 10.3 → 9.7 ↑ 9.3 ← 8.6 ↓ 8.9 →
 10.0 ↘ 7.6 ↑ 9.2 ↙ 10.2 → 10.9 *
 beste Teiler 46.0 (20.) 536.9 (11.) 638.6 (19.)
 Trefferlage 1.18 mm rechts, 0.26 mm hoch
 Streuwert 10.29, horizontal: 8.34, vertikal: 11.92



Serie 3:
 9.4 ↓ 10.2 ← 10.1 ↘ 8.7 ↗ 10.4 *
 9.8 ↙ 9.4 ↘ 9.6 ↗ 9.8 ↗ 9.2 ↑
 beste Teiler 418.3 (25.) 579.1 (22.) 702.2 (23.)
 Trefferlage 0.40 mm rechts, 3.37 mm hoch
 Streuwert 7.85, horizontal: 7.20, vertikal: 8.46





Serie 4:
 10.4 * 9.5 ↓ 9.8 ← 9.2 ↓ 9.9 ↓
 8.9 ↗ 10.1 ← 8.1 ↓ 9.6 ↙ 7.7 ↑
 beste Teiler 405.2 (31.) 667.5 (37.) 860.5 (35.)
 Trefferlage 1.83 mm links, 2.66 mm tief
 Streuwert 10.55, horizontal: 6.42, vertikal: 13.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.4)
 Serien: 89 87 92 90
 Zähler: 12 17 8 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3147 (24), 2670 (3), 2611 (11)
 beste Teiler 138.2 (33.) 266.0 (19.) 435.8 (12.)
 Trefferlage 3.35 mm rechts, 1.01 mm tief
 Streuwert 9.86, horizontal: 8.74, vertikal: 10.87




Serie 1:
 9.5 ← 9.8 ↓ 7.6 ↓ 10.2 ↘ 10.2 ↗
 9.1 ↓ 10.4 * 9.7 ↗ 8.9 ↗ 8.2 ↗
 beste Teiler 439.1 (7.) 601.5 (5.) 619.3 (4.)
 Trefferlage 3.45 mm rechts, 2.50 mm tief
 Streuwert 10.30, horizontal: 7.77, vertikal: 12.32



Serie 2:
 7.7 → 10.4 * 8.8 ↖ 9.7 ↓ 8.3 ↗
 8.9 ↘ 9.2 ↓ 8.3 ↘ 10.6 * 10.3 →
 beste Teiler 266.0 (19.) 435.8 (12.) 527.3 (20.)
 Trefferlage 4.33 mm rechts, 2.95 mm tief
 Streuwert 11.06, horizontal: 10.56, vertikal: 11.54



Serie 3:
 9.9 ← 9.3 ↗ 10.2 ↘ 7.0 ↗ 10.0 ↓
 10.2 ↘ 10.0 ↘ 9.6 → 9.8 ↗ 9.6 ↖
 beste Teiler 579.1 (23.) 639.5 (26.) 744.7 (27.)
 Trefferlage 3.98 mm rechts, 3.19 mm hoch
 Streuwert 9.07, horizontal: 8.11, vertikal: 9.94





Serie 4:
 8.9 ↗ 9.0 ↗ 10.8 * 9.5 ↓ 9.3 ↘
 10.2 ↘ 9.0 ↓ 9.2 ↘ 9.3 ← 8.8 →
 beste Teiler 138.2 (33.) 597.2 (36.) 1123.3 (34.)
 Trefferlage 1.63 mm rechts, 1.79 mm tief
 Streuwert 9.75, horizontal: 9.43, vertikal: 10.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (387.3)
 Serien: 91 91 93 94
 Zähler: 19 13 6 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2516 (20), 2504 (24), 1998 (1)
 beste Teiler 102.6 (40.) 141.8 (21.) 238.1 (9.)
 Trefferlage 3.73 mm rechts, 0.51 mm hoch
 Streuwert 8.07, horizontal: 7.69, vertikal: 8.44




Serie 1:
 8.5 → 10.2 ↙ 9.8 → 10.1 ↑ 8.8 →
 9.8 → 9.7 ↓ 9.1 ↘ 10.7 * 9.6 ↘
 beste Teiler 238.1 (9.) 619.4 (2.) 708.2 (4.)
 Trefferlage 7.03 mm rechts, 2.05 mm tief
 Streuwert 6.95, horizontal: 8.01, vertikal: 5.70



Serie 2:
 10.5 * 8.5 → 9.2 ↑ 10.2 ↑ 10.6 *
 9.5 ↗ 8.8 ↓ 10.1 ← 10.0 ↘ 7.8 ↑
 beste Teiler 286.5 (15.) 390.9 (11.) 575.3 (14.)
 Trefferlage 3.50 mm rechts, 2.36 mm hoch
 Streuwert 9.48, horizontal: 6.84, vertikal: 11.54



Serie 3:
 10.8 * 10.2 ↗ 8.8 ↘ 7.8 ↗ 10.3 →
 10.3 ↘ 10.3 ↖ 10.3 ↖ 9.8 ↙ 9.3 ↙
 beste Teiler 141.8 (21.) 490.4 (28.) 519.7 (25.)
 Trefferlage 1.66 mm rechts, 0.15 mm hoch
 Streuwert 8.49, horizontal: 7.24, vertikal: 9.58



Serie 4:
 10.1 ↑ 10.5 * 9.4 ← 8.9 ↗ 10.2 ↓
 9.4 ↑ 9.3 ↘ 10.2 ← 9.1 → 10.8 *
 beste Teiler 102.6 (40.) 375.1 (32.) 605.1 (35.)
 Trefferlage 2.74 mm rechts, 1.61 mm hoch
 Streuwert 7.52, horizontal: 8.64, vertikal: 6.19

Unterschrift des Schützen

Meyton Elektronik