





Ergebnis: **381** (399.2)  
 Serien: 95 97 96 93  
 Zähler: 21 19 0 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 478 (11), 445 (38), 424 (36)  
 beste Teiler 20.0 (5.) 71.8 (28.) 75.1 (26.)  
 Trefferlage 0.08 mm rechts, 0.12 mm tief  
 Streuwert 1.95, horizontal: 2.12, vertikal: 1.77




Serie 1:  
 9.4 → 9.9 ↘ 9.3 ← 10.0 ↖ 10.9 \*  
 10.2 \* 10.5 \* 9.3 ↓ 10.0 ↑ 9.8 →  
 beste Teiler 20.0 (5.) 105.0 (7.) 192.8 (6.)  
 Trefferlage 0.32 mm links, 0.24 mm tief  
 Streuwert 2.08, horizontal: 2.40, vertikal: 1.70



Serie 2:  
 9.0 ↓ 10.3 \* 10.6 \* 10.3 \* 10.0 →  
 9.4 ↗ 10.3 \* 9.5 ← 10.6 \* 10.3 \*  
 beste Teiler 81.5 (19.) 96.1 (13.) 151.2 (12.)  
 Trefferlage 0.00 mm , 0.20 mm hoch  
 Streuwert 1.96, horizontal: 1.81, vertikal: 2.10



Serie 3:  
 9.8 ↘ 10.6 \* 10.1 ↓ 9.7 ↑ 10.6 \*  
 10.7 \* 9.9 ↓ 10.7 \* 9.7 → 10.5 \*  
 beste Teiler 71.8 (28.) 75.1 (26.) 82.2 (22.)  
 Trefferlage 0.10 mm rechts, 0.23 mm tief  
 Streuwert 1.52, horizontal: 1.32, vertikal: 1.69





Serie 4:  
 10.6 \* 10.1 ← 9.6 → 9.5 ↓ 9.8 →  
 9.3 → 10.3 \* 9.2 ↙ 9.6 → 9.3 ←  
 beste Teiler 82.3 (31.) 154.4 (37.) 212.1 (32.)  
 Trefferlage 0.53 mm rechts, 0.20 mm tief  
 Streuwert 2.41, horizontal: 2.88, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>376</b>	(394.0)
Serien:	92 93 95 96	
Zähler:	21 14 5 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	608 (7), 537 (23), 536 (17)	
beste Teiler	23.3 (2.) 52.0 (34.) 52.8 (22.)	
Trefferlage	0.26 mm links, 0.79 mm hoch	
Streuwert	2.19, horizontal: 2.52, vertikal: 1.81	




Serie 1:	8.9 ↘	10.9 *	9.2 ↗	8.9 ←	10.5 *
	10.2 *	8.5 ↑	9.5 →	10.4 *	10.0 ↖
beste Teiler	23.3 (2.)	103.4 (5.)	135.2 (9.)		
Trefferlage	0.44 mm links, 1.24 mm hoch				
Streuwert	2.52, horizontal: 2.80, vertikal: 2.21				



Serie 2:	10.5 *	9.4 ↘	9.3 ↖	9.7 ↓	9.8 ↗
	10.3 *	8.8 ←	9.5 →	10.4 *	10.3 *
beste Teiler	105.3 (11.)	148.6 (19.)	159.3 (20.)		
Trefferlage	0.56 mm links, 0.23 mm tief				
Streuwert	2.33, horizontal: 2.57, vertikal: 2.05				



Serie 3:	10.2 *	10.7 *	8.8 ↖	9.5 ←	9.9 ←
	9.6 ↗	10.2 *	10.4 *	10.0 ↖	10.6 *
beste Teiler	52.8 (22.)	84.8 (30.)	137.2 (28.)		
Trefferlage	0.95 mm links, 0.95 mm hoch				
Streuwert	1.79, horizontal: 2.22, vertikal: 1.20				





Serie 4:	10.1 ↖	10.5 *	9.5 ↗	10.7 *	10.1 →
	9.0 →	9.3 ↗	10.1 →	9.1 ↖	10.7 *
beste Teiler	52.0 (34.)	63.2 (40.)	110.6 (32.)		
Trefferlage	0.92 mm rechts, 1.21 mm hoch				
Streuwert	1.99, horizontal: 2.43, vertikal: 1.41				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.0)  
 Serien: 92 94 90 97  
 Zähler: 19 15 6 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 732 (27), 638 (24), 546 (1)  
 beste Teiler 20.0 (14.) 34.7 (30.) 98.1 (17.)  
 Trefferlage 0.30 mm links, 0.23 mm hoch  
 Streuwert 2.42, horizontal: 2.65, vertikal: 2.17




Serie 1:  
 8.8 ←                      8.9 ↘                      10.3 \*                      10.1 ↘                      9.2 ←  
 10.5 \*                      10.1 ↖                      9.5 →                      8.8 ↖                      10.5 \*  
 beste Teiler 109.8 (6.) 111.2 (10.) 153.4 (3.)  
 Trefferlage 0.37 mm links, 0.46 mm hoch  
 Streuwert 2.68, horizontal: 3.12, vertikal: 2.15



Serie 2:  
 10.4 \*                      10.4 \*                      9.3 ↖                      10.9 \*                      8.8 ↘  
 9.2 ↗                      10.6 \*                      9.6 ↖                      10.5 \*                      9.6 ←  
 beste Teiler 20.0 (14.) 98.1 (17.) 108.4 (19.)  
 Trefferlage 0.68 mm links, 0.04 mm hoch  
 Streuwert 2.23, horizontal: 1.86, vertikal: 2.55



Serie 3:  
 9.2 ↖                      9.7 ↖                      9.9 →                      8.4 ↖                      10.1 ↖  
 9.7 →                      8.0 ↘                      9.7 →                      9.7 ←                      10.8 \*  
 beste Teiler 34.7 (30.) 210.8 (25.) 275.8 (23.)  
 Trefferlage 0.24 mm links, 0.30 mm hoch  
 Streuwert 3.02, horizontal: 3.32, vertikal: 2.68





Serie 4:  
 9.6 ↗                      10.2 \*                      10.4 \*                      9.4 ←                      10.0 →  
 10.3 \*                      10.3 \*                      10.0 ←                      10.3 \*                      9.3 ↘  
 beste Teiler 144.1 (33.) 153.0 (36.) 163.5 (37.)  
 Trefferlage 0.09 mm rechts, 0.14 mm hoch  
 Streuwert 1.96, horizontal: 2.39, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>378</b>	(395.6)
Serien:	93	96 96 93
Zähler:	22	14 4 0 0 0 0 0 0 0
Innenzehner:	14	
weiteste:	594	(11), 585 (38), 523 (2)
beste Teiler	19.4	(22.) 21.2 (31.) 34.1 (12.)
Trefferlage	0.22 mm	rechts, 0.67 mm hoch
Streuwert	2.15,	horizontal: 2.47, vertikal: 1.78




Serie 1:	9.9 ↘	8.9 →	10.3 *	10.1 ↖	9.0 →
	9.3 ↑	10.5 *	9.7 ↙	10.5 *	9.8 ↗
beste Teiler	109.5	(7.) 114.4 (9.)	170.5 (3.)		
Trefferlage	0.88 mm	rechts, 0.50 mm hoch			
Streuwert	2.25,	horizontal: 2.60, vertikal: 1.84			



Serie 2:	8.6 ↗	10.8 *	10.1 ↗	10.3 *	9.1 ↖
	10.3 *	10.2 *	10.2 *	9.1 ↖	10.0 ↖
beste Teiler	34.1	(12.) 152.8 (14.)	165.9 (16.)		
Trefferlage	0.20 mm	rechts, 1.18 mm hoch			
Streuwert	2.21,	horizontal: 2.72, vertikal: 1.55			



Serie 3:	10.1 →	10.9 *	10.6 *	10.3 *	8.9 →
	10.1 →	9.9 ↑	10.7 *	9.6 ←	10.1 ↖
beste Teiler	19.4	(22.) 56.6 (28.)	81.0 (23.)		
Trefferlage	0.22 mm	rechts, 0.71 mm hoch			
Streuwert	1.77,	horizontal: 2.30, vertikal: 1.01			





Serie 4:	10.9 *	9.7 ↗	10.1 ↑	9.4 ←	10.0 →
	10.6 *	9.5 ↑	8.6 ↓	9.2 ←	9.7 ↖
beste Teiler	21.2	(31.) 90.0 (36.)	219.2 (33.)		
Trefferlage	0.43 mm	links, 0.29 mm hoch			
Streuwert	2.50,	horizontal: 2.47, vertikal: 2.52			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>375</b>	(394.4)
Serien:	90 96 97 92	
Zähler:	19 18 2 1 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	808 (35), 613 (6), 524 (9)	
beste Teiler	21.4 (29.) 48.0 (25.) 76.8 (40.)	
Trefferlage	0.08 mm rechts, 0.92 mm hoch	
Streuwert	2.13, horizontal: 2.40, vertikal: 1.82	




Serie 1:	9.6 ↙	9.9 ↓	9.6 ↘	9.9 ↑	9.8 →
	8.5 ↘	10.5 *	9.4 ↗	8.9 ↑	10.0 ↘
beste Teiler	106.9 (7.)	242.3 (10.)	259.5 (2.)		
Trefferlage	0.24 mm links, 1.56 mm hoch				
Streuwert	2.45, horizontal: 2.36, vertikal: 2.54				



Serie 2:	10.1 ↘	9.5 →	10.4 *	9.6 ↖	10.1 ↑
	10.4 *	10.0 →	9.3 ↘	9.8 ↗	10.6 *
beste Teiler	99.0 (20.)	128.9 (16.)	150.7 (13.)		
Trefferlage	0.20 mm rechts, 1.15 mm hoch				
Streuwert	1.77, horizontal: 2.23, vertikal: 1.15				



Serie 3:	10.2 *	10.0 ↑	10.0 ↘	9.7 ↑	10.8 *
	9.9 →	9.6 ↗	10.0 ↗	10.9 *	10.0 ↖
beste Teiler	21.4 (29.)	48.0 (25.)	199.4 (21.)		
Trefferlage	0.24 mm rechts, 1.20 mm hoch				
Streuwert	1.49, horizontal: 1.80, vertikal: 1.09				





Serie 4:	9.8 ↙	9.7 ↘	10.3 *	9.8 ↘	7.7 →
	9.8 →	9.1 ↙	10.2 *	10.4 *	10.6 *
beste Teiler	76.8 (40.)	145.3 (39.)	159.3 (33.)		
Trefferlage	0.14 mm rechts, 0.22 mm tief				
Streuwert	2.69, horizontal: 3.32, vertikal: 1.84				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390.0** (371)  
 Serien: 95.0 98.0 99.1 97.9  
 Zähler: 14 23 3 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 573 (1), 547 (2), 537 (26)  
 beste Teiler 19.2 (33.) 36.7 (21.) 74.7 (23.)  
 Trefferlage 0.28 mm links, 0.13 mm tief  
 Streuwert 2.38, horizontal: 2.91, vertikal: 1.68




Serie 1:  
 8.7 ←                      8.8 ←                      10.4 \*                      10.3 \*                      9.7 ←  
 9.4 ↘                      9.4 ↘                      9.1 ↘                      9.8 ↑                      9.4 ←  
 beste Teiler 144.5 (3.) 175.0 (4.) 294.8 (9.)  
 Trefferlage 0.98 mm links, 0.24 mm tief  
 Streuwert 2.83, horizontal: 3.66, vertikal: 1.62



Serie 2:  
 10.3 \*                      10.6 \*                      9.2 ↖                      9.5 →                      9.3 →  
 9.9 ↓                      9.2 ↓                      9.8 →                      10.1 ↖                      10.1 →  
 beste Teiler 93.7 (12.) 155.6 (11.) 210.6 (19.)  
 Trefferlage 0.70 mm rechts, 0.57 mm tief  
 Streuwert 2.21, horizontal: 2.61, vertikal: 1.73



Serie 3:  
 10.8 \*                      9.4 ↙                      10.7 \*                      10.4 \*                      9.6 ↖  
 8.8 ↖                      10.1 ↗                      9.6 →                      9.5 ←                      10.2 \*  
 beste Teiler 36.7 (21.) 74.7 (23.) 145.1 (24.)  
 Trefferlage 0.76 mm links, 0.35 mm hoch  
 Streuwert 2.14, horizontal: 2.62, vertikal: 1.51





Serie 4:  
 10.2 \*                      9.5 ↓                      10.9 \*                      9.4 ←                      9.5 ↖  
 9.8 ↙                      9.4 →                      9.1 →                      10.5 \*                      9.6 ↖  
 beste Teiler 19.2 (33.) 121.1 (39.) 190.2 (31.)  
 Trefferlage 0.08 mm links, 0.08 mm tief  
 Streuwert 2.39, horizontal: 2.77, vertikal: 1.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (394.8)  
 Serien: 91 99 91 96  
 Zähler: 21 15 4 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 603 (40), 545 (21), 520 (5)  
 beste Teiler 30.8 (18.) 38.5 (2.) 41.1 (22.)  
 Trefferlage 0.36 mm rechts, 1.16 mm hoch  
 Streuwert 2.04, horizontal: 2.46, vertikal: 1.51




Serie 1:  
 9.4 ↘ 10.8 \* 9.9 ↑ 10.0 ✓ 8.9 →  
 9.7 ↗ 8.9 → 9.6 ↗ 9.4 ↗ 10.4 \*  
 beste Teiler 38.5 (2.) 131.8 (10.) 249.3 (4.)  
 Trefferlage 1.41 mm rechts, 0.92 mm hoch  
 Streuwert 2.24, horizontal: 2.76, vertikal: 1.56



Serie 2:  
 10.4 \* 9.3 ↘ 10.0 ✓ 10.6 \* 10.2 \*  
 10.4 \* 10.2 \* 10.8 \* 10.8 \* 10.5 \*  
 beste Teiler 30.8 (18.) 50.2 (19.) 79.4 (14.)  
 Trefferlage 0.63 mm links, 0.66 mm hoch  
 Streuwert 1.25, horizontal: 0.61, vertikal: 1.66



Serie 3:  
 8.8 → 10.8 \* 10.0 ↘ 9.0 → 9.5 ↘  
 9.5 ↗ 9.4 ← 9.8 ↗ 9.5 ↗ 9.4 ↑  
 beste Teiler 41.1 (22.) 237.0 (23.) 282.9 (28.)  
 Trefferlage 0.70 mm rechts, 2.01 mm hoch  
 Streuwert 2.24, horizontal: 2.98, vertikal: 1.07





Serie 4:  
 10.4 \* 9.1 ← 10.0 ↗ 10.2 \* 9.3 ↗  
 10.3 \* 10.4 \* 10.2 \* 10.5 \* 8.5 ↗  
 beste Teiler 114.7 (39.) 128.9 (31.) 130.9 (37.)  
 Trefferlage 0.02 mm links, 1.07 mm hoch  
 Streuwert 2.14, horizontal: 2.59, vertikal: 1.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.7)  
 Serien: 91 95 97 93  
 Zähler: 21 14 5 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 573 (17), 533 (1), 527 (7)  
 beste Teiler 19.4 (23.) 58.0 (24.) 81.2 (28.)  
 Trefferlage 0.58 mm rechts, 1.28 mm hoch  
 Streuwert 2.00, horizontal: 2.28, vertikal: 1.69




Serie 1:  
 8.8 → 9.9 ← 9.5 ← 9.8 ↓ 10.1 ↑  
 10.4 \* 8.8 ↘ 9.7 ↑ 10.0 → 9.3 →  
 beste Teiler 143.1 (6.) 224.4 (5.) 249.5 (9.)  
 Trefferlage 0.44 mm rechts, 0.80 mm hoch  
 Streuwert 2.55, horizontal: 3.13, vertikal: 1.80



Serie 2:  
 10.5 \* 9.3 ↑ 10.0 ↘ 9.2 ↘ 10.5 \*  
 10.1 ↗ 8.7 ↗ 9.2 → 10.0 ↑ 10.3 \*  
 beste Teiler 106.9 (11.) 117.0 (15.) 157.0 (20.)  
 Trefferlage 0.60 mm rechts, 2.05 mm hoch  
 Streuwert 1.90, horizontal: 2.30, vertikal: 1.38



Serie 3:  
 10.3 \* 9.3 → 10.9 \* 10.7 \* 10.2 \*  
 9.4 ↑ 10.1 ↗ 10.6 \* 10.3 \* 9.9 ↘  
 beste Teiler 19.4 (23.) 58.0 (24.) 81.2 (28.)  
 Trefferlage 0.32 mm rechts, 1.18 mm hoch  
 Streuwert 1.43, horizontal: 1.70, vertikal: 1.10



Serie 4:  
 9.8 ↑ 8.9 ↗ 10.3 \* 10.0 → 9.6 ↗  
 10.2 \* 10.5 \* 8.9 ↘ 10.1 → 9.6 ↘  
 beste Teiler 119.7 (37.) 159.5 (33.) 200.4 (36.)  
 Trefferlage 0.98 mm rechts, 1.08 mm hoch  
 Streuwert 2.15, horizontal: 2.05, vertikal: 2.25

Unterschrift des Schützen

Meyton Elektronik