





Ergebnis: **379** (397.1)
 Serien: 97 93 95 94
 Zähler: 20 19 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1929 (15), 1550 (27), 1446 (14)
 beste Teiler 237.3 (36.) 257.4 (10.) 281.0 (20.)
 Trefferlage 0.69 mm links, 1.21 mm hoch
 Streuwert 6.48, horizontal: 6.59, vertikal: 6.36




Serie 1:
 10.3 ↖ 9.8 ↗ 9.5 ↓ 10.6 * 10.6 *
 9.3 ↑ 10.4 * 10.1 ↑ 10.2 → 10.6 *
 beste Teiler 257.4 (10.) 282.0 (5.) 289.6 (4.)
 Trefferlage 1.16 mm rechts, 2.09 mm hoch
 Streuwert 5.18, horizontal: 3.44, vertikal: 6.46



Serie 2:
 10.2 ↑ 9.2 ↙ 10.3 ← 9.1 ↙ 8.5 ↗
 10.3 ↓ 9.9 ↖ 9.2 ← 9.6 ← 10.6 *
 beste Teiler 281.0 (20.) 539.4 (13.) 545.0 (16.)
 Trefferlage 4.93 mm links, 0.40 mm tief
 Streuwert 7.58, horizontal: 8.33, vertikal: 6.75



Serie 3:
 9.8 → 9.8 ↗ 10.0 ← 10.1 ↓ 9.6 ↗
 10.1 ↘ 9.0 ↑ 10.3 ← 10.2 ↖ 9.3 ↖
 beste Teiler 484.0 (28.) 600.6 (29.) 651.7 (24.)
 Trefferlage 1.02 mm links, 2.85 mm hoch
 Streuwert 6.83, horizontal: 6.62, vertikal: 7.04





Serie 4:
 10.4 * 9.9 ↖ 9.7 ↗ 9.7 ↑ 10.5 *
 10.7 * 10.3 ↓ 9.9 ↙ 9.9 → 9.6 ↘
 beste Teiler 237.3 (36.) 377.0 (35.) 475.1 (31.)
 Trefferlage 2.00 mm rechts, 0.30 mm hoch
 Streuwert 5.57, horizontal: 5.58, vertikal: 5.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(397.8)
Serien:	95 93 94 98	
Zähler:	22 16 2 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2084 (28), 1701 (19), 1501 (4)	
beste Teiler	65.3 (2.) 107.6 (31.) 135.6 (34.)	
Trefferlage	0.09 mm rechts, 0.21 mm hoch	
Streuwert	6.58, horizontal: 6.23, vertikal: 6.91	




Serie 1:	9.2 ↘	10.9 *	10.5 *	9.1 ↓	9.7 ↑
	10.3 ↓	9.9 ↗	9.2 ↗	10.5 *	10.3 ↗
beste Teiler	65.3 (2.)	321.9 (9.)	323.8 (3.)		
Trefferlage	0.74 mm rechts, 2.55 mm hoch				
Streuwert	6.70, horizontal: 4.82, vertikal: 8.15				



Serie 2:	10.0 ↓	10.0 ↘	9.9 ↓	9.8 →	10.4 *
	9.6 ↗	9.6 ↑	10.1 ↘	8.8 ↙	9.8 ↙
beste Teiler	474.4 (15.)	704.4 (18.)	743.0 (11.)		
Trefferlage	0.31 mm rechts, 2.28 mm tief				
Streuwert	7.01, horizontal: 5.52, vertikal: 8.23				



Serie 3:	9.6 ↗	10.4 *	9.5 →	9.4 ↙	10.1 ↙
	10.2 ↗	10.5 *	8.3 ←	9.6 ←	10.3 ↘
beste Teiler	356.4 (27.)	444.8 (22.)	516.9 (30.)		
Trefferlage	1.48 mm links, 0.87 mm tief				
Streuwert	7.71, horizontal: 9.48, vertikal: 5.38				





Serie 4:	10.8 *	9.5 ↘	10.2 ↓	10.8 *	9.5 ↑
	10.7 *	10.2 ↘	10.0 →	10.1 ↗	10.5 *
beste Teiler	107.6 (31.)	135.6 (34.)	224.7 (36.)		
Trefferlage	0.79 mm rechts, 1.44 mm hoch				
Streuwert	4.94, horizontal: 4.57, vertikal: 5.28				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	380	(398.8)
Serien:	95 96 96 93	
Zähler:	23 14 3 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	2083 (16), 2011 (40), 1630 (34)	
beste Teiler	106.4 (25.) 119.7 (31.) 123.9 (19.)	
Trefferlage	0.03 mm links, 3.11 mm hoch	
Streuwert	6.31, horizontal: 6.57, vertikal: 6.04	




Serie 1:

9.5 ↗	9.1 ↙	10.4 *	10.5 *	10.8 *
9.2 ↑	10.4 *	9.8 ↘	10.5 *	9.7 ↗
beste Teiler	124.4 (5.)	335.6 (4.)	367.2 (9.)	
Trefferlage	1.13 mm rechts, 3.30 mm hoch			
Streuwert	6.12, horizontal: 5.97, vertikal: 6.27			




Serie 2:

10.6 *	10.6 *	10.5 *	9.6 ↑	10.3 ↘
8.3 ↗	10.1 ↑	9.8 ↘	10.8 *	10.2 →
beste Teiler	123.9 (19.)	276.3 (11.)	310.5 (12.)	
Trefferlage	0.99 mm rechts, 5.22 mm hoch			
Streuwert	5.23, horizontal: 4.12, vertikal: 6.14			



Serie 3:

10.4 *	10.1 ↘	10.0 ↘	10.4 ↘	10.8 *
9.2 ↑	9.7 ↘	9.9 ←	9.3 ↗	10.1 ↖
beste Teiler	106.4 (25.)	427.0 (21.)	480.1 (24.)	
Trefferlage	0.67 mm links, 2.32 mm hoch			
Streuwert	6.20, horizontal: 4.97, vertikal: 7.22			





Serie 4:

10.8 *	9.8 ↘	10.6 *	8.9 ↗	10.4 *
9.6 →	10.3 ↘	10.4 *	9.0 ←	8.4 ←
beste Teiler	119.7 (31.)	245.2 (33.)	401.6 (35.)	
Trefferlage	1.58 mm links, 1.60 mm hoch			
Streuwert	7.89, horizontal: 10.20, vertikal: 4.53			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (396.0)
 Serien: 96 90 95 96
 Zähler: 21 16 2 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2681 (16), 2220 (1), 1679 (17)
 beste Teiler 73.4 (4.) 106.0 (28.) 139.7 (10.)
 Trefferlage 3.11 mm links, 0.06 mm tief
 Streuwert 6.85, horizontal: 7.63, vertikal: 5.97




Serie 1:
 8.2 ← 10.0 ↑ 9.6 → 10.9 * 10.1 ←
 10.3 ↑ 10.1 ↘ 9.3 ↙ 10.2 ↘ 10.8 *
 beste Teiler 73.4 (4.) 139.7 (10.) 558.4 (6.)
 Trefferlage 2.75 mm links, 0.82 mm hoch
 Streuwert 7.18, horizontal: 9.12, vertikal: 4.47



Serie 2:
 9.5 → 9.5 ← 10.3 ↖ 10.2 ↑ 9.3 ↓
 7.6 ← 8.9 ↑ 9.6 ← 9.9 ↘ 10.2 ←
 beste Teiler 554.6 (13.) 592.3 (14.) 634.1 (20.)
 Trefferlage 5.52 mm links, 0.55 mm hoch
 Streuwert 8.89, horizontal: 9.29, vertikal: 8.48



Serie 3:
 9.8 → 9.4 ← 9.2 ↓ 10.6 * 10.4 *
 10.4 * 10.6 * 10.8 * 9.7 ↑ 9.7 →
 beste Teiler 106.0 (28.) 242.0 (24.) 263.3 (27.)
 Trefferlage 0.65 mm rechts, 1.82 mm tief
 Streuwert 5.97, horizontal: 6.20, vertikal: 5.74





Serie 4:
 10.0 ← 10.5 * 9.3 ↙ 10.5 * 10.5 *
 9.6 ↘ 10.6 * 10.6 * 9.5 ↙ 9.8 ↘
 beste Teiler 287.0 (37.) 309.1 (38.) 342.5 (34.)
 Trefferlage 4.82 mm links, 0.19 mm hoch
 Streuwert 4.67, horizontal: 4.31, vertikal: 5.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (390.3)
 Serien: 93 95 92 92
 Zähler: 19 16 4 0 1 0 0 0 0 0
 Innenzehner: 11
 weiteste: 3297 (4), 2073 (26), 2045 (23)
 beste Teiler 205.1 (14.) 280.9 (29.) 284.9 (38.)
 Trefferlage 1.43 mm links, 2.07 mm hoch
 Streuwert 7.98, horizontal: 6.95, vertikal: 8.90




Serie 1:
 10.0 ↑ 9.3 → 10.4 * 6.8 ↘ 9.1 ↗
 10.6 * 10.4 * 9.6 ↑ 10.3 ← 10.5 *
 beste Teiler 316.4 (6.) 369.8 (10.) 420.7 (3.)
 Trefferlage 0.93 mm links, 6.14 mm hoch
 Streuwert 8.73, horizontal: 7.88, vertikal: 9.50



Serie 2:
 9.9 ↘ 10.2 ↗ 10.1 ← 10.7 * 9.7 ↖
 9.1 ↑ 9.4 ↑ 9.6 ↘ 10.2 ↓ 10.4 *
 beste Teiler 205.1 (14.) 424.4 (20.) 627.2 (12.)
 Trefferlage 2.28 mm links, 1.86 mm hoch
 Streuwert 6.33, horizontal: 5.19, vertikal: 7.29



Serie 3:
 9.9 ↓ 10.5 * 8.4 ↙ 10.2 ↓ 9.6 ↗
 8.4 ↘ 10.1 → 9.8 ↘ 10.6 * 9.4 →
 beste Teiler 280.9 (29.) 396.3 (22.) 604.4 (24.)
 Trefferlage 0.23 mm links, 0.16 mm hoch
 Streuwert 8.71, horizontal: 6.94, vertikal: 10.18





Serie 4:
 9.5 ↘ 9.4 ← 8.5 ← 10.1 ↑ 9.3 ↗
 10.5 * 9.7 ↗ 10.6 * 10.6 * 8.9 ↓
 beste Teiler 284.9 (38.) 295.0 (39.) 357.8 (36.)
 Trefferlage 2.27 mm links, 0.10 mm hoch
 Streuwert 8.31, horizontal: 8.26, vertikal: 8.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.6** (373)
 Serien: 99.0 99.3 97.5 97.8
 Zähler: 17 19 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2031 (36), 1728 (19), 1630 (27)
 beste Teiler 105.1 (9.) 245.0 (5.) 281.3 (3.)
 Trefferlage 0.01 mm rechts, 2.19 mm hoch
 Streuwert 7.06, horizontal: 7.21, vertikal: 6.90




Serie 1:
 9.8 → 10.0 ← 10.6 * 9.7 ↗ 10.6 *
 9.0 ↙ 9.7 ↘ 9.8 ↕ 10.8 * 9.0 ↘
 beste Teiler 105.1 (9.) 245.0 (5.) 281.3 (3.)
 Trefferlage 1.79 mm links, 1.73 mm hoch
 Streuwert 7.01, horizontal: 6.80, vertikal: 7.23



Serie 2:
 10.5 * 9.4 → 10.4 * 10.3 ↘ 9.6 ↗
 9.7 ↘ 10.6 * 10.3 ↘ 8.8 ↗ 9.7 ↗
 beste Teiler 292.0 (17.) 326.4 (11.) 475.8 (13.)
 Trefferlage 2.16 mm rechts, 4.85 mm hoch
 Streuwert 5.75, horizontal: 6.64, vertikal: 4.69



Serie 3:
 9.4 → 10.5 * 10.4 ↓ 9.7 ↓ 9.7 ←
 9.8 ↙ 8.9 ↑ 9.8 → 8.9 ↗ 10.4 *
 beste Teiler 331.6 (22.) 415.2 (30.) 480.9 (23.)
 Trefferlage 1.96 mm rechts, 2.04 mm hoch
 Streuwert 7.51, horizontal: 8.01, vertikal: 6.98





Serie 4:
 9.9 ↑ 10.0 ← 10.0 → 9.0 ↘ 9.9 ↓
 8.4 ↗ 10.6 * 10.2 ← 10.5 * 9.3 ↙
 beste Teiler 311.0 (37.) 333.7 (39.) 600.5 (38.)
 Trefferlage 2.26 mm links, 0.13 mm hoch
 Streuwert 7.83, horizontal: 7.22, vertikal: 8.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (391.9)
 Serien: 92 94 95 95
 Zähler: 19 18 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1872 (33), 1831 (8), 1793 (24)
 beste Teiler 243.3 (5.) 278.3 (12.) 282.2 (19.)
 Trefferlage 3.89 mm links, 0.03 mm hoch
 Streuwert 6.78, horizontal: 5.99, vertikal: 7.49




Serie 1:
 9.6 ↙ 9.5 ↙ 9.1 ↙ 9.9 ↙ 10.6 *
 10.0 ↓ 10.1 ↙ 8.7 ↘ 9.8 ↙ 9.1 ↑
 beste Teiler 243.3 (5.) 653.0 (7.) 781.1 (6.)
 Trefferlage 6.14 mm links, 2.78 mm tief
 Streuwert 6.88, horizontal: 5.20, vertikal: 8.22



Serie 2:
 9.6 ↙ 10.6 * 9.2 ↑ 10.5 * 9.2 ↘
 9.3 ↗ 10.0 ↘ 9.7 ↙ 10.6 * 9.6 ↓
 beste Teiler 278.3 (12.) 282.2 (19.) 388.4 (14.)
 Trefferlage 2.19 mm links, 1.70 mm hoch
 Streuwert 7.05, horizontal: 6.35, vertikal: 7.67



Serie 3:
 9.6 ↘ 10.5 * 10.0 ↙ 8.7 ↙ 9.7 ↗
 10.4 * 10.0 → 10.4 * 10.0 ↘ 9.1 ↑
 beste Teiler 337.4 (22.) 429.2 (28.) 454.7 (26.)
 Trefferlage 2.17 mm links, 1.63 mm hoch
 Streuwert 7.08, horizontal: 6.86, vertikal: 7.29





Serie 4:
 10.5 * 9.4 ↙ 8.6 ↑ 10.3 ↙ 10.2 ↙
 10.0 ↘ 10.4 ↙ 9.5 ↙ 9.5 ↙ 10.4 *
 beste Teiler 346.1 (31.) 424.4 (40.) 476.0 (37.)
 Trefferlage 5.06 mm links, 0.41 mm tief
 Streuwert 6.16, horizontal: 5.24, vertikal: 6.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (392.9)
 Serien: 96 96 92 91
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2091 (34), 1872 (13), 1706 (31)
 beste Teiler 206.3 (17.) 238.4 (29.) 271.8 (20.)
 Trefferlage 2.00 mm links, 2.18 mm tief
 Streuwert 6.96, horizontal: 6.11, vertikal: 7.72




Serie 1:
 10.3 → 9.2 ↓ 10.5 * 10.6 * 10.1 →
 9.7 ↓ 9.4 ↗ 10.5 * 9.3 ↓ 10.2 ↓
 beste Teiler 294.7 (4.) 336.6 (3.) 392.3 (8.)
 Trefferlage 0.71 mm links, 2.36 mm tief
 Streuwert 6.34, horizontal: 4.18, vertikal: 7.93



Serie 2:
 10.3 ↙ 10.3 ← 8.6 ↓ 9.5 ← 10.3 ↘
 10.0 ↑ 10.7 * 9.9 ↑ 10.4 * 10.6 *
 beste Teiler 206.3 (17.) 271.8 (20.) 471.3 (19.)
 Trefferlage 2.76 mm links, 1.51 mm tief
 Streuwert 5.90, horizontal: 4.00, vertikal: 7.33



Serie 3:
 10.0 ↑ 9.8 ↓ 9.5 ← 9.0 ← 9.2 ↓
 9.5 ↙ 9.7 ↗ 9.2 ↑ 10.7 * 9.7 ↑
 beste Teiler 238.4 (29.) 760.1 (21.) 945.5 (22.)
 Trefferlage 1.63 mm links, 0.24 mm tief
 Streuwert 8.18, horizontal: 7.11, vertikal: 9.13



Serie 4:
 8.8 ↙ 9.1 → 10.0 ↘ 8.3 ↙ 10.5 *
 10.4 * 9.9 ↓ 9.6 ← 9.8 ↓ 9.8 ↙
 beste Teiler 373.1 (35.) 464.4 (36.) 782.4 (33.)
 Trefferlage 2.89 mm links, 4.62 mm tief
 Streuwert 7.80, horizontal: 8.62, vertikal: 6.87

Unterschrift des Schützen

Meyton Elektronik